


Personal Computer

PACK
MORE DATA
ONTO YOUR DISKS

Canada \$2.25/US \$2.00/FF8.80/Lire 1700/DM 3.80/FL 4.00/
Bfr 64/Dkr 17.00/Skr 9.30/Nkr 10.50

World March 1981 60p


EUROPE'S LEADING MICRO MAGAZINE




ONYX BENCHTEST
Reunite your business with this multi-user system

MicroCentre introduce


High Resolution Graphics




Demographic Display




Management information




Control system display



3-D display with angled labels



3-D plots



High-resolution display with alphanumerics

Up to 16 colours can be displayed simultaneously, from a choice of 4069. Areas can be filled with colour, windows created, graphs plotted, etc—all under control of simple Basic, Fortran or Assembler functions.

At the heart of any Cromemco graphics system is Cromemco's "SDI" board, the most versatile video interface in the microcomputer industry today. The Cromemco SDI is designed to meet the challenge of professional and industrial environments where uncompromising performance, reliability, and continued compatibility are essential. With its high point resolution, colour map selection, dual page windowing function, automatic fill mode, and NTSC or PAL broadcast compatibility, the most demanding requirements for a video interface can be met. The SDI provides a choice of 4096 individual colours and up to 754 by 482 point resolution. Its different modes of operation include bit or nybble mapped displays with varying levels of resolution, and window effects requiring as little as 12k data storage.

RGB-13 Colour Monitor

The Cromemco RGB-13 Colour Monitor has been specially designed for optimum colour graphics performance when used with Cromemco's SDI video interface. It includes a fine-pitch 13" CRT with a high-precision electron gun, internal magnetic shielding, and implosion protection band. The monitor combines alphanumeric character generation with colour graphics and

high resolution, to give an overall performance vastly more superior than conventional colour TVs or CRT terminals.


Graphics Software

Cromemco's graphics software package provides an interface to Fortran IV, Ratfor, Macro Assembler, 16K Extended Basic and 32K Structured Basic. It is written for ease of use and takes full advantage of the RGB-13 monitor's special graphics facilities. Thus it is efficient, flexible and extremely fast. The package contains routines to change the colour map, scale the display area, draw dots, lines and circles, display text, and fill areas with colour. Screen addressing can be by absolute or relative co-ordinates.

Model Z2H/GS Graphics System

The Z2H/GS is a special configuration of the Z-2H Hard Disk computer which includes full graphics capability and software. Yet at under £8,000 it's a fraction of the cost of comparable systems. It is ideal for applications in medical imaging, computer-aided instruction, pattern recognition, and the television industry.

The Z2H/GS includes a Z-80A processor, 64k of RAM memory, integral 11 megabyte hard disk, RGB-13 colour monitor, 2 floppy disks, printer interface, RS-232 serial interface, and graphics software package.



The high-performance Z2H/GS colour graphics system includes a Z-2H hard disk computer, RGB-13 colour monitor, and comprehensive graphics software package—all for under £8,000!

For Cromemco... call the experts

MicroCentre
Tel: 031-556 7354

LEADING UK
DISTRIBUTORS

Complete Micro Systems Ltd.,
30 Dundas Street
Edinburgh EH3 6JN

CONTENTS

Volume 4 No 3 March 1981

Founder
Angelo Zgorelec

Editor
David Tebbutt

Deputy Editor
Peter Rodwell

Sub Editor
Jon Wall

Art Director
Paul Carpenter

Art Editor
Shelley Gray

Editorial Office
14 Rathbone Place
London W1P 1DE
01-637 7991

Advertisement Director
Stephen England
01-636 4461

**Assistant Advertisement
Manager**
Patrick Dolan
01-636 4462

Advertisement Executives
Margaret Burton
01-636 4463
Jacquie Hancock
01-631 1682

Production Manager
Dick Pountain

Typesetter
Jane Hamnell

Published by Sportscene
Publishers (PCW) Ltd., 14
Rathbone Place, London
W1P 1DE, England. Tel:
01-637 7991/2/3. Telex:
8954139 A/B 'Bunch' G
London

Copyright notice
Personal Computer World is
published by Sportscene Pub-
lishers (PCW) Ltd. © 1980
Felden Productions. No
material may be reproduced
in whole or part without
written consent from the
copyright holders.

Printed by Riverside Press
Whitstable

36 NEWSPRINT: The latest micro news, inimitably reported by Guy Kewney.

45 CTUK! NEWS: ComputerTown is spreading!

46 WEST COAST FAIRE: Your last chance to book for our California trip.

47 YANKEE DOODLES: Tom Williams reports from Silicon Gulch.

48 COMMUNICATIONS: Our readers' write-in.

52 BENCHTEST: Our first multi-user system test — the Onyx C8002

59 YOUNG COMPUTER WORLD: Especially for our younger readers.

60 UNIX: Sue Eisenbach and Chris Sadler introduce a powerful operating system.

65 SECRETS OF SYSTEMS ANALYSIS: Lyn Antill describes the first stage in specifying a program.

68 BENCHTEST: Neil Cryer tests the Bigboard.

70 PRINTERFACING: Peter Faff concludes his series on linking up low-cost printers.

80 BOOKFARE: Malcolm Peltu gets to grips with the latest printed words.



Cover by Chris Maughn

85 MICRO MUSIC MAKING: Don Finlay analyses a new micro music software package.

90 GATEWAYS TO LOGIC: Derrick Daines continues his series on teaching micro-computing to others.

101 ON THE LEVEL: Cure those tape troubles with B Ward's ALC circuit.

103 BACK ISSUES: Buy now while stocks last!

104 COMPETITION: Win a DAI colour computer in our 'help the handicapped' essay comp.

105 COMMONS REPORT: Ian Lloyd MP reports from Westminster.

106 COMPUTER GAMES: David Levy spotlights Othello.

113 COMPUTER ANSWERS: Your problems solved by Sheridan Williams and his team.

116 PASCAL BENCHMARKS: Chris Sadler replies to readers' letters following our recently-proposed Benchmarks suite.

119 CALCULATOR CORNER: Dick Pountain reviews the HP 34C.

121 PATTERNS: Alan Sutcliffe continues his series.

124 PACK IT IN: Squeeze more data onto your disks or tapes.

125 FEATURE INDEX: Guide to this year's PCW.

127 MICRO CHESS: By our resident expert Kevin O'Connell.

128 DIRECT ACCESS: with TRANSACTION FILE, new-look PACKAGES, USER GROUPS, DIARY DATA and NETWORK NEWS.

133 PCW SUB SET: More assembler sub-routines, compiled by Alan Tootill.

136 PROGRAMS: Our readers' latest listings.

183 CHIP CHAT: Europe's leading microgossip page.

COMPUTECH for apple

COMPUTECH for **ITT**

Well proven software for business applications on the
ITT 2020 and Apple microcomputers.

Prices excluding V.A.T. for cash with order, F.O.B. London NW3

PAYROLL	(300+ Employees, 100 Departments, hourly, weekly, monthly. Very powerful but easy to use).	£375
SALES LEDGER	(500+ Accounts, 100 Departments).	£295
PURCHASES LEDGER	(500+ Accounts, 100 Departments).	£295
GENERAL (OR NOMINAL) LEDGER	(1000 Accounts, 100 Analyses, multi-purpose package). Job costing etc.	£295
UTILITIES DISK 1	(Diskette patch, slot to slot copy, zap etc).	£20
APPLEWRITER	(Word Processing, see below for U/L case).	£42
VISICALC	(Financial Modelling, Costing, Analysis).	£95
CAI	(Converts Apple pictures for ITT display).	£10

Over 600 packages in use, fully supported by us.

AND NOW HARDWARE!

LOWER & UPPER CASE CHARACTER GENERATOR £50
Replaces character generator to display upper and lower case characters on screen, includes patches to work with Applewriter, supplies the missing link! Specify Apple or ITT.

COMPUTECH DIPLOMAT H/S SERIAL INTERFACE £80
This card has been designed and built to the same professional standards that have resulted in the success of our software. The DIPLOMAT observes the proper "handshaking" protocol so that you can drive fast printers and send and receive data from other peripherals at high speeds without loss of data. Switch (& software) selectable baud rates to 19200 and many other options. Plug compatible with 'terminal' or 'modem' wired peripherals. Guaranteed.

MICROLINE M80 PRINTER £350
This neat, reliable machine prints at 10 characters per inch, 80 characters on an 8 inch line, or 40 expanded characters, or 132 very readable characters, upper and lower case and graphics, 9 x 7 dot matrix, 6 or 8 lines per inch. Parallel interface is standard, serial optional. Both friction and sprocket feed are standard, tractor optional. We can also supply the parallel interface card for Apple System computers for £80 and a driver to enable both text and graphics to be used. Optional custom colour matching for Apple or ITT. Optional character sets. *Trade supplied at very generous discounts for modest quantities.*

THE FABULOUS MICROMUX 8000 from £800
This is a brand new product, an asynchronous serial multiplexor with up to 16 ports, any one of which may communicate with any other independently, like a 'telephone exchange' for data! Built in test function. Firmware may be customised for special applications. Available in multiples of 4 ports up to 16.

COMPUTECH SYSTEMS

168, Finchley Road, London NW3 6HP. Tel: 01-794 0202

AGENTS THROUGHOUT THE UK AND OVERSEAS

The World beaters from OKI

MICROLINE 80

- UP TO 9.5 INCH PAPER
- 80 cps UNIDIRECTIONAL
- 6 & 8 lpi 5, 10, 16.5 cpi
- BLOCK GRAPHICS
- UK or US CHARACTER SET
- CENTRONICS INTERFACE
- OPTIONAL SERIAL INTERFACE TO 9600 BAUD
- OPTIONAL TRACTOR

£399

MICROLINE 83

- UP TO 15 INCH PAPER
- 120 cps BI-DIRECTIONAL
- LOGIC SEEKING
- 6 & 8 lpi 5, 8, 10, 16.5 cpi
- BLOCK GRAPHICS
- 8 CHARACTER SETS
- CENTRONICS INTERFACE
- SERIAL TO 1200 BAUD
- OPTIONAL INTERFACE TO 9600 WITH 2K BUFFER & XON / XOFF
- IEEE VERSIONS AVAILABLE
- TRACTOR STANDARD

£799

MICROLINE 82

- UP TO 9.5 INCH PAPER
- 80 cps BI-DIRECTIONAL
- LOGIC SEEKING
- 6 & 8 lpi 5, 8, 10, 16.5 cpi
- BLOCK GRAPHICS
- 8 CHARACTER SETS
- CENTRONICS INTERFACE
- SERIAL TO 1200 BAUD
- OPTIONAL INTERFACE TO 9600 BAUD WITH 2 K BUFFER & XON/XOFF
- OPTIONAL TRACTOR

£550

EXTREMELY QUIET & RELIABLE
HEAD WARRANTY
200 MILLION CHARACTERS

TRADE & EDUCATIONAL
ENQUIRIES WELCOME

MICROLINE 80

MICROLINE 82

MICROLINE 83

ALSO AVAILABLE
QUME / TALLY / DEC / CIFER

**Rohan
Computing**

Special price for limited period only

52 COVENTRY STREET, SOUTHAM, WARWICKSHIRE CV33 0EP. Telephone SOUTHAM (092681) 4045 Telex 311640

GW Computers Ltd

55 Bedford Court Mansions, Bedford Avenue, London W.C.1.
call only by appointment




SUPERBRAIN™

Intelligent Video Terminal Systems

350K or 700K of Disk Storage

SuperBrain's CP/M operating system boasts an overwhelming amount of available software in BASIC, FORTRAN, COBOL, and APL. Whatever your application . . . General Ledger, Accounts Receivable, Payroll, Inventory or Word Processing, SuperBrain is tops in its class. And the SuperBrain QD boasts the same powerful performance but also features a double-sided drive system to render more than 700K bytes of disk storage and a full 64K of RAM. All standard!



COMPUSTAR™

MULTI-USER TERMINAL SYSTEM

CompuStar user stations can be configured in a countless number of ways. A series of three intelligent-type terminals are offered. Each is a perfect cosmetic and electrical match to the system. The CompuStar 10-a 32K programmable RAM-based terminal (expandable to 64K) is just right if your requirement is a data entry or inquiry/response application. And, if your terminal heads are more sophisticated, select either our CompuStar 20 or CompuStar 40 as user stations. Both units offer dual disk storage in addition to the disk system in the CompuStar. The Model 20 features 32K of RAM (expandable to 64K) and 350K of disk storage. The Model 40 comes equipped with 64K of RAM and over 700K of disk storage. But, most importantly, no matter what your investment in hardware, the possibility of obsolescence or incompatibility is completely eliminated since user stations can be configured in any fashion you like — whenever you want — at amazingly low cost!

DISK STORAGE

Options for the Superbrain and CompuStar Video Terminal

"Backup" for the 20 megabyte Century Data drive is provided via the dual disk system housed in the CompuStar or the SuperBrain. The Control Data CMD Drive features a removable, front-in-sertable top loading cartridge of 16 megabyte capacity plus a fixed disk capacity of either 16 or 80 megabytes.

Each drive is shipped equipped with an EIA standard 19" rack mounting system and heavy duty chassis slide mechanisms to permit easy accessibility for fast and efficient servicing.

**** WIDELY USED IN UK AND USA
**** TESTED AND PROVEN
**** POWER AT YOUR FINGERTIPS
**** JUST COMPARE THIS LIST ****

SALES COMMENT

No other program in the world combines these features in one. Many other programs, less integrated, do not provide even some of those features to be found on our 'bus'.

- 1 = Total integration of sales 'purchase 'nominal 'stock 'addresses etc
- 2 = Full random access enables retrieval of any record in a second
- 3 = Flexibles prompts enables word change even to foreign language.
- 4 = Files may be named and set to drive default, maximising storage.
- 5 = Easy to use, menu driven, no serious need of manual.
- 6 = Tested and debugged in many installations world wide.
- 7 = Priced less than the acquisition of a library of programs.
- 8 = The program is ***totally ***in core, maximising disk space.
- 9 = Core program means that disks may be interchanged during use.
- 10 = Core program means your main drive is ***free ***for data
- 11 = Numerous reports may be generated (eg: sale ledgers up to 30).
- 12 = Invoice produces immediate stock update + double journey entry.
- 13 = Reference on invoices enable cost centre build-up on ledgers.
- 14 = Stock valuations and re-order reports easily generated.
- 15 = Bank balance and reports plus standard mailing facilities.
- 16 = Customer statements and invoices printed on plain paper.

As prices vary from dealer to dealer we append for your guidance, some details of the justification in our prices being higher than the cash/carry concept of trade.

A standard Superbrain 64K ★320K Disk at 1795.00 includes the following values not normally expected at the lower price.

- 1) Equipment is burned and tested for a minimum 48 hours
- 2) Delivery in U.K. is free of charge
- 3) All goods & software are stocked on immediate delivery
- 4) 6 month main unit, 12 month memory guarantee
- 5) 24/48 hour mailing of any spare module free within warranty
- 6) Same service as 5) outside warranty for ad hoc charge
- 7) 10 free Diskettes (28.50)
- 8) 10% of hardware value in free software (1795.00)
- 9) Positive before ★★and ★★after sales service

If the transaction includes a printer and the business programs then the following are also added:

- 10) All cabling between printer and Superbrain free (25.00)
- 11) Ribbon and thimble free (eg: Spinwriter 4.75 + 9.75)
- 12) Extra 10 Diskettes free (28.50)
- 13) Additional free software based on 10% of printer value
- 14) Free training session plus all necessary follow up
- 15) Box printer paper (28.50)

A typical deal could look like this:

Superbrain	1795.00
NEC Spinwriter	1695.00
	3490.00

BUS Program 775.00 plus Basic 150.00 (less 349.00) = 576.00
Total Purchase Price 4066 plus V.A.T.

The total value of free items on this deal was in excess of 500 pounds in virtue of incidental items as well as extended warranty and software.

Do consider your purchase on the basis of some of the things you may be likely to need after your equipment purchase, and may either fail to obtain because the dealer has no stock or has lost interest in you, or because you aimed at the short term gain in price and are then compelled to pay heavily for small needs afterwards.

GRAMA WINTER, 55 BEDFORD COURT MANSIONS, BEDFORD AVE.,
LONDON WC1. TEL NO. 636 8210/631 4818

*** MAIN MENU DISPLAY ***

**New! Produced in U.K. and widely used in England and the U.S.A.
Complete Business Package**

**INCLUDES EVERYTHING FROM INVENTORY TO SALES SUMMARY
PROMPTS USER AND VALIDATES ENTRIES. MENU DRIVEN**

PET AND CP/M SUPERBRAIN, TRS80 ii, N'STAR, IMS5000.
APPROXIMATELY 60-100 ENTRIES/INPUTS REQUIRE 2-4 HOURS WEEKLY
AND ENTIRE BUSINESS IS UNDER CONTROL

* PROGRAMS ARE INTEGRATED .. SELECT FUNCTION BY NUMBER

- | | |
|-------------------------------|--------------------------------|
| 01=*ENTER NAMES AND ADDRESSES | 13=*PRINT CUSTOMERS STATEMENTS |
| 02=*ENTER/PRINT INVOICES | 14=*PRINT SUPPLIER STATEMENTS |
| 03=*ENTER A/C RECEIVABLES | 15=*PRINT AGENT STATEMENTS |
| 04=* ENTER PURCHASES | 16=*PRINT TAX STATEMENTS |
| 05=*ENTER A/C PAYABLES | 17=LETTER TEXT AREA |
| 06=*ENTER/UPDATE INVENTORY | 18=ALTER VOCABULARIES |
| 07=*ENTER/UPDATE ORDERS | 19=PRINT YEAR AUDIT |
| 08=*ENTER/UPDATE BANKS | 20=PRINT PROFIT/LOSS A/C |
| 09=*REPORT SALES LEDGER | 21=OPEN AREA |
| 10=*REPORT PURCHASE LEDGER | 22=PRINT CASHFLOW FORECAST |
| 11=*INCOMPLETE RECORDS | 23=ENTER PAYROLL (NO RELEASE) |
| 12=*USER DBMS AREA | 24=DISK SWAP/EXIT |

..... ENTER WHICH ONE?

DATABASE MANAGEMENT INCLUDES

*** FILE OR RECORD CREATE/DELETE/AMEND/SEARCH/PRINT 4 WAYS *** INFORMATION RETRIEVAL ON ANY KEY RECORD OR PART THEREOF *** AUTOMATIC CHECK TO PREVENT DOUBLE ENTRY TO FILE SYSTEM *** DYNAMIC ALLOCATION OF INFORMATION CONSERVING DISK SPACE.

VERY FLEXIBLE. EASY TO USE.

G.W. COMPUTERS LTD. UK ARE THE PRODUCERS OF THIS BEAUTIFUL PACKAGE. *AUTHOR* TONY WINTER (B.A.LIT; B.A.HON.PHIL).

PET VER 3.00 LOW LEVEL INTEGRATION = 475.00. PET VER 4.00 INCLUDES AUTO STOCK-UPDATE = 575.00.

PET VER 5.00 INCLUDES AUTO BANK UPDATE = £675.00. CPM VER 6.00 IN CORE, TRANSLATABLE PLUS

DBMS = 775.00. CPM VER 7.00 AUTO STOCK-UPDATE = 875.00. CPM VER 8.00 AUTO BANK UPDATE = 975.00.

CPM VER 9.00 INCLUDES OPTIONS 19, 20, 22, 23 (LATER RELEASE). +++ EACH LEVEL AUGMENTS LOWER ONE.

**WE EXPORT TO ALL COUNTRIES CALLERS ONLY BY APPOINTMENT
CONTACT TONY WINTER ON 01-636 8210 01-631 4818
55 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON W.C.1.**

**NOTE!!! LEVEL 9.00 TOTALLY IN CORE PROGRAM LEAVES MASTER DRIVE FREE
(SAVING OF 200 POUNDS HARDWARE).**

**IMPORTANT!!! No computer hardware is ever of value without software, so we provide you with
a starting set of programs **** free **** at 10% of hardware purchased.
A Superbrain and NEC Spinwriter could give you up to 400 pounds of programs. See [] .**

PET + PET + PET + PET + SOFTWARE + SOFTWARE + SUPERBRAIN + SUPERBRAIN

CBM 3032 32K	595.00	BUS VER 3.00	PET	475.00	SUPERBRAIN 320K	1795.00
CBM 3040 DISKS	595.00	BUS VER 4.00	PET	575.00	TWIN Z80 64K+CRT
CBM 3022 PRINTER	425.00	BUS VER 5.00	PET	675.00	+2 D'D-D'S DRIVE
CBM 8032 32K	875.00	BUS VER 6.00	CP/M	775.00	SUPERBRAIN 800K	2195.00
CBM 8050 1MEG DISKS	875.00	BUS VER 7.00	CP/M	875.00	TWIN Z80 64K+CRT
CBM EPSON PRINTER	395.00	BUS VER 8.00	CP/M	1000.00	+2 D'D-D'S DRIVE
CBM MULTI USER	650.00	BUS VER 9.00	CP/M	1075.00	SUPERBRAIN 2MEG	2795.00
CBM 3032 + EPSON +	CBM WORDPRO II		75.00	COMPUSTAR 10	1595.00
CBM 3040 + BUS V3	2215.00	CBM WORDPRO III		150.00	COMPUSTAR 15	1495.00
PRINTERS + PRINTERS +		CPM* WORD-STAR		195.00	COMPUSTAR 20	2295.00
DIABLO 630 40CPS	1595.00	CPM* MBASIC 80		150.00	COMPUSTAR 30	2495.00
DOLPHIN BD80 125CPS	495.00	CPM* COBOL 80		320.00	COMPUSTAR 40	2795.00
NEC 5510 PRINTER	1695.00	CPM* PASCAL MT		150.00	INTERTUBE III	495.00
MICROLINE 80 120CPS	475.00	CPM* FORTRAN 80		200.00	EMULATOR	495.00
TELETYPE 43SR 30CPS	875.00	CPM* DATASTAR		175.00	10 MEG H'DISK	2950.00
DEC-LA34 TRACT 30CP	875.00	CPM* PASCAL-M		250.00	16 MEG (8'8)	3950.00
NEC-5530 PRINTER	1595.00	CPM* BYSTAM S'BRAIN		75.00	96 MEG (4DISK)	7950.00
QUME DAISY SPRINTS	1950.00	CPM* SUPERSORT		120.00		
TEXAS 810 150CPS	1390.00	CPM* BASIC COMPILER		190.00	(ADDRESS/MAILER)	95.00
SPECIALS + SPECIALS +		CPM* DESPOOL		30.00	(STOCK CONTROL)	95.00
N'STAR QUAD .7 MEG	1500.00	CPM* BYSTAM IMS'N-STAR		75.00	(DBMS DATABASE)	195.00
IMS 5000 48K D'D	1200.00	CPM* TEXTWRITER		75.00	IEEE TO PARALLEL	55.00
COMPUTHINK * 800K *	795.00	CPM* POSTMASTER		75.00	IEEE'RS232 BI'DI	195.00
2 WAY CRDLESS PHONE	135.00	CPM* SELECTOR 3		180.00	IEEE TO RS232	75.00
TELEPHONE ANSWER	230.00	CPM* CBASIC		75.00	S'HAND SWTP TERM	100.00
SHUGART SA400 5" DR	135.00	CPM* MACRO 80		75.00	WARRANTY	***
		CPM* W'STAR M'MERGE		245.00	6 MONTH FULL REPAIR	***
		BUS MANUAL	*****	9.00		
		SUPERBRAIN 320K		1695.00		
		TWIN Z80 32K+CRT			
		+2 D'D-S'S DRIVE			

+++++++ SPECIAL INSTITUTION AND UNIVERSITY DISCOUNTS ++++++
MOST ITEMS IN STOCK. (ACCESS 'AMEXCO' BCLYCARD OTHERWISE CHEQUE WITH ORDER)
CONTACT TONY WINTER 01-636 8210/01-631 4818
55 BEDFORD CT MANS, BEDFORD AVE W.C.1.

High Technology

We make our competition obsolete with Information Master.™

Information Master™ is the sophisticate of software packages, but it also speaks your language. Its uncomplicated English-speaking design makes it easy to learn. No programming knowledge is necessary. Put it in your Apple II*, and you're ready to go.

High Technology's Information Master organizes and prints everything from mailing lists to stock market data. Specify what records to store, type in the information, and Information Master organizes, calculates, stores and reports. Design your own reports and labels. Information Master is revolutionary in its adaptability and comes with a simple step-by-step instruction manual. Its screen layouts are designed to show you maximum information for easy operation. Information Master is so smart it stops mistakes that our competition lets you make.

If your computer dealer doesn't have Information Master, see one who does.

High Technology's perfect complement to Information Master, Data Master™ allows you to change your mind months later

without redoing all the work you've already done. Ask about it!



£75 + VAT

Available in the U.K. from:
Pete & Pam Computers
98 Moyser Road
London, SW 16 6SH
01-677-2052

*Apple II is a trade name of Apple Computer, Inc.



Pete & Pam Computers

Microcomputer hardware & software
Specialists in Applefare

PETE & PAM COMPUTERS

Microcomputer hardware & software
Specialists in Applefare
Peter & Pam Fisher

WE DISTRIBUTE FOR MICROSOFT, HIGH TECHNOLOGY, STONEWEAR COMPUTER STATION, CALIFORNIA PACIFIC, DAKIN 5, BRODERBUND, STARCRAFT, SUB LOGIC AND M & R ENTERPRISES. DEALER ENQUIRIES WELCOMED.

HAVE YOU BEEN WATCHING OUR ADVERTISEMENTS?

Spend time reading through this one to find out how you can make more use of your Apple II.

M & R ENTERPRISES

SUP-R-TERMINAL. An 80 column by 24 line plug-in compatible board for APPLE II. 128 ASC11 chrs. Upper and lower case — with descenders. Shift lock feature. Synchronous operation with APPLE. Incorporates PASCAL and BASIC control characters. **£195.00**

MICROSOFT

Z-80 SOFTCARD. A true microprocessor plug-in board to allow you to run CP/M software. Includes MICROSOFT's BASIC 5.0. **£175.00**

RAMCARD 16K Expansion card for APPLE. Requires 16 Sector System (DOS 3.3) **£110.95**

RAMCARD + DOS 3.3 together, special price **£139.95**

FORTAN for SOFTCARD. Has a strong advantage over APPLE Fortran 4 to 6 times faster because it generates true machine code rather than "P" code. **£99.95**

COBOL for SOFTCARD. The only COBOL available for APPLE. Ask for more information. Special Price £359.95 — NOW **£299.00**

BASIC COMPILER for SOFTCARD. Get fast program execution times without giving up BASIC. 3-10 times faster than interpreted BASIC. **£192.95**

OLYMPIC DECATHALON. Latest game from MICROSOFT. 10 events presented in extraordinary graphics. 1-8 players can play. **£14.95**

ADVENTURE. Yes, this is the original written for the PDP11, and played during many a lunch hour on expensive main frames. **£14.95**

TYPING TUTOR. Runs in INTEGER (incl. relocated) It works. **£8.95**

NOW available on disk Applesoft **£10.95**

PERSONAL SOFTWARE

VISCALC. Yes, the one sold elsewhere for £125. Our price **£75.00**

PET VISCALC — complete, sealed package — **£99.95**

CCA DATA MANAGEMENT. Our price just **£49.95**

DESKTOP PLAN. Develop your own large business model. **£49.95**

HIGH TECHNOLOGY

INFORMATION MASTER. The latest data management system from High Tech. We use it for all our book-keeping up to trial balance and for our price lists. Can be user tailored for many uses.

DATA BASE MANAGEMENT SYSTEM. High Tech's original system. Not as many features as Info. Master but is user oriented with lots of error trapping. **£49.95**

DATA MASTER. A utility for use with both info. master and D.B.M.S. allows you to re-define field types, transfer data from one system to another, using a wide set of parameters. We use this too. **£49.95**

D.B. MASTER. Up to 1020 Bytes per record — Up to 100 fields per record — Up to 9 screen pages per record — up to 4 fields in primary ISAM Key Supports multi-diskette files — Automatic "Data Packing" for increased disk capacity. A great Data Base Management for big applications **£109.95**

STONEWARE

D.B. MASTER. Up to 1020 Bytes per record — Up to 100 fields per record — Up to 9 screen pages per record — up to 4 fields in primary ISAM Key Supports multi-diskette files — Automatic "Data Packing" for increased disk capacity. A great Data Base Management for big applications **£109.95**

GAMES

TRANQUILITY BASE — Try to land a HIRES space craft **£13.95**

BLOODY MURDER — Like playing with knives? (Integer) Disk **£9.95**

MICROLEAGUE BASE BALL with real HIRES little people **£11.95**

EDUCATIONAL

ARISTOTLES APPLE — Tutorial Aide **£17.95**

PERIPHERALS PLUS

VERSAWRITER. A low cost graphics tablet for APPLE **£124.95**

JOYSTICK T.G. Products robust joystick — and self centering **£34.95**

COMPUTER STATION

PASCAL GRAPHICS DUMP PROGRAM for Paper tiger 440 & 445 & 460 & NEC Spinwriter and Anades 9501 **£22.95**

ENHANCED GRAPHICS DUMP PROGRAM also available for above **£22.95**

VISILIST lists out the grid location and formulas of any Visicalc file **£10.95**

MACRO SCREEN EDITOR Cursor oriented editing tool **£19.95**

APPLEWRITER GRAPHICS. Links with Applewriter and any of the 28 character sets. Supplied in APPLE's "Doe Tool Kit" to provide word processing with a difference. Tiger 4406/4456 & Silentyne. **£17.95**

CALIFORNIA PACIFIC GAMES

AKALABETH Latest Adventure type game **£16.95**

TRILOGY **£15.95**

HEAD ON From Japan **£13.95**

BILL BUDGE'S SPACE ALBUM **£20.95**

CONTINENTAL SOFTWARE

LOS ANGELES MONOPOLY. Define your own street names or take a trip round the streets of L.A. Allows you change the rules **£15.95**

HYPERSPACE WARS **£15.95**

VARIOUS State revision 7 or earlier **£29.95**

DAN PAYMAR LOWER CASE ADAPTOR. Produces upper and lower case **£18.50**

BASF 5.25 in DISKS FOR APPLE. At a good price 10 for **£18.50**

DAKINS (HVE) Find your way around the new APPLE DSS with Programming Aids 3-3. 12 Utility programs on one Diskette. (16 sector) Well documented **£49.95**

STARCRRAFT (Tokyo)

APPLE GALAXIAN The best 'Invader' game we've seen bar none. We mean it! **£13.95**

GALAXY WARS Another arcade game beautifully implemented on APPLE **£13.95**

BRODERBUND Do you like Startrek adventures? 4 GALACTIC SAGAS From Broderbund, provide a level of complexity and sophistication not seen before. **£13.95**

GALACTIC EMPIRE, TRADER AND REVOLUTION (3 separate disks) each **£13.95**

TAWALA'S LAST REDOUBT **£16.95**

PLEASE ADD 15% VAT TO YOUR ORDER POSTAGE AND PACKING FREE — ASK FOR OUR FULL CATALOG

WE SELL ALL SORTS OF THINGS FOR APPLE

TEL 01 677 2052 (24 HRS) 7 DAYS A WEEK 26 MOYSER ROAD

LONDON SW16 6SH POST OFFICE GIRO NO 8460

Microtrend software and the Adler Alphatronic NOW YOU'RE TALKING BUSINESS

Microtrend Ltd., has software now for the microcomputer with a future. This wide range of well-specified, user-friendly and professionally-packaged products includes five accounting systems, two word processors (plus an inter-micro communications system for electronic mail and other data transfer operations).

Adler Business Systems provide Microtrend's Trendisk/1 Data Management System free of charge with each Alphatronic. Combine our excellent software with the superb Alphatronic and you are really talking business. Microtrend products are available off the shelf from your local dealer or distributor.

Call 0423-711878 or write to
Microtrend Ltd.,
P.O. Box 51,
Pateley Bridge,
Harrogate, HG3 5DP.,
for more details.

The image shows a woman with shoulder-length hair, wearing a light-colored button-down shirt, sitting at a desk. In front of her is a computer system. The monitor displays the Microtrend logo, which consists of a stylized 'M' made of dots above the word 'microtrend'. The computer unit below the monitor has the 'Adler Alphatronic' logo. To the left of the computer, there are several software boxes stacked vertically, with labels like 'FINANCIAL ADMINISTRATION', 'TRENDISK/1', 'INTEREST', and 'BUSINESS MONEY MANAGER/1'. The woman is holding a book or manual with a colorful cover featuring a portrait. In the bottom right corner, there is a Microtrend logo and the text 'Professional Software for Microcomputers'.

GATE POST

ASTEROIDS IN SPACE (32K-d) Blas approaching Asteroids — beware aliens	£12.00
HORRIBLESCOPE (32K-d) Funniest horoscopes, great for parties! Includes your own insults!	£10.75
SPACE (48K-3) Simulation of human life in space. You develop characters — 6 games	£18.00
SPACE II (48K-D) A continuation of SPACE, with more characters and games	£15.00
ADVENTURELAND (32K-3) An enchanted world of lost treasures, wild animals — magical beings	£9.00
PIRATE ADVENTURE (32K-C) Can you recover Long John's lost treasure?	£9.00
ADVENTURELAND AND PIRATE ADVENTURE (48K) Both games on one disk	£16.00
FASTGAMMON (M-24K-C or D) Best computer backgammon available, with sound, hires graphics and cartoons.	C £13.00 D £15.00
You'll play for hours	
TEMPLE OF APSHA! (48K-D) Mythical labyrinth with fearsome monsters & treasure	£18.00
THE WIZARD AND THE PRINCESS (48K-D) Best game ever! 100's of beautiful Hires pictures. It is possible to win — if you persevere!	£20.50
DATESTONES OF RYN (48K-C or D) Built in scoring system — beat your friends.	C £9.25 D £12.00
"MYSTERY HOUSE" HI-RES ADVENTURE (M-48K-D) See each room in 3D-type graphics	£15.00
CONEY ISLAND (16K-c) 22 Fast paddle games for 1 or 2 players. Colour graphics	£8.00
OTHELLO (16K-C) — by Softape — the best Othello game we've seen	£9.00
SAUCER WARS (24K-C) Oneperson game, with 150 levels of difficulty	£11.25
VOYAGER EXCURSION (24K-C) Hires lunar loading game	£11.25
FORTE (16K-C) A music language — You can save your songs	£12.25
APPLE TALKER (M-16K-C) Create programmes so your Apple talks to you	£9.75
APPLE LIS'NER (M-16K-c) Create programmes which understand up to 31 spoken words	£12.25
TALKER and LIS'NER are compatible with each other	
GOLF (20K-C) 18 holes for 1 or 2 players — full choice of clubs and direction	£5.00
AIR FLIGHT SIMULATION (16K-C)	only £6.50
OIL TYCOON (16K-C)	only £6.50
WINDFALL (32K-C) The oil crisis game	£9.25
B-1 NUCLEAR BOMBER (16K-C) Fly this Russian defences — and back! £9.25	
NORTH ATLANTIC CONVOY RAIDER (16K-C) The Bismark convoy raid of 1941	£9.25
ELECTRIC CRAYON (8K-C) Full colour graphics editor	£11.00
U-DRAW (16K-C) Hires graphics editor	£11.00
MUSIC BOX (8K-C) Full 3 octaves by semitones, Note-time, rests, tempo + full colour eight show!	£9.50
MAZE GAME (16K-C) 3-D Colour Maze Game	£9.50
RACER (24K-C) Best arcade racing game — Hires graphics	£8.00
BREAKTHRU (M-16K-C)	only £6.50
SPIDER TAG (M-16K-C)	only £6.50
ATOMIC CASINO (16K-C)	only £5.00
HIRES BASEBALL (M-16K-C)	£10.25
E.S.P. (32K-C) Test yourself — Telepathy and Psycho-kinesis	£6.00
NETWORK (48K-D) for 2 players — Try and programme a TV network	£12.00
THE COUNT (32K-C) You awake in a brass bed — in a castle — in Transylvania!	£9.00
VOODOO CASTLE (32K-C) Rescue Count Cristo from his fiendish curse!	£9.00
STRANGE ODYSSEY (32K-C) Escape from an ancient alien civilisation	£9.00
ALL THREE ABOVE GAMES ON ONE DISK	£25.00
MYSTERY FUN HOUSE (32K-C) Days of fun, but very difficult!	£9.00
AKALABETH (48K-D) 10 Hires monsters, infinite dungeons, perfect perspective	£21.50
FRACAS (32K-C or D) up to 8 players — monsters, sound — great!	C £13.00 D £15.00
BATTLESHIP COMMANDER (32K — C or D) Strategy with sound, cartoons & lights!	C £10.00 D £12.00
HELLFIRE WARRIOR (48K-D) A dreamworld of danger — very difficult!	£21.25
ASTRO APPLE (32K-D) A serious horoscope	£12.50
THE PRISONER (48K-D) A nightmare world of 1984 — avoid brainwashing!	£19.25
COMPUTER NAPOLEONICS (48K-D) Traditional war game — meticulous detail	£37.75
ACANTHOPTERYGIAN FORTUNE TELLING (22K-D)	
Great for parties!	£10.75
SARGON II (M-24K-D) The champ — No better chess for the Apple	£21.25
COMPUTER BISMARCK (48K-D) Accurate simulation of epic battle	£37.75
A2-FS1 FLIGHT SIMULATOR (M-34K-D) Extended and improved version, including British ACE 3D Aerial Battle Game	only £21.00

PLUS LOTS MORE!! S.A.E. for full list

All programmes in Applesoft, unless M (machine code)
C — on cassette D — on diskette

VAT ALREADY INCLUDED!! Just add 50p P and P to your order and send with cheque /P.O. to:—

GATE MICROSYSTEMS LIMITED



The Nethergate Centre,
35 Yeaman Shore,
Dundee.

CAMBRIDGE LEARNING

Self Instruction Courses

Microcomputers are coming - ride the wave! Learn to program.

Millions of jobs are threatened but millions will be created. Learn BASIC - the language of the small computer and the most easy-to-learn computer language in widespread use. Teach yourself with a course which takes you from complete ignorance step-by-step to real proficiency, with a unique style of graded hints. In 60 straightforward lessons you will learn the five essentials of programming: problem definition, flowcharting, coding the program, debugging, and clear documentation

BOOK 1 Computers and what they do well, READ, DATA, PRINT, powers, brackets, variable names; LET; errors; coding simple programs. **BOOK 2** High and low level languages; flowcharting; functions; REM and documentation; INPUT, IF...THEN, GO TO; limitations of computers, problem definition. **BOOK 3** Compilers and interpreters; loops, FOR...NEXT, RESTORE; debugging; arrays; bubble sorting; TAB **BOOK 4** Advanced BASIC; subroutines; strings; files; complex programming; examples; glossary.

Also **THE BASIC HANDBOOK (BHB) £11.50** An encyclopaedic guide to the major BASIC dialects. A must if you use other peoples' programs

and: **ALGORITHM WRITER'S GUIDE (AWG) £4.00** Communicate by flow chart! Learn to use Yes/No questions for: procedures, system design, safety, legislation etc.

Understand Digital Electronics

Written for the student or enthusiast, this course is packed with information, diagrams, and questions designed to lead you step-by-step through number systems and Boolean algebra to memories, counters, and simple arithmetic circuits; and finally to an understanding of the design and operation of calculators and computers

BOOK 1 Decimal Octal, hexadecimal, and binary number systems and conversion between number systems; negative numbers; complementary systems. **BOOK 2** OR and AND functions; multiple-input gates; truth tables; De Morgan's Laws; canonical forms; logic conventions; Karnaugh mapping; three-state and wired logic. **BOOK 3** Half, full, serial, and parallel adders; subtraction; processors and ALU's; multiplication and division. **BOOK 4** flip flops; shift registers; asynchronous, synchronous, ring, Johnson, and exclusive-OR feedback counters; ROMS and RAMS. **BOOK 5** Structure of calculators; keyboard encoding; decoding display-data; register systems; control unit; PROM; address de-coding. **BOOK 6** CPU; memory organisation character representation; program storage; address modes; input/output systems; program interrupts; interrupt priorities; programming, assemblers; computers; executive programs; operating systems.

DIGITAL COMPUTER LOGIC & ELECTRONICS. (DCL) £7.50

A course covering the material in italics above, but at a slower pace. (4 vols)

GUARANTEE — No risk to you. If you are not completely satisfied your money will be refunded without question, on return of the books in good condition.

PLEASE SEND ME:—

CPB £10.00
BHB (£11.50)
AWG (£4.00)
DDS (£13.50)
DCL (£7.50)

Quantity

FOUR WAYS TO PAY:

- 1) A U.K. cheque or a U.K. postal order (Not Eire or overseas)
- 2) A bank draft, in sterling on a London bank (available at any major bank)
- 3) Please charge my Access/M.Ch ☐ Barclay/TrustC/Visa ☐ Am. Exp. ☐ Diners ☐
- 4) Or phone us with these credit card details - 0480 67446 (ansaphone) 24 hour service.

Card No. Signed
THESE PRICES COVER THE COST OF SURFACE MAIL WORLDWIDE. AIRMAIL:
Eur, N.Af, Mid.E. add ½ to price of books: Jpn, Aus, N.Z, Pcf add ¾; elsewhere add ½

Name
Address

U.K. Delivery: up to 28 days
Cambridge Learning Ltd., Unit 70 Rivermill Site, FREEPOST, St. Ives,
Huntingdon, Cambs PE17 4BR England.
Reg. in Eng. No. 1328762

Manchester — the birthplace of the British computer is to stage the most significant computer event ever to be held in the North of England.

MANCHESTER MICRO SHOW

Three Day Exhibition & Seminars
29, 30 April, 1 May 1981

**New Century Hall and
the National Computing Centre**

Exhibition

The comprehensive microcomputer exhibition being held at the New Century Hall will include micro systems, business microcomputers, personal computers, word processors — in fact a full range of products displaying the versatility of the micro for all types of business, for use in education and as a personal aid in the office or the home.

Exhibition Tickets

Admission to the exhibition will be by ticket only. £1.50 (inc. VAT), available at the door. A special offer of 3 tickets for £3.00 is available on tickets purchased before 17 April 1981. These tickets can be obtained from the Online offices. All ticket requests must be accompanied by cheque/postal order and a suitable S.A.E. Please complete the coupon below or attach your business card.

Micros in Education Friday, 1 May 1981 Manchester University

This special seminar will be of interest to everyone involved in education. It has been designed and is chaired by John Coll, one of the country's leading exponents in this field. The speakers have been drawn from those most active in this area — the majority being practising teachers.

Seminars

The one day seminars run in conjunction with the exhibition will be held at the National Computing Centre in its well appointed Atlas Theatre. Special arrangements have been made to bus delegates from the N.C.C. to the Exhibition each day.

Wednesday	29 April	Micros in Manufacturing
Thursday	30 April	Micro Systems in Business
Friday	1 May	Microcomputer Update (technical)

Please send me Seminar details ☐

I am interested in Micros in Education ☐

Please send me Exhibition visitor tickets at the special offer of 3 tickets for £3.00 (minimum).

I enclose cheque/postal order, made payable to Online Conferences Ltd, for together with a stamped addressed envelope.

NAME Dr/Ms/Mr

TITLE

COMPANY

ADDRESS

online

Online Conferences Limited
Argyle House, Northwood Hills,
HA6 1TS Middlesex, UK.
Phone: Northwood (09274) 28211
Telex: 923498

The best in data base management for your micro-computer

Get the most out of your micro-computer. Use our advanced and progressive data management system.

HDBS is an extended hierarchal data base system offering

- fixed length records
- file-level read/write protection
- one-to-many set relationships

MDBS is a full network data base system offered as an upgrade from HDBS...or it may be ideal as your initial system. **Unique and versatile**, it adds these features:

- full network CODASYL-oriented data structures
- variable length records
- multiple levels of read/write protection
- one-to-one, many-to-one, and many-to-many sets
- non-redundancy of data, easy updating
- occurrences of a record type may own other occurrences of the same type
- a single set may have multiple owner and member record types

MDBS-DRS. As an add-on to MDBS, the DRS system offers extraordinary flexibility in data base restructuring to meet new needs.

- Item, record, and set types can be added, deleted, or renamed in an existing data base as well as other data base characteristics. You can redesign the data base after it is already on-line!

MDBS-RTL. As an add-on to MDBS, the RTL (Recovery Transaction Logging) logs all data base transactions, so that in the event of a system failure, the data base can be recovered with minimal loss of information.


- The recovery processor permits selective reloading of the data base from the transaction file. Users can log messages, indicate complex transaction sequences, and effect selective control over the recovery process.

MDBS-QRS. An interactive Report-Writer/Query-System for HDBS/MDBS data bases. Features...

- may be customized for non-technical users
- complex retrieval conditions may be specified
- detailed reports can be quickly generated
- wildcard and "match-one" string specifications included

HDBS and MDBS Packages Include:

- DDL data definition language analyzer/editor
- 260-page users manual
- DMS data management routines callable from host language
- Sample application program and DDL files
- Relocator to re-org all routines
- System specific manual for bringing up our software



Coming soon: Multi-User Versions of MDBS, and a Z8000 Version.

54-page "primer" on data base systems for micro-computers - only £5.00 per copy.

Both HDBS and MDBS Systems...

- Run under...
 - CP/M with Microsoft BASICs, FORTRAN or COBOL; InterSystem PASCAL/Z; Sorcim PASCAL/M; Micro Focus CIS COBOL; Digital Research PL/I
 - MVT/FAMOS with BASIC
 - OASIS with BASIC
 - TRSDOS and NEWDOS (Models I and II) with Disk BASIC
 - North Star DOS with North Star BASIC
 - Apple DOS and Applesoft BASIC
 - Machine Language Interface available on all above systems.
- Up to 254 record-types definable in the data base; each record-type may contain up to 255 item-types; each item-type may be up to 9,999 bytes in length.
- Names of data items, records, sets, and files are wholly user definable.
- Commands to add, delete, update, search, and traverse the data base.
- Straightforward use of ISAM-like structures.
- Records can be maintained in several sorted orders.
- Written in machine language for maximum execution efficiency and minimal memory usage.
- Independent of types and sizes of disk drives. Support data base spread over several disk drives (max.8); disks may be mini- or full-sized floppies or hard disks.
- Available versions: Z80 (requires approx. 18K), 6502 (approx. 26K), 8080 (approx. 22K). Total memory requirement must allow for buffer areas.
- 8086 version available. (Call or write for details and prices.)

Ordering and pricing information:

(applicable to Z80, 8080 and 6502 versions):

HDBS	£235.00	When ordering, specify intended use with...
MDBS	600.00	1. North Star DOS and BASIC
DRS	150.00	2. CP/M - Microsoft BASIC 4.XX
RTL	150.00	3. CP/M - Microsoft BASIC 5.XX
QRS	300.00	4. CP/M - Microsoft BASIC Compiler or FORTRAN-80
HDBS upgrade to MDBS	440.00	5. CP/M - Microsoft COBOL-80
MDBS with DRS, RTL and QRS	950.00	6. CP/M - InterSystem PASCAL/Z
HBDS/MDBS Manual	30.00	7. CP/M - Sorcim PASCAL/M
DRS Manual	5.00	8. CP/M - Digital Research PL/I
RTL Manual	5.00	9. CP/M - Micro Focus CIS COBOL
QRS Manual	5.00	10. TRSDOS/NEWDOS and TRS
System Specific Manuals each	5.00	Disk BASIC (Models I and II)

Within a given operating system, add £240 for each additional language selected.

- Apple DOS and Applesoft BASIC
- MVT/FAMOS and BASIC
- OASIS and OASIS BASIC
- Machine Language Programs (Specify operating system)


Finally, our software may cost a little more... but it's worth a lot more in quality and versatility.


Micro Data Base Systems

from

SYSTEMS PLUS LTD.,

19c Glengormley Park, Newtownabbey BT36 7RE.
Tel: Glengormly 42117.






microcomputer products



At SEED you will be dealing with professionals with extensive experience in all fields of computing, add to that our four years of dealing exclusively with only one type of microprocessor assures you of obtaining a system tailored to suit your application. You may wish to develop your own software or alternatively only require a small accountancy system; for which our 'SYSTEM ONE' would be ideally suited. Larger applications requiring up to 40 megabyte of online storage, four terminals and two printers then our 'SYSTEM 12' range is for you.

Prices range from £565.00 to £20,000.00+, we not only suit your application but also conserve your bank balance. If you are thinking of installing a micro computer system, then give us a call and take advantage of our free advice. In the unlikely event of our current range not being able to accomodate your requirements, then our shortly to be announced 6809 based system may well be the answer.



PLEASE CALL US ON 054 3378151 FOR YOUR FREE DEMONSTRATION OR DETAILS WITHOUT OBLIGATION.

Strumech Engineering Electronics Developments Limited

PORTLAND HOUSE, COPPICE SIDE, BROWNHILLS, WALSALL WEST MIDLANDS

TELEPHONE: 054 33 78151 TELEX: 335243

HI·TECH ELECTRONICS

54 HIGH ROAD, SWAYTHLING, SOUTHAMPTON SO2 2JF
TEL 0703 581555 TELEX NO. 47388 HTEL

COLOUR MONITOR

- System : Either 625 lines, 50 fields interlaced or 624/626 50 fields non-interlaced.
- Supply : Nominal 220-240V (180-265V r.m.s.) 48 to 54 Hz.
- Inputs : R.G.B. and composite sync.
TTL compatible with 390R load.
socket.
- Connectors : 5-pin DIN.
- Bandwidth : 10 MHz ± 2 dB.
- Timebase : Pull-in range ± 500 Hz
Hold in range ± 1 K Hz.
Flywheel time constant 2mS.
- Positional error : $\pm 3\%$
- E.H.T. : Approximately 23KV.
- Degaussing : Automatic at switch-on.
- Controls : Power ON/OFF; Brightness.
- Operating Temperature Range : 0°C to 40°C.
- CRT : Rectangular 382.3mm
(14" Screen diagonal).
90° deflection.
Precision in-line gun.
Vertical stripe screen.
- Power Consumption : 55W maximum.
- Size (cased) : 13.5" x 15.5" x 19"
- Colour (cased) : Cream/brown.
- M2 14" RGB (cased) : **£318.00**
- Delivery & insurance : **£15.00**

PERFECT FOR
COLOUR VIEWDATA



Prices do not include V.A.T.

HIGH TECHNOLOGY ELECTRONICS LTD.
A MEMBER OF THE GRAND METROPOLITAN GROUP
REGISTERED OFFICE 3 COLLEGE PLACE,
LONDON ROAD, SOUTHAMPTON.
REGISTERED IN ENGLAND NO. 1486255

SUMLOCK BONDAIN

makes the decisions easier

**NOW A CASIO PROGRAMMABLE
FOR UNDER £20**

CASIO *fx 180P*


£19.95 (inc. VAT)

Famous Casio Reliability

Guaranteed 1 Year

Complete with Batteries

Cover and Full Instruction
Book.



38 PROGRAM STEPS

55 SCIENTIFIC

FUNCTIONS

7 MEMORIES

18 PARENTHESES

TRUE ALGEBRAIC LOGIC

INTEGRATION

LINEAR REGRESSION

LOG, EXP, & POWER

REGRESSIONS

fx 2700P 50 Sci. Functions 38 Prog. Steps Notebook Size **£19.95** (Inc. VAT)

fx 3500P 61 Sci. Functions 38 Prog. Steps Notebook Size **£22.95** (Inc. VAT)

Same Capability as fx180p + Hyperbolics (6 Functions)

fx 502P 51 Sci. Functions 256 Prog. Steps 22 Registers **£74.95** (Inc. VAT)

fx 501P 51 Sci. Functions 128 Prog. Steps 11 Registers **£54.95** (Inc. VAT)

fx 31-29fns-Green Display **£12.95** *fx 120-40fns-Green Display* **£17.95**

fx 39-40fns-Green Display **£15.95** *fx 310-50fns-LCD* **£17.95**

fx 68-38fns-LCD Credit Card **£19.95** *fx 330-38fns-LCD* **£15.95**

fx 81-30fns-LCD **£12.95** *fx 510-50fns-LCD-10 digit* **£19.95**

fx 100 College-44fns-LCD **£15.95** *fx 2600-43fns-LCD* **£19.95**

fx 3200-43fns-LCD-10 digit **£21.95**

fx 6100-39fns-Clock, Stp. watch, Alarm **£19.95**

fx 7100-39fns-Cl., Alm., Stp. wch., Cr. Cd. **£24.95**

fx 8100-46fns-Cl., Calendar, Alm., Stp. wch. **£24.95**

SUMLOCK BONDAIN LTD.

263-269 CITY ROAD, LONDON EC1V 1JX

Tel: 01-250 0505 Telex 299844

and at Cannon Street Station, London EC4

All prices include VAT, p & p.
24 Hour Ordering Service
Barclaycard/Access accepted
Above offer applies UK only.

WE STOCK THE ENTIRE RANGE OF **CASIO** CALCULATORS

Request Full Competitive Price List

 **commodore**

**INDUSTRIAL
MICRO
SYSTEMS**



Qume

NorthStar 

 **apple II**

 **Anadex Ltd.**



MICRO FACILITIES

APPROVED

for
Commodore
Apple II
North Star Horizon
Industrial Micro Systems 5000
& 8000

APPROVED

by
Local Government
Central Government
National Laboratories
Maritime Research
Universities
Schools

APPROVED

by
Accountants
Importers/Exporters
Retailers
Manufacturers
Printers
Surveyors

WE WILL GET YOUR APPROVAL

Why? Because Micro-Facilities know that whether you are a large establishment or a small business you are going to need **help** and good **service**. We believe, and our hundreds of satisfied customers seem to agree, that the service we give is second to none.

Our service starts right from your initial contact. We will meet with you to discuss your requirements and your **business**, without blinding you with computer jargon. We will arrange for you to have a demonstration of one or more computers from our range together with programs to suit your particular needs. If a ready-made program is not suitable then we can analyse, design and program your particular procedures (we have nearly twenty years experience of doing this).

As a further service we are able to arrange both **leasing** and **financing** of your computer equipment.

Our service does not stop when you have purchased your system; to ensure the smooth transfer of your work we **train** you and your staff to use the computer and its programs in your own environment. As additional security we offer full **maintenance contracts**. Above all we will be available to give you genuine **after sales service**. Not for just one week or one month but everytime it is wanted.

Please contact us to discuss your problems and requirements, we offer you a lot more, but only charge the same. Our ability will give you peace of mind and confidence that the job will be done properly.

Central Computer & Telecommunications Agency Approved
Tenders from Local Authorities, Education and Government
Departments welcomed.

Micro-Facilities Ltd. 129 High Street,
Hampton Hill, Middlesex TW12 1NJ


01-941 1197 and 01-979 4546

**MICRO 
FACILITIES**

NEWBURY NEWBURY NEWBURY Smart Micro-based Visual Display Terminals

24 lines of
80 characters
per line. 96 ISO/ASCII
character set. Dual interface –
CCITT V24 and 20/60 mA
current loop. Selectable half or full
duplex. Green phosphor non glare display.

7000



7007/9

Full key-
board edit-
ing features. Addit-
ional 6 pages of memory
(7009). Block transmission by
line or page.



7002

Hard copy print out
Numeric pad
Video output for external monitors

Matrix Printer



125 cps
printing speed
CCITT V24 (RS232)
interface
80-132 characters per line

from
£460*

Prices from
£495*

Emulations:

APL, DEC VT52, ICL 7181 Honeywell
VIP 7006 & 7250

*Prices inclusive of delivery in UK and cables
ready to plug in.

NEWBURY LABORATORIES LTD

Head Office & Sales:
King Street, Odiham, Hampshire RG25 1NN
Tel: 025-671 2910 Telex: 858815

Sales and Service:

North East Tel: York (0904) 412043
North West Tel: Stockport 061-491 0134
Midlands Tel: Birmingham 021-707 7170
East Anglia Tel: 0223 64862
Scotland Tel: Edinburgh 031-554 0051

ComServe

COMPUTER SHOP PRESENTS



THE ELEGANT, EXPANDABLE

video genie system

£364 inc VAT. Postage. Requires T.V. or monitor — £80 if bought with Genie


Comprises standard 16K computer. 3 manuals. Demonstration tape. Lead for additional cassette player. Lead for monitor.

- FREE** Standard cover. Head cleaning/demagnetising tape.
- FREE** Programs: Games. Utilities. Subroutines.
- FREE** Standard soundkit
- FREE** Comserve joysticks
- FREE** Coloured plastic folders for manuals or screen overlays.

CWO to

ComServe

**98 TAVISTOCK STREET,
BEDFORD, BEDFORDSHIRE
TELEPHONE (0234) 216749**



We supply various printers.
We will supply S100 expansion box, colour boards, disk drive, fast tape drives, RS232 interfaces as available.
We are Genie specialists

S.A.E. for further information. Items and prices are as at time of going to press and are subject to alteration.

interface components


NASCOM SYSTEMS & PERIPHERALS

'SUPERMUM' COMBINED MOTHER/BUFFER/PSU BOARD

A 12 x 8 piggy-back board for the Nascom 1, it contains a five-slot motherboard, quality 5A power supply and reliable buffering with reset jump. The board facilitates easy floppy disk expansion.

£85

+ £3.50 P&P + VAT



FLOPPY DISC SYSTEM

Built and tested stand alone unit with 1/2 drives for both Nascom 1 & 2.
Single drive CP/M (160K) **£450** + £4 P&P + VAT
Double drive CP/M (320K) . . . **£640** + £4 P&P + VAT
Single drive D-DOS system . . **£395** + £4 P&P + VAT (enables existing NAS-Sys software to be used)
Spare drive **£205** + £2 P&P + VAT
Verbatim Diskettes **£3.75** + VAT each
10 for **£32** + VAT

Nascom 1 owners: Add £10 + VAT to prices above for Reset Jump Kit

NASCOM 1 kit **£125** + £1.50 P&P + VAT

NASCOM 1 built **£140** + £1.50 P&P + VAT

SPECIAL INTERFACE OFFER
NASCOM 2 WITH 16K RAM BOARD
BUILT **£345**. **KIT** **£295** (+ £2 P&P + VAT)

NASCOM IMP PLAIN PAPER
PRINTER **£325** + £2.75 P&P + VAT

RAM BOARDS—SPECIAL PRICES

16K RAM **£90** + £1 P&P + VAT
32K RAM **£110** + £1 P&P + VAT
48K RAM **£130** + £1 P&P + VAT
64K RAM **£150** + £1 P&P + VAT

SOFTWARE ON TAPE

BASIC Programmers Aid **£13** + VAT
8K BASIC **£15** + VAT ZEAP 2 **£30** + VAT

ENCLOSURES

VERO Frame **£32.50** + £2 P&P + VAT
Microtype M3 Case **£24.50** + £2 P&P + VAT
Kenilworth Case **£49.50** + £5 P&P + VAT
2-card support kit **£7.50** + VAT
5-card support kit **£9.50** + VAT

PERIPHERALS

3 Amp PSU **£32.50** + £1.50 + P&P + VAT
Motherboard **£5.50** + VAT
Mini Motherboard **£2.90** + VAT
VERO DIP Board **£12.50** + VAT
I/O Board **£45** + £1 P&P + VAT
Buffer Board **£32.50** + VAT
EPROM Board kit **£55**, built **£70** + £1 P&P + VAT
A-D Converter **£49.50** + VAT
Dual Monitor Board **£6.50** + VAT
EPROM Programmer **£25.95** + VAT
Castle Interface **£17.50** + VAT
Port Probe **£17.50** + VAT

FIRMWARE IN EPROM

IMP-PRINT **£30** + VAT
NASPEN **£30** + VAT
ZEAP 2 **£50** + VAT
NAS-SYS 1 **£25** + VAT
NAS-DIS **£37.50** + VAT
NAS-DEBUG **£15** + VAT
NAS-SYS 3 **£25** + VAT
Programmers Aid **£28** + VAT

SHARP MZ-80K + Peripherals

Bi-Directional Serial Board **£99.50** + VAT
MZ80FD (twin floppies 208K) **£675** + £5 P&P + VAT
MZ80P3 Printer **£425** + £5 P&P + VAT
MZ80 I/O Interface **£99** + £2 P&P + VAT
CP/M 2.2 **£200** + VAT
Stock Control, Sales/Purchase Ledger and other business software and games in stock. Full list available on request.

SPECIAL INTERFACE OFFER
48K MZ-80K System **£460**
+ £10 carriage + VAT



SHARP PC-1211 POCKET COMPUTER

The PC-1211 uses BASIC and has up to 1424 program steps. 80 character input line with full editing facilities, 18 user definable keys, 24 character alpha-numeric LCD display. Optional cassette interface is available. PC-1211 is battery-operated, has auto power off function and maintains all programs and data in its memory even after the power has been turned off.

Cassette interface
£13 + VAT

£86.92
+ £1 P&P + VAT

CENTRONICS MICRO PRINTERS


High performance — Low cost
737—£425 + £3 P&P + VAT

737 Dot Matrix Printer runs at 80cps (proportional) or 50cps (monospaced) giving text processing quality print. This new printer is capable of printing subscripts and superscripts.

730—£375 + £3 P&P + VAT

730 Dot Matrix Printer can print 10cpl or 16.5cpl at 100cps and 165cps respectively.

Both printers have 3-way paper handling and parallel interface as standard. RS 232/V24 serial interface is optional.
Fanfold paper (2000 sheets) **£18** + £2.50 P&P + VAT



MICRO MART

Voltage Regulators

T0220 1 amp
+5, +12, +15, +24V . 80p + VAT
-5, -12, -15, -24V . 65p + VAT

T03

1A + 5V LM309K 50p + VAT
3A + 5V LM323K £3.50 + VAT
5A ± 5V 78H05 £5.50 + VAT

ICs
EPROMs 2708. **£4.50** + VAT
EPROMs 2716. **£7.50** + VAT
Memories
21L02 **£0.80** + VAT
4027 **£0.70** + VAT
4116 **£2.50** + VAT
4118 **£7.50** + VAT
2114 **£3.00** + VAT
Z80 Devices (4MHz 'A' version)
MK3880 **£8.00** + VAT
MK3881 (PIO) . . . **£5.00** + VAT
MK3882 (CTC) . . . **£5.00** + VAT

Also extensive range of standard and LS TTL, CMOS and linear ICs, plus other semiconductors, in stock. Send for list.

Unless stated otherwise add 50p P&P to all orders

Prices correct at time of going to press.

*New Interface catalogue now available on request. Access and Barclaycard accepted.

INTERFACE COMPONENTS LTD.


OAKFIELD CORNER, SYCAMORE ROAD, AMERSHAM, BUCKS HP6 6SU
TELEPHONE: 02403 22307. TELEX 837788



NEW SUPERBOARD SERIES II

Ready built & Tested

New from OSI - Series II. Everything series I had but with more on a single board. Ideal for the beginner or experienced engineer alike. It needs only a 5V 3A power supply to be up and running. Fully expandable to a Floppy Disc and small business system.



STILL ONLY £149 + P&P £3.50 + VAT

- 625 lines jitter free Display.
- Memory Mapped Video Display with upper/lower case graphics and gaming characters.
- Software selectable Display 24 x 24 48 x 12
- Uses the ultra powerful 6502 Micro.
- 8K Microsoft Basic in Rom.
- Full feature Basic runs faster than currently available computers and all 8080 based business computers.
- 4K static Ram on board expandable to 8K.
- Full 53 Keyboard with upper/lower case and user programmability.
- Power on reset-standard.
- 2 second action break key.
- Kansas City standard Audio cassette interface for high reliability.

- 6 latch outputs available for control purposes.
- 8 bit Digital to Analogue converter.
- Full machine code monitor and I/O utilities in Rom.


Superboard II Series II
Black ABS case £149.00 + VAT
Extra 4K Ram £ 24.50 + VAT
PSU 5A Ready Built £ 16.95 + VAT
Numeric Key Pad Kit £ 19.95 + VAT
610 Expansion Board with 8K fitted £ 11.95 + VAT
(expandable to 24K) £150.00 + VAT
CD3P Floppy Disc £269.00 + VAT

Series 2 User's Manual
The best single source of information £6.95, no VAT

Video swap tape & UHF modulator FREE!

SOFTY

The complete microprocessor development system for the engineer and beginner alike.




- Displays memory contents on standard UHF TV.
- Can replace monitor Rom to test and develop programs.
- Ideal training aid.
- Two 8-bit I/O ports.
- Fast cassette interface.
- On-board Eprom programmer.
- Copies software.
- Simple modification for single rail.

Price: Kit.....£ 99.00 + VAT
Ready built.....£120.00 + VAT
PSU.....£ 20.00 + VAT
P & P.....£ 1.50 + VAT

FREE 2716 with each Softy

STAKPAK

Unique filing system comprising stackable drawers, each containing 2 digital quality C12 cassettes. Complete with index cards & blank labels.



5 Stakpaks (10 cassettes)

£5.50 P&P 75p + VAT

VIDEO GENIE

A complete Computer System

- 16K User Ram
- 12 K Microsoft Basic in Rom.
- 64 x 16 line Display
- 128 x 48 dot graphics resolution.
- Software compatible with TRS80 level II.
- Built in Cassette Recorder.
- Output and Control for Second Cassette.
- Full expansion via Expansion box to Disc-Printer



£290

P & P £5 + VAT

A Z80 based computer system with Full Keyboard and built in Cassette recorder plus outputs for Monitor and/or TV
Parallel Printer Interface £35 + VAT

SEIKOSHA GP80A

This Unihammer dot Matrix Printer gives Normal and Double Width Characters as well as Dot resolution Graphics.

- Printing Speed 30 cps
- Character Set 5 x 7 Matrix
- Print Density 12 CPI at 80 CPL
- Paper Feed 8" Tractor
- Parallel Interface Standard



£225
P & P £4.50 + VAT


Other Interfaces
RS 232£49 + VAT
IEEE 488 or
Apple £29 + VAT
Pet £29 + VAT

500 Sheets of paper FREE!

EPSON TX80

A complete 80 column dot matrix printer, available in tractor or friction feed versions.

- Speed: 125cps.
- Undirectional print
- PET compatible graphics.



£295

P & P £4.50 + VAT

Various Interfaces available from £45

500 Sheets of paper FREE!

SUPERPRINT 800



This rugged and reliable printer offers more features and flexibility than competitive units but at a new Special Offer price

- 64, 72, 80, 96, 120, or 132 characters/line.
- RS-232, 20ma, IEEE-488 and Centronics
- Self-test switch.
- I/O fitted as standard.
- 16 baud rates to 19,200.
- Tractor and Friction Feed
- 60 lines per minute.
- Multiple character sets facility.

£299

P & P £4.50 + VAT

500 Sheets of paper FREE!

ACCESSORIES

TEX Eprom Eraser	£33
6Mhz Modulators	£2.80
8Mhz Modulators	£4.50
Cassette Recorders	£13.95
8" Fan-Fold Paper 500 sheets	£5.95
9 1/2" Fan-Fold Paper 500 sheets	£5.95
TVM 10 Monitor, 9" B&W	£95
HEX PAD	£3.50
ASCII Keyboard 756	£40
CEGMON any version	£29.50
Space Invaders 8K	£4.60
BASF Floppy Discs - each	£2.85




OFFER YOU A GREAT DEAL

TTL 74 Series (TEXAS)			74LS Series			74S Series		
Part	P		Part	P		Part	P	
7400	11	74123	65	LS01	13	74S04	73	
7401	11	74125	50	LS02	15	74S132	138	
7402	11	74126	45	LS03	16	74S138	240	
7403	14	74128	45	LS04	16	74S158	240	
7404	14	74132	55	LS05	23	74S188	210	
7405	18	74136	55	LS08	22	74S189	158	
7406	36	74141	75	LS09	23	74S194	360	
7407	36	74142	185	LS10	20	74S241	540	
7408	17	74143	250	LS11	32	74S262	850	
7409	20	74144	250	LS12	32	74S287	325	
7410	17	74145	90	LS13	40	74S470	325	
7411	25	74147	50	LS14	60	74S472	1150	
7412	20	74148	125	LS15	40	74S475	625	
7413	32	74150	130	LS20	21			
7414	38	74151	70	LS21	32			
7415	30	74153	70	LS22	35			
7416	30	74154	120	LS26	44			
7417	30	74155	75	LS27	35			
7420	19	74156	75	LS28	35			
7421	38	74157	70	LS30	25			
7422	25	74159	165	LS32	35			
7423	28	74160	99	LS33	35			
7425	28	74161	99	LS37	30			
7426	43	74162	99	LS38	35			
7427	32	74163	99	LS40	28			
7428	35	74164	120	LS42	66			
7430	19	74165	120	LS47	85			
7432	27	74166	130	LS48	105			
7433	36	74167	205	LS49	105			
7437	35	74170	205	LS51	25			
7438	32	74172	375	LS54	30			
7440	20	74173	110	LS55	30			
7441	68	74174	100	LS63	150			
7442	58	74175	82	LS73	45			
7443	120	74176	180	LS74	35			
7444	116	74177	85	LS75	45			
7445	105	74178	110	LS76	45			
7446	132	74179	150	LS78	50			
7447	72	74180	90	LS83	105			
7448	75	74181	280	LS85	80			
7450	20	74182	85	LS86	38			
7451	20	74184	130	LS90	50			
7453	20	74185	130	LS91	125			
7454	20	74188	310	LS92	75			
7460	20	74190	130	LS93	60			
7470	40	74191	120	LS95	115			
7472	30	74192	120	LS96	120			
7473	35	74193	120	LS107	45			
7474	34	74194	102	LS109	75			
7475	56	74195	75	LS112	40			
7476	40	74196	99	LS113	75			
7480	52	74197	88	LS114	40			
7481	120	74198	160	LS122	70			
7482	75	74199	160	LS123	75			
7483	90	74221	150	LS124	180			
7484	99	74246	150	LS125	45			
7485	105	74247	151	LS126	45			
7486	33	74248	180	LS132	60			
7489	205	74249	188	LS133	35			
7490	42	74251	110	LS136	55			
7491	84	74255	66	LS138	70			
7492	50	74273	267	LS139	70			
7493	57	74278	249	LS145	120			
7494	85	74279	99	LS147	210			
7495	70	74283	149	LS148	170			
7496	80	74284	350	LS151	90			
7497	176	74285	350	LS153	85			
74100	130	74290	107	LS155	75			
74104	62	74293	135	LS156	85			
74105	62	74297	236	LS157	70			
74107	34	74298	185	LS158	70			
74109	60	74365	95	LS160	90			
74110	54	74366	95	LS161	98			
74111	68	74367	95	LS162	110			
74112	170	74368	95	LS163	95			
74116	170	74390	185	LS164	115			
74118	85	74393	185	LS165	145			
74119	120	74490	185	LS166	175			
74120	75			LS168	210			
74121	35			LS169	210			
74122	50			LS170	288			

CRYSTALS			D' CONNECTORS (Cannon type)			DIL PLUGS (Headers)			DIL SOCKETS (TEXAS)		
Part	P		Plugs	Sockets	Covers plastic	Part	P		Part	P	
100KHz	300		9 way	120p	150p	14 pin	44p		8 pin	10p	25p
455KHz	370		15 way	180p	170p	16 pin	49p		14 pin	10p	35p
1MHz	295		25 way	280p	170p	24 pin	88p		16 pin	10p	46p
1.008M	295		37 way	288p	185p	40 pin	295p		18 pin	16p	52p
1.8432M	305								20 pin	22p	65p
2.0MHz	305								22 pin	25p	70p
2.4576M	305								24 pin	30p	78p
3.2768M	150								28 pin	35p	85p
3.57954M	150								36 pin	105p	
4.0MHz	290								40 pin	109p	
4.032M	290										
4.194304M	270										
4.433619M	150										
5.0MHz	290										
5.185M	300										
5.24288M	390										
6.0MHz	290										
6.144M	295										
6.5536M	290										
7.168M	290										
7.68MHz	300										
8.0MHz	290										
8.967237	270										
10.0MHz	290										
10.7MHz	270										
14.31818M	320										
16.0MHz	290										
18.0MHz	290										
18.432M	290										
26.69M	290										
27.648M	330										
38.6667	290										
48.0MHz	270										
100.0MHz	375										

The above is just a selection of our vast stocks of brand new, full spec, electronic components.
To Order: Please add 15% VAT to all orders unless stated. On orders of less than £10 add 40p P&P.
Terms of Business: Cash/Cheque/P.O.'s or Bankers Draft with order.
Government, Education Authorities & Trade Welcome.
Access Orders: Minimum £10 please.
JUST PHONE IN YOUR ORDER WE DO THE REST.



W@ CARE

CompUtopia
LIMITED

30 Lake Street, Leighton Buzzard, Bedfordshire
Tel: (0525) 376600 24 hour Answering Service

APPLE II

authorised dealers

from **£695** + VAT

- * Choice of 16K, 32K, 48K user RAM
- * Huge range of software already available.
- * Simply plugs into video monitor or UHF TV.
- * High resolution graphics (5400 point array)
- * Eight Accessory expansion slots for disks, printer etc.

PET 2001

authorised dealers

from **£445** + VAT

- * Choice of 8K, 16K, 32K user RAM
- * Huge range of software already available
- * Self-contained monitor
- * Numeric keypad on keyboard.
- * Full expansion capability for cassette, disks and printer.

THE VIDEO GENIE SYSTEM EG 3003

£330 + VAT

- * 16k User RAM plus 12k Microsoft BASIC in ROM
- * Fully TRS 80 level II software compatible
- * Huge range of software already available
- * Self contained, cassette, PSU & UHF modulator
- * Simply plugs into video monitor or UHF TV
- * Full expansion capability for disks & printer

PERIPHERALS

PRINTERS

Texas Instruments Omni 810 Printer £1450.00
Paper Tiger Printer with Graphics £598.00

MONITORS

VM 129 Hitachi 12" B&W Video Monitor £187.00
VM910 9" B&W Video Monitor £127.00

£395 + VAT complete with interface for APPLE, PET or VIDEO GENIE

THE MICROSOFT Z80 SOFTCARD OPENS UP IN HORIZONS FOR YOUR APPLE II

Plug the new Microsoft Z80 SoftCard into your APPLE II and start using *all* of the system and application software written for Z80 based computers.

Included with the board is the versatile CP/M; the most widely used microcomputer operating system, and Microsoft's 5.0 BASIC, the most powerful version to date of Microsoft's famous BASIC Interpreter. £199+VAT Dealer enquiries welcome.

WATCH YOUR APPLE GROW TO TWICE ITS SIZE!!

Add a twin 8" disk and give yourself up to 1.6 million characters of storage on line. **£1325 + VAT**

Illustrating Basic	Alcock	3.25
Basic Handbook	Lien	11.00
Computer Programs that Work	Lee/Beech/Lee	3.95
Basic Computer Games	Ahl	4.25
More Computer Games	Ahl	4.25
C207 Microprocessor Interfacing Techniques	Lesea/Zaks	9.50
6502 Assembly Language Programming	Leventhal	7.95
C202 Programming the 6502	Zaks	7.95
G402 6502 Games Book	Zaks	8.20
The Pet Revealed	Hampshire	10.00
Z80 Assembly Language Programming	Leventhal	7.95
Z80 Microcomputer Handbook	Barden	6.80
Introduction to Microcomputers Vol 0	Osborne	5.00
Introduction to Microcomputers Vol 1	Osborne	7.50
The Personal Computer Book	Bradbeer	5.30

Please phone or write for complete book list and prices. Prices include P & P within the U.K.
Please send cheque or P.O., or if phoning your order, state Barclaycard number.

CHROMASONIC electronics

48 JUNCTION ROAD, ARCHWAY, LONDON N19 5RD 100 yds from Archway Station & 9 bus routes
TELEPHONE 01- 263 9493 01-263 9495

YOUR SOUNDEST CONNECTION IN THE WORLD OF COMPONENTS AND COMPUTERS

8N 8K RAM
16N 16K RAM
32N 32K RAM
CASSETTE DECK
343K TWIN FLOPPY DISK

PETS & SYSTEMS

NEW 32k with 80 col screen
Twin Disk Drive 950K


All with new keyboard
and green screen

Friction Feed Printer

Tractor Feed Printer



COMPLETE 32K SYSTEM
APPROVED COMMODORE DEALER




MEMORY EXPANSION KIT

Suitable for UK101, Super-board expansion using 2114s each board has 16K ram capacity kit contains:

- ▶ On board power supply
- ▶ 4K Eprom expansion
- ▶ Fully buffered for easy expansion via 40 pin socket
- ▶ 8K kit £89.95
- ▶ 16K kit £122.95
- ▶ Printed Circuit Board £29.95
- ▶ 40 pin-40 pin header plug £8.50

NEW SHOP



VIDEO GENIE

VIDEO GENIE based on TRS80



Utilises Z80, 12k level II Basic, Integral Cassette Deck, UHF O/P. 16k RAM

all TRS80 features

£289

CASES

Available for U.K. 101, Superboard Nascom Appx. DIM. 17" x 15" 435 x 384 mm

PRICE £24.50

Post & Packing £1.50

UK101 P.P.I.

BUILT & TESTED. INTERFACES TX80 PRINTER DIRECT, CAN BE PROGRAMMED TO OPERATE RELAYS, MOTORS, VARIOUS OTHER PERIPHERALS "CENTRONICS COMPATIBLE PLUGS INTO IC SOCKET. RED BINARY DISPLAY FULLY DOCUMENTED.

£29.95

UK101

£179 IN KIT FORM

£229 READY BUILT & TESTED

£255 COMPLETE IN CASE

4K EXPANSION (8 x 2114) NOW ONLY £18.00

No extras required

- ★ Free sampler tape
- ★ Full Qwerty keyboard
- ★ 8K basic
- ★ Ram expandable to 8K on board (4K inc)
- ★ Kansas City tape interface

★ NEW MONITOR ALLOWS FULL EDITING & CURSOR CONTROL


£22.00

PRINTERS

EPSON TX-80

£349

Dot-matrix printer with Pet graphics interface: Centronics parallel, options: PET, Apple and compatible



PLEASE ADD VAT 15% TO ALL PRICES. POSTAGE ON COMPUTERS, PRINTERS & CASSETTE DECKS CHARGED AT COST. ALL OTHER ITEMS P&P 30p. PLACE YOUR ORDER USING YOUR ACCESS OR BARCLAYCARD (Min. Tel. order £5.00). TRADE & EXPORT ENQUIRIES WELCOME, CREDIT FACILITIES ARRANGED.



NEW SHOP & SHOWROOM NOW OPEN

TELEPHONE
01-263 9493/01-263 9495

UK101 SOUND

SOUND GENERATOR
AND COMBINED
PARALLEL IN/OUT
PORT KIT
CONTAINING P.C.B.,
AY-3-8910, 6520 PIA,
FULLY DOCUMENTED
AND DEMO TAPE.

£29.95

AY-3-8910

£8.50

UK 101 SOFTWARE

SPACE INVADERS	6.50
REAL TIME CLOCK	3.00
CHEQUERS	3.00
OTHELLO	4.00
GAME PACK I	5.00
GAME PACK II	5.00
GAME PACK III	5.00
SCREEN MONITOR	4.00
ASSEMBLER EDITOR	14.90
10xC12 BLANK TAPES	4.00

CPUS

Z80 2.5 MEG	7.95
Z80A 4 MEG	9.95
6502	6.95
6800	6.50
8080	4.75
9900	25.95

SUPPORT CHIPS

Z80 CTC	5.95
Z80A CTC	6.95
Z80A PIO	5.95
Z80A PIO	6.95
6520	3.95
6522	6.85
6532	8.50
6821	4.25
6850	3.60
6852	4.35
8212	1.95
8216	1.95
8224	2.75
8228	3.75
8251	4.95
8253	9.75
8255	4.50
TMS9901	13.16
TMS9902	11.18
TMS9904 (74LS362)	4.21

MEMORY

D. RAMS	£	p
4027	2.75	
4050 (350NS)	2.35	
4060 (300NS)	2.39	
4116	3.95	

S. RAMS

2102A	1.30
2102A2	1.69
2112A	2.75
2114/4045	2.75
4035	1.07
4044-5257	6.93
6810	3.50

BULK PURCHASE

8x2114	18.00
8x4116	27.50
16x2114	34.00

EPROMS

2708	4.25
2716 (5v)	6.95
2532	29.95

ROM

2513 (UC)	5.95
-----------	------

I.C. SOCKETS

	DLL	W/W
8 pin	.09	.25
14 pin	.11	.35
16 pin	.12	.42
18 pin	.16	.50
20 pin	.20	.62
22 pin	.22	.65
24 pin	.24	.70
28 pin	.30	.80
36 pin	—	.99
40 pin	.40	1.10

BUFFERS

81LS95	1.25
81LS96	1.25
81LS97	1.25
81LS98	1.25
SN74365	.52
SN74366	.52
SN74367	.52
SN74368	.52
BT26	1.50
8T28	1.50
8T95	1.50
8T96	1.50
8T97	1.50
8T98	1.50

BAUD RATE GENS

MC14411	8.75
MM5307	8.75

UARTS

AY-5-1013	3.95
AY-3-1015	4.75
MM5303	4.75
TMS6011	3.55

SEND S.A.E. FOR COMPLETE
PRICE LIST OR PHONE 01-263 9493



BLACK WHITE OR GREEN THE CHOICE IS YOURS.

Black & White model £85.00 + VAT + £4.50 car.
Green model £95.00 + VAT + £4.50 car.

OVM Video Monitors:-
Precision engineered Video
Monitors, with a 9" screen,
accepting standard 1.4V P-P
inputs at 75 ohms or high
impedance.

Metal cased, solid state and
reliable, white or green.
The choice is yours.

LOWE ELECTRONICS

Bentley Bridge, Chesterfield Road, Matlock.
Derbyshire. Tel: 0629 2817-2430.

Trade enquiries welcome.

INNOVATIVE TRS-80 SOFTWARE

FROM THE PROFESSIONALS

INSTANT SORT/SEARCH DATABASE

Everything in electronics takes a finite time, consequently nothing can be instantaneous. However a database that will search 500 records and sort the names into alphabetical order in 1½ seconds, that will go on to do the same thing with 1,000 names in only 2½ seconds, is fast. If you add that ability to search 500 or 1,000 records for a specific range of names or ages or sexes or whatever, in such a small amount of time that it is not worth timing it, then the program deserves to be described as instantaneous. Especially as these times are attained on a standard Level II TRS-80.

These results are achieved, obviously, by some very clever machine language coding. This however is not enough. After all GSF from Racet will sort 1,000 arrays in about 11 seconds and that is indeed a clever program. No, in order to achieve the results required from this program it is necessary to change one's entire overview of database.

There are many databases available for the TRS-80 now. All of them have been designed to store as much data as possible, as easily as possible. Not as an afterthought, but nor as a prime design requirement, they have also incorporated as fast a sort as was practicable. This program was designed from the outset to achieve unbelievably fast sort and search times. Indeed we do not recommend this database for application in which fast searching or sorting is not a prime requirement. And what are the applications? It's a hackneyed phrase to say that they are limited only by the user's imagination, but that's about it. Let's take an example. Suppose you are running a marriage or data bureau. An ordinary database will file all the names and addresses away together with the necessary information as to sex, age and so on and with some you would be able to sort the list, so that only people with similar characteristics were eventually obtained. With this database you could, for instance, file the name, sex, age, category of hobby, category of chief interest, vital statistics and other data so that at the touch of a button you could instantaneously display on the screen all women of a certain age with certain vital statistics, living in a certain area. You could also display men with similar (excluding the vital statistics!) data that fall into similar categories. And all of this almost instantaneously. Not everybody runs a marriage bureau, but other applications are not hard to think of. Estate agents can file details of property away so that they can instantaneously obtain data on houses in a certain area or of a certain size. Doctors can reach information as to patients with similar diseases, ages or whatever immediately. In the home, a record library can be stored and every record by a certain composer written in a certain year can be accessed without delay. The list of applications is endless. For any use where it is important to extract information within a certain range or it is important to sort information, this database will find a use.

The prime commands and features of this program are as follows:

- | Datafile creation | Sort/Search |
|---------------------------|---|
| 1. Create a file. | 1. Sort up or down. |
| 2. Add a record. | 2. Page forward or backward. |
| 3. Delete a record. | 3. Select a range for search. |
| 4. Display a record. | 4. Select or exclude a category. |
| 5. Tape a file. | 5. Select or exclude on initial letter. |
| 6. Amend a record. | 6. Resort records in a sort. |
| 7. Display the file data. | 7. New sort all records. |
| 8. Load a tape. | 8. Extended sort. |
| | 9. Arithmetic. |
| | 10. Display file data. |
| | 11. Load a tape. |
| | 12. Printout sorted data. |

The data is displayed in columnar form and the data may be alphabetical, alphanumeric, integer or decimal. The number of columns is from 2 to 10 and the records may contain a maximum 44 - 60 characters depending upon the number of columns used. Columns may be of any width within the screen capacity but integer or decimal columns more than five and six characters wide respectively will not have the option of searching within a range.

The program consists of two parts. The first is used for entering the data and the second for the sort or search. The second part overlays the first when it is loaded so only 4K of memory is used by the entire program. The remainder of your memory space is available for data. The amount of data that can be contained will of course depend upon the amount of memory available, but as a rough guide a 16K user will be able to manipulate at one time 250 records of 39 characters each or 514 records of 17 characters each. As a further rough guide on sorting speed, the time to sort 1,000 records on fields of random strings of random length, or of random number between 1 and 99,999, averages under 2½ seconds.

Numeric columns either integer or decimal may be arithmetically manipulated almost instantaneously. A total may be cast or an average taken for any numeric column up to five digits. This is so fast that when adding 1,000 numbers totalling over 50 million, only a slight hesitation can be noticed before the total is given.

In summary therefore this program is ideal for any application concerning the manipulation of information whether it be business, personal or hobby which can be comfortably displayed as one record per line upon the screen and in respect of which it is required that super fast searches or sorts be carried out. The program is supplied on cassette. At this time it is not compatible with disk systems. A disk version is in the course of preparation. The cassette includes a set of data randomly generated which can be fed into part 2 of the program to demonstrate the fantastically fast sort and search features.

Tape for 16K TRS-80 or video genie£19.50

All prices exclusive of VAT which should be added at the prevailing rate. Postage and packing including VAT 75p regardless of the number of programs ordered.

Send large SAE (44p) for our current Catalogue of TRS-80 software. Add £1.85 for a binder.



A.J.HARDING (MOLIMERX)
MOLIMERX LTD.

28 COLLINGTON AVENUE, BEXHILL-ON-SEA, E.SUSSEX.
TEL: (0424) 220391

TELEX 86736 SOTEX G



INNOVATIVE

TRS-80 SOFTWARE

FROM THE PROFESSIONALS

SUPERSCRIPT

SuperScript is a series of machine language programs which will permanently customise Tandy's Scripsit to a user's own requirements, particularly as to his printer. It also adds a number of enhancements to the original Scripsit program. The program includes a number of features which we do not have space to list here, but the three principal ones are that the user can now access the Disk Directory from within SuperScript, listing all files and the number of free granules on the diskette. Files can be killed from within SuperScript so as to make extra space to fit in a large text file. The third and perhaps the most important enhancement is to permit almost any printer to be used with Scripsit. It includes eight driver routines for both serial and parallel printers and these include utilities to enable the user to sculpture a customised serial or parallel driver to his own particular requirements. If your printer will backspace then underlining and slashed zeroes are options. Dedicated drivers in the package are for Diablo parallel and serial, NEC5330 parallel and serial and two general purpose drivers.

Disk for minimum single drive 32K machines£19.50

DUEL-N-DROIDS

A "second generation" Android Nim. Leo Christopherson has done it again! Two androids battle it out before your eyes with laser swords! There are two forms of play. In the first the player controls one android and the computer the other. The player must achieve a certain rank of skill as a swordsman to enable the android to go on to fight a tournament. The player's android is controlled by four keys and the higher the rank that the player can attain the better the chance that his android will beat the computer when it enters the tournament. Tournaments are of two types. In one, the player's android is pitted against an equally ranked android controlled by the computer. In the other the player's android fights against androids controlled by the computer of random ranking. Android Nim by Christopherson created something of a revolution in microcomputer games and Duel-N-Droids follows on in this same tradition. Excellent sound is provided in the program.

Tape version 16K TRS-80 or video genie£9.50, Disk version 32K one drive£12.50

BASKETBALL

Another highly graphically orientated machine language action game with sound. Each game lasts four minutes and either two players take part or one player plays the computer. The graphics are based on a three dimensional depiction of a basketball court on which there are two players. One is controlled by each human player if two are playing, or when a human player plays against the computer the home player is controlled by the computer. The appeal of the game is its realism. The court player may be controlled in one of four directions, may dribble and shoot for the basket. The player who scores the most baskets in the four minutes of play wins the game.

Tape version 16K TRS-80 or video genie£9.50, Disk version 32K one drive£12.50

QUAD

Quad is three dimensional noughts and crosses. As its name implies, it is played on a cube of four layers each with four ranks. Like noughts and crosses the aim of the game is to get crosses or noughts in a line either horizontally, vertically or diagonally. The cube is depicted graphically on the VDU and either two players may take part or a single player may play the computer. Four levels of difficulty are provided and a time clock is also included for each move. A particularly important feature of the game is that the cube on which the game is played may be rotated so that the player can see it from a different angle. A number of commands are provided including setting up previous positions, backing up to a previous position, progressing to the next position, reversal of order of play and switching of opponents. This is a complex game of strategy in which the player will need all of his skills.

Tape version 16K TRS-80 or video genie£9.50, Disk version 32K one drive£12.50

CODE BREAKER

Code Breaker is a logic game with sound effects. It is not necessary to describe this program in great detail because it is essentially a computer adaptation of the well known logic game Mastermind. The object of the game is to determine with as few moves as possible the colours and positions of four secret code pegs. For each move the colour and position of four pegs is chosen and the response of the computer is with a black, white or pink peg in respect of each position of the player's peg. These three colours have different meanings and from their positioning it is possible to logically deduce the position of the hidden pegs. The program features sound effects and a graphic layout of the code pegs.

Tape for 16K TRS-80 or video genie£6.50

All prices exclusive of VAT which should be added at the prevailing rate. Postage and packing including VAT 75p regardless of the number of programs ordered.

Send large SAE (44p) for our current Catalogue of TRS-80 software. Add £1.85 for a binder.



A.J.HARDING (MOLIMERX)

MOLIMERX LTD.


28 COLLINGTON AVENUE, BEXHILL-ON-SEA, E.SUSSEX.

TEL: (0424) 220391

TELEX 86736 SOTEX G



PET' MACHINE LANGUAGE GUIDE




Contents include sections on:

- Input and output routines.
- Fixed point, floating point, and Ascii number conversion.
- Clocks and timers.
- Built-in arithmetic functions.
- Programming hints and suggestions.
- Many sample programs.

If you are interested in or are already into machine language programming on the PET, then this invaluable guide is for you. More than 30 of the PET's built-in routines are fully detailed so that the reader can immediately put them to good use.

Available for \$7.95 + \$2.00 postage and handling. Payment is in U.S. dollars or charged to your Barclaycard or Eurocard — include card number and expiration date. Quantity discounts are available.



ABACUS SOFTWARE

P. O. Box 7211

Grand Rapids, Michigan 49510

PET & APPLE II USERS

TINY PASCAL

Plus +
GRAPHICS



The TINY Pascal System turns your APPLE II micro into a 16-bit P-machine. You too can learn the language that is slated to become the successor to BASIC. TINY Pascal offers the following:

- LINE EDITOR to create, modify and maintain source
- COMPILER to produce P-code, the assembly language of the P-machine
- INTERPRETER to execute the compiled P-code (has TRACE)
- Structured programmed constructs: CASE-OF-ELSE, WHILE-DO, IF-THEN-ELSE, REPEAT-UNTIL, FOR-TO/DOWNT-DO, BEGIN-END, MEM, CONST, VAR ARRAY

Our new TINY Pascal PLUS+ provides graphics and other builtin functions: GRAPHICS, PLOT, POINT, TEXT, INKEY, ABS AND SQR. The PET version supports double density plotting on 40 column screen giving 80 x 50 plot positions. The APPLE II version supports LORES and for ROM APPLESOFT owners the HIRES graphics plus other features with: COLOR, HGRAPHICS, HCOLOR, HPLOT, PDL and TONE. For those who do not require graphics capabilities, you may still order our original Tiny Pascal package.

PET BASIC 4.0 version available February 1981

TINY Pascal Plus+ GRAPHICS VERSION—includes manual


PET 32K NEW Roms cassette.....	\$65
PET 32K NEW Roms diskette.....	\$60
APPLE II w/ROM Applesoft only w/DOS.....	\$60

TINY Pascal NON-GRAPHICS VERSIONS—includes manual

PET 16K/32K NEW Roms cassette.....	\$50
PET 16K/32K NEW Roms diskette.....	\$45
APPLE II w/ROM Applesoft 32K w/DOS.....	\$45
APPLE II w/ROM Applesoft 48K w/DOS.....	\$45

USER's Manual (refundable with software order).....	\$12
6502 Assembly Listing of INTERPRETER-graphics.....	\$30
non-graphics.....	\$25

Includes Airmail Postage to Europe. Orders may be prepaid of by bankcard (include card number and expiration date) Eurocard Access, Barclaycard, etc.



ABACUS SOFTWARE

P. O. Box 7211

Grand Rapids, Michigan 49510

U.S.A.

IBM SELECTRIC GOLFBALL PRINTERS AND INPUT, OUTPUT 735 TYPEWRITERS

PRINTERS FROM	£195.00
735 TYPEWRITERS FROM	£245.00
WIRING AND COMMISSION	
TO SUIT ACULAB INTERFACE	£48.00
ACULAB INTERFACES EX STOCK	£155.00

ALSO AVAILABLE

IBM 71, 72, 82 typewriters.

Full workshop facilities for rebuilds and servicing. Keyboard ASCIID-ASCII, 10-12 pitch, language conversions undertaken.

11", 13", 15" platen lengths, split platens pin feed platens. Operational keylever repeats fitted on request.

Full IBM range of 10-12* pitch heads including language, symbol and metric.

Language keybuttons blue or grey

WE BUY SELL OR EXCHANGE ALL IBM
SELECTRIC TYPEWRITER MODELS

For further details phone Stuart Kirby or
Louis Baker Prices excl VAT @ 15% carriage &
packing, callers by appt only please

KEYTRONICS



Saul Lodge, Saul, Gloucester GL2 7JE
Tel: 0452 740 612

REAL SUPPORT

HELP WHEN AND WHERE YOU NEED IT!



mz-80K

PC-1211

Pocket Computer

PC-3200

Personal Computer

FULL BUSINESS SYSTEMS
WITH SOFTWARE NOW AVAIL-
ABLE.

A SYSTEM IN YOUR POCKET
COME AND SEE THE PRINTER

THE ULTIMATE SMALL
BUSINESS SYSTEM HERE NOW!

Word Processing,
Top quality — Low cost
Data Processing
Hard Discs — Multi User



NASCOM, the greatest drama
since CROSSROADS. Phone
NOW for NEWS and PRICES.

BOOKS — large range in stock S.A.E. for list
PRINTERS — MEDIA — CUSTOM & PACKAGE
SOFTWARE. If you have a PROBLEM, try us FIRST!

Phone CHRIS ROBINSON on IPSWICH (0473) 50152
for help or to make an appointment.

MICROTEK

15 LOWER BROOK ST. IPSWICH. SUFFOLK.

Microcomputers on a mini budget

Businessmen and professional people alike can rid themselves of day-to-day problems and increased workload with a microcomputer.

Just a few tasks a microcomputer could be organising for your company, division or department:-


- Accountants
- Estate Agents
- Retailers
- Insurance Brokers
- Doctors
- Dentists
- Solicitors
- Architects
- Engineers
- Chemists
- Farmers
- Bankers
- Teachers

to name but a few



- Sales Ledger
- Purchase Ledger
- Nominal Ledger
- Sales Forecasting
- Stock Control
- Job Costing
- Estimating
- Payroll
- Word Processing

(automatic compilation, editing and production of repetitive letters and documents).



	PET	APPLE II	SHARP	SUPERBRAIN	RAIR
SYSTEM A Basic computer including screen & keyboard	£399	£775	£450	—	—
SYSTEM B As 'A', plus floppy disk drive(s) and matrix printer for small business user.	£1700	£1655	£1750	£2200	£2480
SYSTEM C As 'B', but quality printer for word processing as well.	£2700	£2050	£2250	£2600	£2850
SYSTEM D As 'C', plus hard disk for up to 10,000,000 bytes on line.	—	£5550	—	—	£5350

*Prices exclude VAT

Johnson microcomputers

A member of the T. V. Johnson Group



Johnson House, 75-79 Park Street,
Camberley Surrey. Telephone 0276 20446
48 Gloucester Road, Bristol. Telephone 0272 422061
148 Cowley Road, Oxford. Telephone 0865 721461

Stack-Apple announce their APPLE-SHOP

● fast delivery ● one year warranty ● full technical support

If you have any queries on
these or any other Apple
product call 051-933 5511
Paul Fullwood, Carl Phillips or
Fiona McKendrick



At last! A source where you can get any Apple-orientated product quickly, at a fair price and, most importantly, with the service and support that have made STACK-APPLE Britains' number one Apple supplier!

MICROSOFT Z-80 SOFTCARD

Microsofts innovative peripheral card turns Apple into one of the most flexible CP/M based systems you can buy. The Softcard actually contains a Z-80 processor and lets you switch between the Apples' 6502 and Z-80 with simple commands, so you can use software written for either processor. The Softcard gives you the two software standards-CP/M 2.2 and Microsoft 5.0 Basic with PRINT... USING, 16 Digit precision, CALL, CHAIN, COMMON, powerful file handling. Applesoft's graphics extensions are also supported. Softcard allows you to run almost any CP/M based language or applications package.

Nett	VAT	Total
£170.00	£25.50	£195.50

M & R ENTERPRISES SUP-R-TERMINAL

This is the best of the 80 col. boards. 80 x 24 Upper lower case, user defined character sets in RAM. The Z-80 softcard and super-r-terminal work perfectly together. If you are planning to use existing CP/M packages written for an 80 column terminal they should be compatible with this combination. The softcard B10S allow you to emulate any common VDU or terminal using the Apple keyboard and Super'R'Terminal.

Nett	VAT	Total
£245.00	£36.75	£281.75

SPECIAL

Z-80 Softcard and Super'R'Terminal
Combo.

Nett	VAT	Total
£370.00	55.50	£425.50

ANADIX GRAPHICS CARD

Our own printer card designed specifically for the Anadex DP9500/1 and new DP9000/1 printers. The card behaves as a normal Apple centronics interface but also includes powerful graphics dump software on the ROM permitting dot-for-dot reproduction of a hi-res image on the printer with almost any imaginable format - either hi-res, page, normal or inverse, expanded in X or Y directions with varying scale factors, left, right or centre justified across page.

Nett	VAT	Total
£140.00	£21.00	£161.00

CCS ASYNCHRONOUS SERIAL

This is the serial card that goes where Apples' fears to tread! SWITCH - SELECTABLE board rates from 50 to 19.2K baud. On-board crystal, supports hardware handshaking with RTS, CTS, DTE, DTR. Recommended for use with Apple Pascal, softcard, daisy-wheel printers, modem control etc.

Nett	VAT	Total
£113.00	£16.95	£129.95

VERSAWRITER

Versawriter is a highly versatile graphics tablet of robust construction that is a tremendous aid in using Apples' high resolution graphics. Cursor movement with simultaneous display of X Y co-ordinates and independent control of drawing size and scale. User defined shapes can be created, stored, positioned, rotated, even coloured (Up to 106 colours are available!). Apple with versawriter and printer can form quite an effective computer Aided Design at a fraction of the cost of conventional systems.

Nett	VAT	Total
£117.00	£17.55	£134.55

APPLE COMPUTER CARDS

Nett	High Speed Serial VAT	Total
£113.00	£16.95	£129.95

Nett	Communications VAT	Total
£130.00	£19.50	£149.50

Nett	Centronics Parallel VAT	Total
£130.00	£19.50	£149.50

Nett	Parallel Printer VAT	Total
£113.00	£16.95	£129.95

Nett	Pascal Language Systems VAT	Total
£299.00	£44.85	£343.85

Nett	Apple Fortran VAT	Total
£120.00	£18.00	£138.00

Nett	DOS 3.3 VAT	Total
£39.00	£5.85	£44.85

Nett	Eurocolour VAT	Total
£113.00	£15.95	£129.95

Nett	Proto-Typing Card VAT	Total
£15.00	£2.25	£17.25

**STACK-APPLE
No 1 for
Apple Products**

MOUNTAIN HARDWARE

Nett	Clock Calendar VAT	Total
£168.00	£25.20	£193.20

Nett	Music System VAT	Total
£312.00	£46.80	£358.80

Nett	Rom Writer VAT	Total
£106.05	£15.91	£121.96

Nett	Rom Plus VAT	Total
£128.89	£19.33	£148.22

Copy Rom Superb disk copy utility on
ROM for ROM-PLUS

Nett	VAT	Total
£30.00	£4.50	£34.50

CALIFORNIA COMPUTER SYSTEMS

Nett	Centronics Card (new) VAT	Total
£95.00	£14.25	£109.25

Nett	IEEE-488 GPIB (Revised firmware) VAT	Total
£212.00	£31.08	£243.80

Nett	Synchronous Serial RS232 VAT	Total
£113.00	£16.95	£129.95

Nett	Asynchronous Serial VAT	Total
£113.00	£16.95	£129.95

Nett	Clock Calendar (new) VAT	Total
£99.00	£14.85	£113.85

Nett	Programmable Timer VAT	Total
£84.00	£12.60	£96.60

Nett	PIA (uses 6821 16 I/O lines) VAT	Total
£84.00	£12.60	£96.60

Nett	12K PROM/ROM/RAM card VAT	Total
£75.00	£11.25	£86.25

Nett	Arithmetic processor VAT	Total
£240.00	£36.00	£276.00

Nett	3 3/4 digit BCD A/D unit VAT	Total
£120.00	£18.00	£138.00

Please send me: _____

Cheque/P.O. enclosed for: £ _____

Name _____

Address _____



CALL IN AND BUY A BETTER BUSINESS AT CREAM

ONE OF THE UK'S TOP BUSINESS SYSTEM DEALERS FOR BOTH
THE
COMMODORE PET RANGE.

PROFESSIONAL DEMONSTRATIONS AND ADVICE.

WIDE RANGE OF RELIABLE & POWERFUL HARDWARE TO
CHOOSE FROM.

COMPREHENSIVE CHOICE OF FLEXIBLE SOLID SOFTWARE
FOR MOST BUSINESS APPLICATIONS, i.e. WORD PROCESSING,
PAYROLL STOCK CONTROL, RECORD KEEPING, INVOICING,
AND FULL ACCOUNTING PROCEDURES.

OUR OWN EXPERIENCED SOFTWARE HOUSE TO HANDLE
PROMPTLY & PROFESSIONALLY ANY BESPOKE
SOFTWARE OR TAILORING NEEDS TO
PROGRAMS.

FAST DELIVERY (MOST ITEMS ARE EX-STOCK)

FULL ENGINEERING SUPPORT.

FULL STOCK OF BOOKS, DISCS, TAPES, &
OTHER ACCESSORIES FOR THE COMPUTER USER.



BUY FROM CREAM – IT MAKES GOOD BUSINESS SENSE.

CALL US TO DISCUSS YOUR PARTICULAR APPLICATION
POWERFUL APPLE II COMPUTER AND THE FULL

CREAM COMPUTER SHOP

380 STATION ROAD, HARROW, MIDDLESEX HA1 2DE. Tel. 01-863 0833

OPEN TUESDAY – SATURDAY 10AM – 6PM.
(3 MINS FROM HARROW-ON-THE-HILL TUBE STN
ACCESS AND BARCLAY CARD WELCOMED.



NOW WITH MP/M

SIRTON COMPUTERS

76 Godstone Road, Kenley (Nr Croydon)

Surrey CR2 5AA

Tel: 01-668 0761/2

MIDAS S100 SYSTEMS


MIDAS 1 : From £750

MIDAS 2 : From £1580

MIDAS 3 : From £2150

MIDAS 4 : From £5900

ITHACA-DPS 1 : From £1075



- Our versatile Z80 Microcomputers are available as standard units or custom configured to your exact specification from a comprehensive range of stocked S100 boards.
- Disc storage capacity of the MIDAS 3 can be 2M Bytes, expandable to over 20M Bytes with a Winchester Hard Disc Unit in our MIDAS 4 range.
- MIDAS runs CP/M and MP/M is also available. Other Software includes M-BASIC, C-BASIC, FORTRAN, COBOL, CIS-COBOL, PASCAL and Word Processing.
- **A MIDAS 3, with 64K RAM and 2M Bytes storage on two 8" drives with two Serial I/O Ports and CP/M 2 only £2835**
Multi-User System (four users) – MIDAS 3 with four 48K blocks of RAM, 1 MByte disc storage on two 8" drives and four Serial I/O Ports, and CP/M 2 + MP/M – £3850.
- Printers, VDUs and other peripherals stocked to give complete package systems at keen prices.
- Business Packages include Accounts, Stock Control, Purchase Ledger etc etc.

Boards stocked from Ithaca, Godbout, SSM, S D Systems, Vector, Micromation Mullen, Mountain Hardware, Hi-Tech, Video Vector, Pickles & Trout, Central Data, Cromemco, Thinker Toys – Send for full Price List (many available in kit form).

PROCESSOR

Z80 Starter Kit	£188
SBC100	£208
SBC200	£237
Z80 CPU's 4 MHz	from £130

EPROM

2708 EPROM (16K)	£60
2708/2716 Programmers from	£134

VIDEO

16 lines, 32/64 ch	from £104
24 Lines, 84 ch	from £265

DISC CONTROLLERS

Versafloppy S/D	£198
Doubler D/D	£280

SOFTWARE

CP/M 1 & 2, MP/M, PL/1, C-BASIC 2, M-BASIC V5, XYBASIC, FORTRAN 80, COBOL 80, CIS-COBOL, PASCAL/Z, PASCAL (UCSD), PASCAL M/T, Forth, MAC, ZSID, Disassembler, Wordstar, Datastar, Magic Wand, Wordmaster, Supersort etc etc.

MAINFRAMES

We are the sole UK Distributor for Integrand Mainframes and Disc Enclosures, available in nine models including Desk Top and Rack Mounting, with or without provision for Disc Drives. All units totally enclosed, painted on all external surfaces and complete with power supply etc.

RAM

Dynamic RAM 16K – 64K	from £205
Static RAM 8K – 64K	from £95
Memory Manager	£52

I/O

2S/4P prov 4K RAM/4K ROM	£169
2S/2P or 2S/4P or	
3P/1S or 4S/2P	from £135
Analogue 8 or 12 bit	from £287
Optically isolated I/O	£114
IEEE 488 Interface	£350

MISCELLANEOUS

Real Time Clock	£180
High Dens Graph/8K RAM	£333
Hi-Tech Colour	£295
Motherboards – various from	£34
Extender Board/logic probe	£39
Maths Board AMD 9511	£330

WRITE OR PHONE FOR CATALOGUE PRICES EXCLUSIVE OF VAT

Almarc + Vector Graphic

The complete partnership
in Microcomputing

Almarc

DATA SYSTEMS

System VIP

- * Vector 3 terminal with 6-slot S100 bus.
- * Fast (4 MHz) CPU using the powerful Z80.
- * 56K of user RAM.
- * Serial RS232 port (110-9600 baud selectable), 3 8-bit parallel ports.

- * 80 x 24 display using 8 x 10 matrix.
 - * Full QWERTY keyboard plus separate numeric keypad and capacitance keys.
 - * UNISTOR disc drive giving 315K bytes of storage.
- PLUS CP/M 2, Microsoft BASIC 80, SCOPE (text editor) and RAID (simulator debugger).



System B

- * Vector mindless terminal.
- * Z80 CPU with fast 4 MHz clock.
- * 64K bank-selectable RAM (56K user RAM).
- * 4 serial ports (all switch-selectable 110-9600 baud), 5 parallel ports.
- * Flashwriter II video board (80 x 24).


- * Interrupt handling on I/O board.
 - * Twin disc drives – 630K capacity.
 - * CP/M 2.2 operating system.
- PLUS Microsoft BASIC 80, SCOPE (screen-oriented program editor), RAID (full screen dynamic simulating debugger), ZSM Z80 Assembler.



System 2800

- * Vector 3 console chassis with 12 inch CRT and capacitance keyboard.
- * Z80 based single board computer with serial port, 3 8-bit parallel ports, 3 PROM slots and 1K RAM.
- * 64K dynamic memory board and disc controller.

- * Flashwriter II video board (80 x 24).
- * 6 slot S100 motherboard
- * Switch-selectable asynchronous baud rates (110-9600 bits/sec).
- * IBM-compatible DUALSTOR twin 8 inch double density disc drives, giving 2M bytes capacity.



At ALMARC Data Systems, you can be sure of our experience of hundreds of Vector Graphic systems installed throughout the U.K. – all with 12-month warranty and the back-up of full service facilities carried out by experienced staff.

ALMARC are the specialists in Vector Graphic equipment with applications in word processing, business

systems, laboratories, research, schools, colleges, universities and industry. Plus an ever-growing list of compatible software – Pascal, Fortran, Cobol, APL, Algol, Basic Compiler and others.

We will be pleased to demonstrate how ALMARC + VECTOR GRAPHIC Systems equals The Complete Partnership in microcomputing.

906 Woodborough Road, Nottingham NG5 5QS. Telephone: (0602) 625035.

LONDON COMPUTER CENTRE

NEW! — IMPROVED!


Additional Facilities —

- * Built in proportional spacing
- * Look-ahead logic
- * On-off switch

RP1600

NEW LOW PRICE £1095

60 CHARACTERS PER SECOND
THE FASTEST DAISY WHEEL PRINTER.
FAST, heavy duty commercial DAISY WHEEL printer, with high quality printout, coupled with low noise necessary for office environment. 124 char: upper/lower case. * 10/12 chars per inch giving 126 or 163 columns. * 15 inch wide friction platen. * BOLDING, underline, and host of other features. * Centronics type parallel interface as standard options: serial interface £60. * PET interface £65. * APPLE interface £75.



Made by Ricoh in Japan
Dealer enquiries invited

← TRS 80 Model 1&11

← SUPERBRAIN

← APPLE

← PET

← HORIZON Etc

TRACTOR FEED OIE £175
SHEET FEEDER
OPTIONAL EXTRA £550.

NEW MAXI ANADEX WITH GRAPHICS £895



Takes up to 13.5 inch wide paper * Upper/lower case with decenders * £ sign * 132 or 175 chrs/line with double width printing * Fast 150 CPS bi-directional logic seeking printing * Heavy duty print head giving 650 million chrs print life * serial, Parallel and Current Loop interfaces built in * Host of other features found on printers costing twice as much.

Also Available

DP8000 £425 (Not Illus)

DP 9501 £995 (Same as 9500 Illus)

NEW Revolutionary! Epson MX80F/T £425 the PRINTER with FRICTION & ADJUSTABLE Removeable TRACTOR FEED



ULTRA QUIET. HIGH quality PRINT. LOWER CASE DECENDERS 81 DIRECTIONAL, LOGIC SEEKING PRINT HEAD 80, 66, 132 Columns per line UNIQUE BOLDING BUILT IN FEATURE 64 Graphic Characters (TRS 80 & Prestel) 9 x 9 PRINT MATRIX. £ Sign Forms Handling; Top of Form Horizontal and Vertical Tabs. Centronics parallel interface standard. Optional extra Serial PET & APPLE interfaces. Easily replaceable head.
DEALER ENQUIRIES INVITED

737

£425



80 CPS + double spacing and mono spacing 10 and 16.7 CPI * nx9 proportional spacing, 3 way paper handling * 96 character set * Expanded print * Right margin justification * Underlining * Bidirectional * £ sign centronics parallel and serial interfaces standard * optional extras: PET & Apple interfaces.

OKI MICROLINE 80/132. THE QUIET PRINTER YOU CAN LIVE WITH



NOW WITH £ SIGN

The quietest Dot Matrix available. 40, 80 or 132 cols per line * excellent print quality * 3 way paper handling: letterheads, fanfold, or paper rolls * graphics * ideal for software written for large 132 col printers * continuous rating printing day in and day out * centronics parallel standard. Options: Rs-232, PET, Apple.

NEW LOW PRICE £350
DEALER ENQUIRIES INVITED.



TRS-80
MODEL II

State of the art second generation computer. Over 10,000 already sold in USA, 8 slot bus ensures expansion of hard discs & other peripherals., 76 Key professional keyboard, self test on power up, TRSDOS & Level III basic standard. CP/M available as option, making a wide range of accounting, educational, scientific & word processing packages instantly usable. Nationwide service through 180 Tandy stores & computer centres.

NOW WITH CP/M 2.24 £1999



NEW SUPER BRAIN DUAL DENSITY £1595 QUAD DENSITY £1995

Now with CP/M 2.2 & increased disc storage. Twin Z80-A 4MHZ * 2 disc drives, dual density 320 K quad density 700 K storage * 64K Ram * High resolution 12 inch CRT. 80 x 24 lines upper/lower case * 2 RS-232 printer ports * CPM 2.2 operating system * M basic, COBOL, FORTRAN, Pascal, Word processing & accounts packages available
DEALER ENQUIRIES INVITED.

NEW TRS-80 MODEL 1 48K SYSTEM WITH DUAL DISC DRIVES



NEW LOW PRICE £1175
WITH DESK AND EPSON
PRINTER £1475

New greenscreen VDU, with rock steady display. Redesigned 32K expansion intrface with trouble free disc operation, two 40 track teac disc drives, complete with cables. Tridata sales, purchase, invoicing, payroll packages available.

CPM SOFTWARE

Word Star	250.00
Word star mail merge	315.00
Magic Wand	250.00
Data Star	195.00
T/Maker	175.00
Report Writer (VisiCalc)	90.00
Accounts Packages	from 295.00
Payroll	from 295.00

Various other packages available — ask for details.

SOFTWARE FOR TRS-80

Electric Pencil (disc)	60.00
Electric Pencil (cassette)	35.00
Scriptit (disc)	75.00

Scriptit (cassette)	60.00
Mail Merge for Pencil/Scriptit	45.00
VAT Aid Programme	45.00

MISCELLANEOUS

Floppy discs (Box of 10) including library case. Xcel Silver 5" single sided double density For Pet, Apple, TRS-80 & Superbrain	25.00
Xcel Gold 5" double sided double density	
For Superbrain	
Memorex 8" Single Sided double density	30.00
Qume Daisy Wheels	35.00
Ricoh RP 1600	5.00
Paper, Ribbons, etc.	15.00
	POA

LOW COST WORD PROCESSOR I

Based on TRS-80 level 2 16K cassette recorder, electric pencil software, upper/lower case mod, printer interface and OKI Dot Matrix printer. Complete ready to go £895 free mailing list program.

WORD PROCESSOR II

Same as above but with 48K, 2 disc drives and ricoh daisy wheel printer £2275

WORD PROCESSOR III

Based on Superbrain computer shown above. With Ricoh printer & "Magic Wand" the ultimate in word processing. Letters automatically formatted with addresses fetched from separate file. Complete system £2950. Invoicing, stockcontrol, sales ledger, purchase ledger, payroll available for above computers from £250 per package.

43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)

Tel: 388 6991/2 OPENING HOURS: 11-7 MON-FRI 12-4 SAT

24 hour answer phone: 01-388 5721

DATABANK

BUSINESS - PACK

- WORD PROCESSOR
- PAYROLL
- BANK ACCOUNT
- STOCK CONTROL
- MAILER/LETTER
- CASH REGISTER
- SALESMAN
- LIBRARY INDEX

COMPLETE PACK (inc. DISKS, DOCUMENTATION & POSTAGE):

APPLE II / ITT 2020 (disk) ONLY: £99

SPECIAL - PACK

★ SUPER STOCK CONTROL

STOCK UPDATE - VALUATION - INDEXES

★ FILING CABINET

★ DOUBLE ENTRY LEDGER

★ YEAR PLANNER

COMPLETE PACK (inc. DISK, DOCUMENTATION & POSTAGE):

APPLE II / ITT 2020 (disk)



ONLY £95



★ INCREDIBLE PRICES! ORDER NOW. ★

OR MORE DETAILS FROM:-



DATABANK



66, Queens Road, Loughborough, Leic.
Tel. 0509 217671

GAMES-PACK

- Snooker
- Crossword
- Noughts & crosses
- Space dogfight
- Startrek
- Phaser
- Jet flight
- Spaceship
- Klingon



£20 (inc. disk & postage)

APPLE II - ITT

ORDER TODAY

SCI-PACK

- STATISTICS
- GRAPH PLOT £20
- ASTRONOMY

APPLE II & ITT 2020

Price includes: DISK & POST

★ SAVE MONEY WITH ★

DATABANK

Cheque with order for our 'by-return' mail service.



Your computer? MORE DETAILS ☐

Apple II ☐ ITT 2020 ☐ (disk)


Name

Address

Postcode

SOFTWARE DIRECT FROM WRITERS
PRICE!
QUALITY AT THE RIGHT

WH14.



First in line.

If you're looking for an above average line printer at a lower than average price then the WH14 from Zenith Data Systems is your first choice.

Microprocessor controlled, this compact table-top unit can be used with most computers through a standard serial interface. It provides hard-copy output of your programmes as you execute them, plus handy copies of address lines, lists and other programming data for educational or business applications.

Features include:

- 5 x 7 Dot matrix printing
- Clear easy-to-read images
- Upper and lower case characters
- Operator/software selectable line width: 132, 96 and 80 characters per line.
- Sprocket paper feed with adjustable spacing
- Stepper motor feeds allows 6 or 8 lines per inch vertical.
- Form feed operator/computer control
- Microprocessor based electronics

And at £449, exclusive of VAT and delivery charges, the WH14 puts economy first in line too.

Generous OEM discounts are available.

Zenith
data
systems



For full details of the WH14, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd.,
Dept. (PCW 3/81), Bristol Road, Gloucester, GL2 6EE.

Name

Company

Address

WH14



COMPLETE COMPUTER SYSTEMS



BUY — FROM CCS Microsales

SOFTWARE FOR APPLE/PET

NOW you can WRITE PROGRAMS FAST for the Apple II/PET. Using our modular data handling approach, many tasks are reduced to your calculations — plus simple calls to our routines to handle all the disk input/output — screen editing and input of data — report production.

At a cost of £40 for the main 4 modules (Define DESCRIPTION — READ file DESCRIPTION — FETCH — STORE) its going to pay for itself very quickly. Also available are: AMEND — MOVE — MOVE COMPUTED — PRINTER (PRINTER requires MOVE and MOVE COMPUTED).

ALL 8 MODULES for £64 — with more modules to follow.

COMMODORE WHY PAY MORE? SAVE £200

3032 PET — 3040 Disc — 3022 Tractor Printer — c2N Cassette — 2 Cables — Pet Revealed. Our price £1722 (ex. VAT). Save £50 on most units.

Full range of Commodore programs available plus programming and extended maintenance.

APPLE

- The Apple is great in a business environment, with our commercial systems software.
- An Apple based Word Processing System is available for only £1990, including software.
- File management/database systems available.
- For the technically minded there are CCS boards, including Arithmetic Processor, ROM, IEEE interface, Synchronous and Asynchronous Serial Interface, and an A-D converter.

* 18 months guarantee included

HIRE — FROM CCS Microhire

- The leading microcomputer hire company.
- Available are: Apple, PET, Exidy Socker, Seed System One/ MSI 6800, NASCOM/MICROS, and the Tandy TRS 80.
- Peripherals also available, and software!
- New monthly rates — £79 to £99 per month (8K to 48K).

CCS Microsales

and

CCS Microhire


WE HAVE RELOCATED! Visit or contact us at our new showroom

7 The Arcade
Letchworth
Herts

Tel No. (04626)-73301
Telex 261507 (Ref 3244)

***** TRS-80 SOFTWARE

STARQUEST



INVASION ORION

an Automated Simulations Game

Welcome aboard the *STARFLEET*. *INVASION ORION* is more than a unique space battle game designed to challenge your tactical skill and imagination; it is in fact, a multitude of games that should provide you with years of enjoyment. In addition to the *Space Battle* program itself, the cassette supplied with the game also includes a separate programme that allows you to set up any of the 12 scenarios using 2 to 15 spacecraft described in the manual or to create entirely new ones based on your favourite science-fiction novels, films or your own vision of the history of the future.

£13.95 LII 16k Cassette

(INC. VAT, P.&P.)

Starfleet Orion

£12.95

Same system as 'Invasion' but for 2 players, includes Battle Manual and Ship Control Sheets.


Rescue at Rigel

£10.95


Is a graphic, real-time quest. As Sudden Smith with Force Shield and Blaster you make your way through several levels and scores of rooms to find and beam to safety the prisoners.

ALGRAY

ALGRAY House, 33 Bradbury Street, Barnsley.
South Yorkshire Tel: Barnsley (0226) 83199



Z19.



The Intelligent terminal.

The Z19 'intelligent' Video Terminal, from Zenith Data Systems, is ideal for a wide variety of high-speed data handling tasks.

Compatible for use with EIA RS-232 or 20mA current loop, it has all the capabilities and features you'd expect from a top-of-the-line peripheral.

- Z80 Microprocessor based electronics
- Special deflection system for sharp resolution
- Full editing functions, plus user-definable keys
- Reverse video by character
- 24 lines of 80 characters plus 25th user status line
- 5 x 7 Dot matrix (upper case)
- 5 x 9 Dot matrix (lower case)
- 128 characters (95 ASCII and 33 Graphic)
- ANSI and DEC VT 52 compatible

And there's one feature of the Z19 you wouldn't expect. The price. Just £548 exclusive of VAT and delivery charges.

Generous OEM discounts are available.

Zenith data systems



For full details about the Z19, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd.,
Dept. (PCW 3/81), Bristol Road, Gloucester, GL2 6EE.

Name _____

Company _____

Address _____

Z19

Old tricks for new Pets...

COMMAND-O is a FOUR KILOBYTE Rom for the 4000/8000 Basic 4 Pets with all the "Toolkit" commands RENUMBER (improved), AUTO, DUMP, DELETE, FIND (improved), HELP, TRACE (improved & includes STEP), and OFF - plus PRINT USING - plus four extra disk commands INITIALIZE, MERGE, EXECUTE, and SEND - plus extra editing commands SCROLL, MOVE, OUT, BEEP, and KILL - plus SET user-definable soft key, 190 characters - plus program scroll up and down - plus 8032 control characters on key. Ask for Model CO-80N for the 8032 or CO-40N for the 4016/4032. £50.00 plus Vat

New tricks for old Pets...

DISK-O-PRO is a FOUR KILOBYTE Rom that upgrades 2000/3000 Pets, but lets you keep all your old software - including Toolkit. As well as REPEAT KEYS and PRINT USING, you get all the Basic 4 disk commands CONCAT, OPEN, CLOSE, RECORD, HEADER, COLLECT, BACKUP, COPY, APPEND, DSAVE, DLOAD, CATALOG, RENAME, SCRATCH and DIRECTORY - plus extra disk commands INITIALIZE, MERGE, EXECUTE and SEND - plus extra editing commands SCROLL, MOVE, OUT, BEEP and KILL - plus SET user definable soft-key, 80 characters - plus program scroll-up and scroll-down. We recommend the 4040 disk or upgraded 3040 for full benefit of disk commands. Ask for Model DDP-16N for new Pets 2001-3032, and 2001-8 with retrofit Roms & TK160P Toolkit. £50.00 plus Vat, other models available.

PRONTO-PET hard/soft reset switch for the 3000/4000 Pets. We don't think you'll "crash" your Pet using our software, but if you do the Pronto-Pet will get you out! Also clears the Pet for the next job, without that nasty off/on power surge. £9.99 + Vat

and no tricks missed!

KRAM Keyed Random Access Method. Kid your Pet it's an IBM! VSAM disk handling for 3032/4032/8032 Pets with 3040/4040/8050 disks means you retrieve your data FAST, by NAME - no tracks, sectors or blocks to worry about. Over 2,500 users worldwide have joined the "Klub"! Now you can too, at the 1981 price, £75.00 plus Vat.

SPACEMAKER All our Rom products are compatible with each other, but should you want, say, Wordpro with Kram, or Disk-o-pro with Visicalc, then SPACEMAKER will allow both Roms to address one Rom socket, with just the flip of a switch, for £22.50 plus Vat.

We are sole UK distributors for all these fine products. If your CBM dealer is out of stock, they are available by mail from us, by cheque/Access/Barclaycard (UK post paid) or send for details.

Calco Software

Lakeside House Kingston Hill Surrey KT27QT Tel 01-546-7256

Two more products from Mutek

BASIC 1 & 3

Two replacement PROMs for all OSI and UK101 BASIC-in-ROM systems:

BASIC 1 removes the input 'mask' to allow direct entry of graphics from either keyboard or cassette

BASIC 3 contains the patch for the string-handling 'garbage collector' bug, as published by the OSI/UK User Group

£15.00 +VAT

for the pair, including notes and installation instructions

Serial to parallel converter

300-9600 baud RS232 serial input
Centronics-compatible parallel output

£40.00 +VAT

including case, cables and documentation

Mutek Quarry Hill, Box, Wilts. Tel: Bath (0225) 743289



Digital Design and Development

18/19 Warren Street · London W1P 5DB Tel: 01 387 7388

**CBM PET SHARP MZ-80K
Specialist Suppliers of
Complete Systems for
Industrial and Laboratory
Monitoring and Control.**

**Please note our new address.
Callers welcomed for demonstration
and/or discussion.**

SHARP MZ-80K INTERFACES

- Parallel Printer Interface £110
- Serial Printer Interface £150
- Bi-Directional Serial Interface £210
- 16-Channel A/D Converter Unit £280
- Fast Data Acquisition System -
40,000 readings/sec. 4 analog channels
IN and 4 channels OUT. P.O.A.

PET INTERFACES

IEEE-488 Compatible Units

- 16 Channel 8-Bit A/D Converter £300
- 8 Channel 8-Bit D/A Converter £350
- 8 Channel 12-Bit A/D Converter £600
- 12-Bit D/A Converter P.O.A.
- X-Y Analog Plotter Interface £200
- Digital Data Input Unit, 64 Bits £400
- Digital Data Output Unit, 64 Bits £350
- 16 Channel Relay Unit £350

Also....

- USER Port Converter A/D plus D/A £200
- Fast Data Acquisition System
40,000 readings per sec. 4 A/D + 4 D/A P.O.A.

All units boxed complete with IEEE-488 address internally selectable, with integral power supply, cables, switch, fuse, indicators and illustrative BASIC software.



TERMS: All prices EX-VAT. P&P extra.
Cheques should be made payable to
3D Digital Design & Development.
All goods supplied under 90 days warranty.
CUSTOM DESIGN UNDERTAKEN

TOMORROW TODAY at Birmingham Computer Centre

Commodore official distributors



New low price

8032
£825

3016, 3032, 3008 PETs

The reliable value for money system with after sales support, instruction and training facilities and a wide range of programmes.



48K
Disk
drive with
controller
£1,044
+ VAT

Apple authorised distributors
The sophisticated quality system with a reputation for advanced design and

innovation.
SHARP
Z80K



20K
£380

The incredible computer system.
Now available ex-stock including the new dual drive duple sided floppy disk.

THE ULTIMATE IN DAISYWHEEL PRINTERS
RICOH RP 1600



New low price

THE BEST WORD PROCESSOR
PRINTER AVAILABLE
DEALER ENQUIRIES WELCOME

UNBEATABLE VALUE

Camden Electronics, First Floor,
462 Coventry Road, Small Heath,
Birmingham B10 0UG.
Telephone 021 773 8240
Open Mon.-Sat. 9.30-6.00 p.m.

A MEMBER OF THE COMPUTER RETAILERS ASSOCIATION

Z89.



Altogether a better computer.

All the power and built-in peripherals for business and educational computing in one compact, desk top unit.

The Z89 Series Microcomputer.

Designed and built to the highest specification, the Z89 combines reliability and efficiency with ease of operation. And is backed, of course, by our excellent after sales service.

Features include:

- Z80 CPU
- Built-in floppy Disc with optional dual external drives
- Built-in Z19 VDU
- Up to 65K RAM
- Three serial RS-232 I/O
- Operating systems C/PM & H.DOS.

● Languages: M-Basic, C-Basic, Fortran, Pascal, etc.
And with generous OEM discounts available you can

see why the Z89 is a better computer.

Zenith data systems



For full details about the Z89, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd.,
Dept. (PCW 3/81), Bristol Road, Gloucester, GL2 6EE.

Name _____

Company _____

Address _____

Z89



Guy Kewney, editor of Datalink, presents the latest news from the micro world.

CRA cuts three teeth

The appointment of the CRA's three-man steering committee is no surprise to readers, I hope, after the irritation felt in Commodore circles recently. My phone was still warm from the imprecations of a Commodore dealer complaining of the treatment meted out in this column to said company, when he rang again, having rapidly changed his tune.

'Have you seen,' he asked 'the new terms and conditions? I don't know, just as you think they've turned over a new leaf they come out with something stupid like this — the Computer Retailers' Association is in an uproar... and so on.

The story goes something like this. Last year, an ambitious company called Isher-Woods went bust. The proprietors sold the company off, lock, stock and barrel, for a song. Isher-Woods was a PET dealer. In stock at the point of bankruptcy was a fair old heap of PET equipment which had not been paid for and when Commodore rolled up to collect its share of the debris, it turned out that it wasn't going to be paid for, either.

Apparently Commodore had failed to put in a fairly standard clause to the effect that it was entitled to a priority share of the money raised by selling the equipment, or that the machinery belonged to Commodore until it was sold. Commodore accordingly retired to lick its wounds and redraft its terms and conditions of sale.

The clause which says that a dealer's stock of PETs remains the property of Commodore until it is paid for is one result and not many PET dealers would argue with that. What *has* enraged one or two of them are two extra clauses. One, rather astonishingly, claims that 'time is not of the essence' in delivery and the other insists on a trust fund for the money received from any PET sales.

The 'time' clause is explained as follows: if goods from Commodore are delayed, then a dealer has to wait for two weeks 'minimum' before he can contact Commodore

and insist on prompt delivery. As one dealer said, angrily, 'If we get goods on 30 days credit and can't sell them for at least two weeks, then it becomes 14 days credit at most.'

If the other clause is invoked (Commodore says it won't be) then the dealer won't be getting even 14 days. All the money he gets from the sale of the equipment has to go into the bank. Not his bank, but a special account belonging to Commodore. He has, in effect, to pay cash.

Hence the setting up of a special PET division within the CRA and, for good measure, special Apple and Sharp divisions, too, representing the dominance in the UK market of the three machines.

The Sharp division couldn't happen in America, because there is a deal between Sharp, and Zilog, which gave Sharp the licence to make the Z80 micro for the MZ-80K from its own design. The deal prohibits Sharp from selling into Zilog's patch. Mind you, this nice little carve-up is close to ending. Watch the American press for the announcement of the next Sharp over there, deal or no deal.

Medical marvel

'Doctor, I need another tetracycline prescription — the symptoms are easing encouragingly but I feel prognosis will be greatly enhanced by taking a prophylactic attitude to reinfection and I'll collect the form from you this afternoon.'

Well, you might just as well, mightn't you? The doctor has no real idea of whether s/he prescribed only one week's supply last time or two, and whether you did or didn't have the second prescription. S/he can find out, but just writing all the repeat Px forms can take over four hours each day.

Medicom, which is moving into surgeries with micros, has now produced a system

to keep track of repeat prescriptions. It also does other practice management jobs, but repeats alone will pay for it, they say. Details 01-579 5845.

Contact him on 02302 2788 or his agent, Leo Scheiner, 01-486 0702.

ZX80 wisdom

It is more important to tell an operator what to do after pressing RUN, than it is to tell the operator why the computer does what it does when you do.

That gem of wisdom is contained in my latest copy of the ZX80 micro user *Interface*, which emerges from the National User Club every so often.

It comes after a neat list of standards (standards being things that computer people love to play with) which you need if you are going to swap programs with other ZX80 users. And it is in an equally neat list of reasons why you should avoid most documentation, this being something else which computer people love to play with.


I'd welcome some reader-thoughts on documentation; and you can start from this thought that there are two types of documentation: first, there is the documentation you add to your own programs so that while you are writing them you can find out what you've done wrong. And second, there is the sort of documentation you add to a program which somebody else will run, so that they can run it.

Which Cobol?


We can expect some interesting fights in pubs among people who like writing programs in Cobol on micros. Some of them will be staunch supporters of the Cobol compiler which Micro Focus supplies and which runs on several orthodox 8-bit micros plus the powerful Intel 8086 16-bit micro.

Others will be enthusiastic about a new Cobol called Alpha Cobol, a version which converts Cobol into instructions for the Alpha Microsystem, a machine that uses the S100 bus, but in most other respects looks like a good old-fashioned 'big mini', rather like a DEC PDP-II in fact.

The proponent of the new Cobol is Angusglow, whose proprietor is Tony Sale. His claims for the compiler include: 'The only true multi-user (concurrent compilation); the fastest compiler; the most intelligent (error detecting and correcting); the fastest in execution; produces the most compact code; has the most extensive level 2 implementation (?).'



The first case would contain an Apple and two disk drives fully connected, Microsense suggests. The second case holds a video monitor; by plugging the monitor into the Apple and plugging the lot into the mains, you have an instant Apple demonstration kit for a mere £60. Phone Hemel Hempstead (0442) 48151.



They don't write numbers like this any more; Intel's latest offering is a 16-kbit static RAM chip. It's cheaper than it might be, because it has spare transistors on the chip. Like the chip soon to be released by Inmos, Our Own Taxpaid Chip Company, this memory chip can be tested on the production line — any dud columns of transistors can be switched out of the array and new ones switched in. So Intel gets more good chips and so it charges less. Still doesn't make the chip all that cheap, but one day it will. . .

It's the first sort that Tim Hartnell is talking about, of course, when he says 'if the algorithm is not transparent, document.' He has in mind the time when you want to change the program and won't be able to understand the brilliant flash of insight which produced the code late one night. The second sort is much more important to someone who is trying to sell 1000 copies of his code; he wants to make sure that nobody who didn't pay for the program can run it. Not, that is, without the little booklet that tells him what to do to avoid the disaster-trap he has set (and it is the booklet which costs £15, not the cassette or disk).

Standards on the ZX80 are more important than on many micros because it has no printer yet so you have to type out your programs by hand. And standards such as 'the symbol * signifies a blank that is necessary in a PRINT statement' are essential in this case. So write to Unit 3, Woodthorpe Road, Ashford, Middx TW15 2RP for the Users Club, and send an SAE for details.

MZ-80K hot up kit

Newbear just can't leave well alone on the Sharp MZ-80K micro — it has launched more additional functions, in software, available on cassette. Apparently you get 11 additional functions without the use of any extra memory. The package costs £12.50. They are: Break, Trace, Single step, Block delete, Renumber, Auto number, String inequalities, Logical operators, Set Reset, USR(x) and Print cursor control. Details on 635 30505.

Enter the heavies

Big companies find it hard to do original things, mainly because they don't run out of money. So it was that the network of computer dealers in Britain appeared courtesy of no large established companies, not even the ones like IBM, ICL or Univac or even Digital Equipment, Zilog or Intel, who could have been expected to have some idea of what to do. Now that many of the pioneers are rich and established, it is much harder to get into the market and so, here come the big guys at last.

Curry's was the first and now Xerox has climbed in. It has opened two stores in London, calling them 'one-stop business efficiency stores' in massively expensive, prestige offices in the city centre. Well, the West End, actually. And it is planning more in other major towns over the next 18 months.

I notice it sells Apple. A good move — as long as it doesn't fall for the Apple III (see story elsewhere).

Details on 01-370 6971

Smooth scroller

You will have noticed my fondness for the *Hitch Hiker's Guide to the Galaxy* in the past. Accordingly, you will have dutifully glued yourselves to the screen of your telly, now that it is out from behind the modest shrouds of radio, and you will have noticed that the Book (electronic, containing useful information on 100,000 planets) has the dinkiest little video display. And it's only a couple of inches thick!

Well, save the excitement — it's a fake. That screen doesn't have a single computer

generated line, word or letter on it — it's all animation from an art studio — and is in fact a standard cinema screen. The projector is out of sight.

That said, you will have noticed that there was a nice, smooth system for moving all the lines of text up one line when the page was full — unlike the abrupt flicker you're used to on your micro.

That, surprisingly enough, is available on a real computer terminal. Unfortunately, it's not only very expensive (it is Digital Equipment's VT100) but DEC can't make enough to give one to everybody who likes them.

So you can buy a little machine which emulates it, from Mostek, using its own version of the Zilog Z80 micro. It'll produce a split screen, just like the *Guide*, and the lines will scroll smoothly. But it won't make God vanish in a puff of logic. Details on 01-294 9322.

Intel EAROM

Intel's latest clever chip is a memory which has the ominous-sounding ability to be reprogrammed from a distance.

It is a 'permanent' memory chip like the ones which most micro builders use to hold the monitor program (the one which runs constantly on every machine, waiting for you to press a key and then deciding what that key means) but unlike the normal permanent chip (EPROM) which can only be changed by completely erasing everything in it with ultraviolet light, this one can be erased by electricity.

That means, theoretically, that Transam's idealistic service to users of its original

Triton kit — it supplies all new software free to users of the old software — could be done by phone. The Transam computer could phone yours, and tell the circuitry to erase this chip, then load in new data.

This is one of several exciting possibilities which Intel is suggesting in an attempt to wake us all up to the arrival of the new chip. When it actually arrives. . .

Posh printer

Anybody who has ever watched in fascinated horror as someone leans over the printer and puts his foot in the box of concertina-folded continuous paper, will understand why Data Dynamics is so pleased with its £995 fast (120 characters per second) terminal. It has the paper inside, out of cigarette-end and coffee-spill dangers. And the price looks good enough for them to quote in their announcement, usually a good sign. Details on 01-848 9781.

Authors wanted

Successful Software for Small Computers is a book which you may have read recently, especially if you use Tandy's TRS-80 Model I.

The next publication from the same house could be absorbing reading for your computer because the publishers, Sigma Technical Press, is looking for software authors.

Sigma sees two types of publishable software: collections of small- to medium-size programs and large, specialised business programs. The big



This is Lear Siegler's latest dumb terminal but it is actually a bit smarter than a truly dumb terminal, says Lear. But it's not smart. Ask Lear, not me: they're on 04867 80666.

business software will be supplied on tape or disk with a booklet to back it up. The smaller stuff will be supplied in a book, with optional tape or disk back-up. Either way, the author will receive royalties exactly as if he'd written an ordinary book. Details on 0625 531035, or write to 5 Alton Road, Wilmslow, Cheshire SK9 5DY.

Forth sally

It has always been rather frustrating to those of us who waited to find out how to write programs in the language Forth to be told that virtually the only micro which could understand it was a strange beast supplied by RCA.

Since the claims made for Forth include the suggestion that it takes a tenth of the time needed to get a Basic program working properly, the frustration was felt quite keenly.

So a Forth compiler at £100 looks like a brilliant idea. It comes from someone called F Donavan, whose address looks very similar to that of one of this magazine's own consultants, and the price includes 'a comprehensive manual, the *Using Forth* book, two sample programs, and the compiler itself.'

The only snag is that I can't afford the Research Machines RML 380Z which the compiler runs on. A lot of schools already have these machines, of course, but the rest of us will have to wait for a version for the 6502 micro (found in PET, Apple, Acorn and Microtan). The formation of a new subset of the RML user group is similarly good news for them but not for most of us.

Donavan explains the choice: 'I am a non profit making enterprise, existing to promote the easy exchange of software amongst 380Z owners.' He or she is at 35 St Julians Road, St Albans, Herts.

Ah well, just have to get the £120 Forth package from Digital Devices which runs under CP/M. It's one of several CP/M compatible packages written by the US company Supersoft, which DDL is selling here. Details on 0892 37977.

ZX80 active display

The one thing that nobody was ever going to do with a Sinclair ZX80 toy computer was to play Space Invaders. It couldn't be done because the computer can't generate the picture of green meanies at the same time as it decides where to move them, or whether one has been exterminated. So much for theory.

Ron Bissell and Ken

Macdonald of Solihull have blown theory right apart by producing a program called Amazing Active Display. You can get it two ways, possibly three. First, you can buy Tim Hartnell's book *Making The Most Of Your ZX80*, where the program is listed and explained, as one of several examples of how to program the computer. Second, you can buy the active display program for £5 from Ken Macdonald, who wants an SAE sent to him at 26 Spiers Close, Knowle, Solihull, West Midlands B93 9ES. Third, Clive Sinclair himself, the proprietor of the ZX80, is tickled pink by the amazing display because it can make Space Invaders possible after all. And he is setting up a software division, much to the disappointment of ACT Petsoft which had hoped to have his exclusive franchise. This software division hopes to sell programs from everybody, including Bissell and Macdonald. It doesn't stock Space Invaders (that's the ZX80 version) yet, because it wants a version that will fit into the memory of the standard ZX80 and at the moment Bissell's code needs most of 2 kbytes, twice that of the standard machine.

Speech recognition

PCW's editors made an interesting visit to the National Physical Laboratory a week or two back. They saw what is claimed to be a new approach to speech recognition by computer — in this case an LSI-11. NPL suggests that recognition systems which depend on words or phonemes are pretty limited in their application and not only that: most

systems available at the moment are trained to recognise only one voice. NPL's system overcomes these disadvantages by accepting speech continuously and 'cleaning' it of its natural colour — intonation, pitch, speed and so on. The resulting 'speech' sounds weird but is just about recognisable for humans.

During this stripping process, the number of bits required to represent, say, one second of speech are drastically reduced from 80,000 to 1600, therefore speeding up the next stage — that of matching the input with sounds, words and phrases held in the computer's memory. At the moment, this table is limited to around 64 words because of the time taken to match the incoming patterns with each table entry as they come in. Of course, if time didn't matter then the table could be as long as you like — have a few megabytes on disk, why not?

The NPL system doesn't mind too much if you're in the habit of running your words together; it could pick three words out of 'notinews' — if the match table contained the words not, tin and news, for example. All this talk of matching tables has probably diverted attention from the fact that the system actually works as a sub-phoneme level using 16 speech features. There are more, in fact, but they haven't been implemented yet. The features are stuck together to form a pattern for each word or phrase to be matched.

The hard work, that of reducing speech down to the minimum recognisable size, is done by nine analogue processors working in parallel. Each board is res-

ponsible for reducing a different speech feature to its component parts. The results are then blended together to form the input to the LSI-11.

Now, the main reason for this news item is to announce a Speech Recognition Club which is open to commercial establishments (subject to committee approval) who feel that they could contribute to and benefit from an association with the speech recognition unit at the NPL and with other companies working on related projects. For example, a manufacturer joining the club may well find a software house already involved in producing programs which he could use in his systems. There is an entry fee of around £8000 but which is varied according to the benefit derived from the association. No-one joining the club will have to reveal anything about their developments other than that which they wish to reveal. The NPL will share its accumulated experience in speech recognition and, hopefully, will see its brain-child incorporated in commercial products.

The man to contact is Dr David Schofield, NPL, Teddington, Middlesex, TW11 0LW. Telephone: 01-977 3222.

Happy ending

For a few horrible moments, it looked as though Britain's pioneer micromaker, Tangerine, might have to polish up its image.

The company has just launched a £200 'black box' which turns your ordinary television (rented, even) into a Prestel terminal. So what could go wrong with its image?

Administrative confusion is one answer, unnecessary suspicion of their customers could be another. Either way, it seems the problem has been solved, a tremendous relief for the British computer kit business. It started as a joke. For *Datalink's* Xmas issue we invited people who had trouble in their relationship with their computer to write to one of the paper's less feminine staffers, Benjamin Wolley, for instant psycho-system analysis.

In amongst all the wisecracks was a plea from a Tangerine customer whose kit had been lost in the post and who had been trying for four months to find out where it had gone and who was responsible. Tangerine had written a rather unsympathetic letter, he said, stating that he should seek compensation from the Post Office (maximum £10 or so, since the parcel was uninsured).

We were all delighted to find, when we contacted



PCW 'Reader Survey' (inexplicably referred to last month as 'Printer Survey') winner Larry Woods of Birmingham's Aston University, pictured receiving his prize, a Sharp MZ-80K. Larry, an assistant librarian at the university, will be able to use the machine as part of a microcomputer project he is undertaking. Pictured from left are: Derek Bailey, of Camden Electronics, Small Heath; Larry Wood; Ron Bailey, also of Camden Electronics; and Paul Streeter, Sharp national sales manager. Our thanks to Sharp for donating the computer and to the 7000-odd readers who took part in the survey.



You're never alone with a Commodore PET

If you buy just any make of microcomputer you could find yourself on your own. And that's serious. Because without first class software and support, all you're left with is a box of wires.

On the other hand, when you buy Europe's No.1 microcomputer, the Commodore PET, you have access to the largest and finest range of software in the UK today; the most experienced dealer network; 24 hour field maintenance service; plus our very own training courses and user's club – all to ensure that you get the best from your system.

LONDON AREA

Adda Computers Ltd,
W13, 01-579 5845
Advanced Management Systems,
EC2, 01-638 9319
C.S.S. (Business Equipment)
Ltd, E8, 01-254 9293
Centrallex – London Ltd,
SE13, 01-318 4213
Computer Sales & Software
Centre Ltd,
ILFORD, 01-554 3344
Cream Computer Shop,
HARROW, 01-863 0833
Da Vinci Computer Shop,
EDGWARE, 01-952 0526
Henderson Bennett,
SE25, 01-654 5609
Home and Business Computers,
E12, 01-472 5107
L & J Computers,
NW9, 01-204 7525
Logic Box Ltd,
SW1, 01-222 1122
Merchant Systems Ltd,
EC4, 01-353 1464
Micro Computer Centre,
SW14, 01-878 7044
Micro-Facilities Ltd,
HAMPTON HILL, 01-979 4546
Sumlock Bondain Ltd,
EC1, 01-250 0505
Sumlock Bondain Ltd,
EC4, 01-626 0487

HOME COUNTIES

Millhouse Designs Ltd,
ALTON, 84517
H.S.V. Ltd,
BASINGSTOKE, 62444
MMS Ltd,
BEDFORD, 40601
D.D.M. Direct Data Marketing
Ltd, BRENTWOOD, 214168
Amplicon Micro Systems Ltd,
BRIGHTON, 562163
T & V Johnson (Microcomputers
Etc) Ltd, CAMBERLEY, 20446
Cambridge Computer Store,
CAMBRIDGE, 65334
Wego Computers Ltd,
CATERHAM, 49235
Dataview Ltd,
COLCHESTER, 78811
Amplicon Micro Systems Ltd,
CRAWLEY, 26493

S.M.G. Microcomputers,
GRAVESEND, 55813
South East Computers,
HASTINGS, 426844
Bromwall Data Services Ltd,
HATFIELD, 60980
Alpha Business Systems,
HERTFORD, 57425
Commonsense Business Systems
Ltd, HIGH WYCOMBE, 40116
Kingsley Computers Ltd,
HIGH WYCOMBE, 27342
Brent Computer Systems,
KINGS LANGLEY, 65056
Computopia Ltd,
LEIGHTON BUZZARD, 376600
South East Computers Ltd,
MAIDSTONE, 681263
J.R. Ward Computers Ltd,
MILTON KEYNES, 562850
Sumlock Bondain (East Anglia)
Ltd, NORWICH, 26259
T & V Johnson (Microcomputers
Etc) Ltd, OXFORD, 73101
C.S.E. (Computers),
READING, 61492
Slough Microshop,
SLOUGH, 72470
Business Electronics,
SOUTHAMPTON, 738248
H.S.V. Ltd,
SOUTHAMPTON, 22131
Super-Vision,
SOUTHAMPTON, 774023
Symtec Systems Ltd,
SOUTHAMPTON, 38868
Stuart R Dean Ltd,
SOUTHEAST-ON-SEA, 62707
The Computer Room,
TUNBRIDGE WELLS, 41644
Orchard Computer Services,
WALLINGFORD, 35529
Photo Acoustics Ltd,
WATFORD, 40698
Microchips,
WINCHESTER 68085
P.P.M. Ltd,
WOKING, 80111
Petalect Electronic Services
Ltd, WOKING, 69032
Oxford Computer Systems,
WOODSTOCK, 812838

MIDLANDS &

S. HUMBERSIDE
C.B.S. Consultants,
BIRMINGHAM, 772 8181

Computer Services Midlands
Ltd, BIRMINGHAM, 382 4171
Marchant Business Systems Ltd,
BIRMINGHAM, 706 8232
Micro Associates,
BIRMINGHAM, 328 4574
Peach Data Services Ltd,
BURTON-ON-TRENT, 44968
Jondane Associates Ltd,
COVENTRY, 664400
Davidson-Richards Ltd,
DERBY, 366803
Allen Computers,
GRIMSBY, 40568
Caddis Computer Systems Ltd,
HINCKLEY, 613544
Machsize Ltd,
LEAMINGTON SPA, 312542
Arden Data Processing,
LEICESTER, 22255
Roger Clark Business Systems
Ltd, LEICESTER, 20455
Lowe Electronics,
MATLOCK, 2817
A.J.R. Office Equipment Services
Ltd, NOTTINGHAM, 206647
Betos (Systems) Ltd,
NOTTINGHAM, 48108
PEG Associates (Computer
Systems Ltd), RUGBY, 65756
Walters Computer Systems Ltd,
STOURBRIDGE, 70811
System Micros Ltd,
TELFORD, 460214

YORK & N. HUMBERSIDE

Ackroyd Typewriter & Adding
Machine Co. Ltd,
BRADFORD, 31835
Microprocessor Services,
HULL, 23146
Holdene Ltd, LEEDS, 459459
South Midlands Communications
Ltd, LEEDS, 782326
Yorkshire Electronics Services
Ltd, MORLEY, 522181
Computer Centre (Sheffield) Ltd,
SHEFFIELD, 53519
Hallam Computer Systems,
SHEFFIELD, 663125
Holbrook Business Systems Ltd,
SHEFFIELD, 484466

NORTH EAST

Currie & Maughan,
GATESHEAD, 774540
Elfton Ltd,
HARTLEPOOL, 61770
Dyson Instruments,
HETTON, 260452
Fiddes Marketing Ltd,
NEWCASTLE, 815157
Format Micro Centre,
NEWCASTLE 21093
Intex Datalog Ltd,
STOCKTON-ON-TEES, 781193

S. WALES & WEST COUNTRY

Radan Computational Ltd,
BATH, 318483
C.S.S. (Bristol) Ltd,
BRISTOL, 779452
T & V Johnson (Microcomputers
Etc) Ltd, BRISTOL, 422061
Sumlock Tabdown Ltd,
BRISTOL, 276685
Sigma Systems Ltd,
CARDIFF, 34869
Reeves Computers Ltd,
CARMARTHEN, 32441
A.C. Systems,
EXETER, 71718
Milequip Ltd,
GLOUCESTER, 411010

Jeffrey Martin Computer Services
Ltd, NEWQUAY, 2863
Devon Computers,
PAIGNTON, 526303
A.C. Systems,
PLYMOUTH, 260861
J.A.D. Integrated Services,
PLYMOUTH, 62616
Business Electronics,
SOUTHAMPTON, 738248
Computer Supplies (Swansea),
SWANSEA, 290047

NORTH WEST & N. WALES

B & B (Computers) Ltd,
BOLTON, 26644
Tharstern Ltd,
BURNLEY, 38481
Megapalm Ltd,
CARNFORTH, 3801
Catlands Information Systems
Ltd, CHESTER, 46327
Catlands Information Systems
Ltd, WILMSLOW, 527166

LIVERPOOL

Aughton Microsystems Ltd,
LIVERPOOL, 548 7788
Stack Computer Services Ltd,
LIVERPOOL, 933 5511

MANCHESTER AREA

Byte Shop Computerland,
MANCHESTER, 236 4737
Computastore Limited,
MANCHESTER, 832 4761
Cytek (UK) Ltd,
MANCHESTER, 872 4682
Executive Reprographic Ltd,
MANCHESTER, 228 1637
Professional Computer Services
Ltd, OLDHAM, 061-624 4065

SCOTLAND

Gate Microsystems Ltd,
DUNDEE, 28194
Holdene Microsystems Ltd,
EDINBURGH, 668 2727
Gate Microsystems Ltd,
GLASGOW, 221 9372
Robox Ltd, GLASGOW, 8413
Thistle Computers (Macmicro),
INVERNESS, 712774
Ayrshire Office Computers,
KILMARNOCK, 42972
Thistle Computers,
KIRK WALL, 3140

N. IRELAND

N. Ireland Computer Centre,
HOLLYWOOD, 6548


For further information about Commodore services and products, contact your local dealer, or send off this coupon to obtain our free literature pack.
To: Commodore Information Centre, 360 Euston Road, London W1 3BL Telephone: 01-388 5702

Name _____
Position _____
Address _____
Intended application _____



commodore

This list covers dealers participating in our advertising.



Remember how once we all speculated that bubble memory might get so cheap that we'd use bubbles instead of floppy disks? You didn't? Well I did and I'm still wrong. This shows why: on this highly costly card is as much memory as you get on one floppy disk — half a megabyte. But that explains why diskettes are getting cheaper, doesn't it?

Tangerine ourselves, that in charge of the problem was a company director called Mike Rose. It wasn't only his name which pleased us, it was the speedy way he moved into top gear, got the system crunching and despatched a new Microtan to our micro-lorn reader the very same day.

Apparently something (they didn't specify what) had given the Tangerine man who had originally written to the customer the notion that he was perhaps trying to get an extra machine. Once assured by *Datalink* of the man's sincerity, all was sweetness and light and he received his machine by return of post.

Not content with that, Tangerine tells us that it has 're-assessed its delivery system' to make sure that the same problem doesn't recur.

Most parcels that the Post Office is given get where they are sent (providing the label doesn't get unstuck) so it is quite realistic of Tangerine to save the 30p insurance per parcel it would cost to give £100 cover. But I do think that if a company decides to save this money, it should compensate unhappy buyers without question and Tangerine obviously agrees.

Just a small memory from the past to wind up with: ten years ago I ordered a stereo pre-amp and two power amplifiers from Sinclair. They arrived and I couldn't make them work, so I sent them back with a snooty letter. Sinclair didn't receive them. When I wrote again a month later, having checked with the Post Office, I had no doubt that I had fallen into the hands of big, indifferent bureaucracy and would never see my amplifier again. I was right. By return of post, with no questions asked, Sinclair refunded not the amplifier but the full cost of the system, together with a note hoping that my sad experience hadn't deterred me from buying again. As a result, I have always trusted Uncle Clive's mail order

ethics and, in future, I shall feel similarly about Tangerine.

Communicate with PET

Connect your PET to other computers — not just ICL ones but even networks of them, with a program called Intercomm, or a program called Syncomm, from Cortex in Bedford.

It enables you to get all the central computer's data set up locally and squirted through as fast as possible. It also allows you to dig out information from the central network and to do this from a central database management system (it doesn't say which). The only thing against it is that Intercomm on disk costs a mere £350 and Syncomm on disk a piddling £1700 including extra bits of hardware and installation costs. Cortex is in Tavistock House, 34-36 Bromham Road, Bedford; tel 0234 213571.

Coventry courses

Somebody who knows nothing about computers but has £75 to spend can spend a day at the Coventry management training centre in Leamington Spa, where they believe that 'the only reason for not using computers in more aspects of business is people's reluctance and lack of knowledge.'

Fees include lunch, coffee, tea and VAT, and the course covers such essential details as input, output, processor and memory, plus information on types of system, something on Basic, and a chance to use a computer.

For somebody with a bit more money (around £167) there is another course, lasting three days, based on the Commodore PET. And if you can bring your own PET

you get a discount of nearly £25. This course aims to teach you to program in Basic. Details on 0926 36621.

6809 board

People who buy cars are not interested, advertising men have discovered, in how powerful, flexible, multi-cylindered, overhead-cammed or other magic words apply to the engine. Write an ad about the engine and watch them all turn the page unread. Daft.

Similarly, people who buy microcomputers do themselves no service when they regard the microprocessor inside it as an irrelevance. And such people will certainly not be attracted by an out-of-the-ordinary machine with a very out-of-the-ordinary micro chip inside it, the Motorola 6809.

This can be said with confidence. Acorn has been selling a 6809-based board for a year. Well, offering one but selling... no, not really. South West Tech has a 6809 processor available — powerful, but the number means nothing even to the people who buy it, it seems.

Now an independent consultant, D A MacDonald, has produced a board using the 6809 — designed to appeal to people who in the past used its ancestors, the Motorola 6800, and the Synertek System 65 based on the 6800's cousin, the 6502. MacDonald's system is a single board, and he claims it is compatible with the rather expensive boxed system of multi-cards which Motorola

called the Exorciser when it was launched six years ago. That should mean, compatible with the then popular D2 development evaluation board, too.

Details on 04892 81108

Solicitor's software

It has been said that Solicitors' Accounts are the most complicated form of book-keeping there is. It was said by PK Microsystems, in fact, a company connected with Keith Jones of The Software House — and PK has just produced a system which solicitors can use to keep their accounts on an Apple II microcomputer. It had better be good; the programs cost £1500 and with a complete system thrown in, including disks, you pay up to £5300. Details on 01-637 2108

North Star stats

Infoworld, the US fortnightly magazine, described as 'the best on the market' a piece of software from a company called Ecosoft. The program runs on North Star micros and is called U Microstat — a statistics package which consists of programs which perform the most common statistical procedures. It needs a minimum of 32 kbytes, a dual drive disk system, and a good video and versions are available for the different operating sys-



This shows the scene inside the Bristol area school Portway, in Shirehampton, where pupils are setting up a commercial computer programming service, based on a Cado 20 computer supplied by the man with the beard, Robin Laney, who is managing director of DRG Business Machines. It's part of the Young Enterprise scheme — they're going to computerise the school's accounts.



dysan *Dysan Diskettes* **FROM STOCK**

30,000 Diskettes is our stock level !

FOR IMMEDIATE DELIVERY

Call Ann Perkins or Dan Taylor
on **Dysan Hotline: Weybridge (0932) 48346/7**

HAL COMPUTERS LIMITED

57 Woodham Lane, New Haw, Weybridge, Surrey KT15 3ND.

TWO SUPPLIES HOTLINES!

MICRO! USERS!

**The Solution to your
Short-Run Form problems!**

- * Single and Multi-Part Forms from our standard sizes to suit your systems. From 1000.
- * Word Processor Letterheads (tractor or friction feed).

- * Self Design Layout Sheets.
- * Full Artwork Service.
- * Listing Papers, Word Processor Papers, Self Adhesive Labels.
- * Diskette Storage Systems.

Small-User Packs of Listing Papers

(depth x width)	500 sheets	1000 sheets
11"x 9½" (plain or green music line)	£ 6.00	£ 11.75
8"x 9½" (plain only)	£ 5.50	£ 10.50
11"x 14½" (green music line only)	£ 6.00	£ 11.75

These prices INCLUDE VAT and P & P — CASH with order please!

Call Bob Humphrys or Richard Wells
on **Forms Hotline: Weybridge (0932) 48218**

PRINTOUT BUSINESS FORMS

57 Woodham Lane, New Haw, Weybridge, Surrey KT15 3ND.

Printout Business Forms





You may never have thought of your pocket calculator as a fire hazard; nonetheless, there is a very small chance that it could generate a spark when you press the keys. This micro-terminal from Burr-Brown may also generate a spark, but since it is guaranteed waterproof there is no chance of fumes or petrol vapour or gas reaching the spark. Clever, huh? Costs £300. Details on 0923 33837.

tems, either CP/M or North Star DOS.

UK agent for the software (and all other Ecosoft packages) is Digital Devices Ltd, also a Horizon dealer. Contact Val Long in Southborough, Tunbridge Wells, on 0892 37977.

Sorcerer software

Games still come top of most lists of software sent in. Whether 'Know Your Sorcerer' counts as a game or as serious software for the Exidy Sorcerer or not is hard to judge, but Liveport has put the three £6 programs under this title at the top of its list of 20 packages now available for this machine. Most of the next 17 packages have typical names — 'Shoot Em Up Cowboys' and 'Stranded in Deep Space' giving way to a couple of mathematical routines, plus something called 'Mortgage and Interest', which almost certainly isn't much good in the UK since the whole batch was written in America by North American Software. However, for serious programmers, there is a disassembler to analyse the programs written for the Zilog Z80 micro inside the Sorcerer. There is also a Basic macro renumber and linker program, one of the three most expensive at £17. Details from Liveport on 0736 798157.

Creative change

We at PCW have all the time in the world for an American magazine called *Creative Computing*, because we have good taste. So now that David Ahl and his mag have changed address, we will share it with you to prove how informative we are. The new address is 39 East Hanover Avenue, Morris Plains, NJ 07950. The new

building also contains *Microsystems*, and *SYNC*, plus the book, software and consulting sides of the group. *SYNC*? It's the ZX80 mag over there.

Chip chat

Chips, chips, and more chips — on show with masses of plugs, sockets, and other bits and pieces — are to be discussed in serious papers at SemineX a show from 23 to 27 March at Imperial College. Details from SemineX Ltd on 0892 38664.

May the fourth be with us soon

You know what the Apple II and III are; now, what do you think Apple IV and V will be? The answer is: soon. Apple is the bright new star of the American stock market, having put its amazing growth up for grabs and

having hit the jackpot. The next thing to happen could well be a stock value dive, for two good reasons.

First, a lot of people who bought stock did so because they knew it would resell for a lot more than they paid for it. People inside the company with advantageous stock options, (for example did you hear about the Apple director who made all his stock over to his wife a few years back, when it was worth a few pennies and since got divorced, leaving her with \$25 million and him with a few thousand?), or just good horse-backers who saw a winner. They will sell because they planned to.

Others will start to hear worrying things about the Apple III, most to the effect that nobody wants it and that Apple is going to drop it.

The idea that nobody wants it is not altogether accurate. Dealers like Apple III because it offers a good profit margin. Profit, however, only comes on sale, and I'm blessed if I can see what will cause the dealers' customers to buy the thing. It offers one or two facilities but for so much more money compared with the old Apple II that most users will settle for the old one. Especially with all the old software and add-ons you can get already and can't yet get for the III.

American dealers are already letting it be known that they want none of it. And in order to stop the share price going down too embarrassingly, the company is likely to start leaking details of its next, exciting, world-shaking products — the Apples IV and V. Apple V is the answer to Commodore's Vic. It should be exactly what Sinclair and Acorn have proved people want — something to get started on for as little as possible.

Apple IV is The Big One however. Its existence is still

officially secret but it came out through Motorola contacts who couldn't resist crowing about the multi-million dollar order they just had for the 68000 chip.

The 68000 is still the biggest, most powerful single bit of silicon you can plan to buy and some think it will be the world's biggest micro even after Intel produces its 32-bit version. Apple is putting that 68000 micro into the IV and will attach a version of the software Bell Labs developed for running disk storage — Unix — plus a wide range of other language options. I still don't have details or price. Apple is being a bit paranoid about this one.

Tandberg tries again

Tandberg, best known for its tape recorders, has passed through an unfortunate phase of trying to sell its own design of microcomputers to schools. Instead it has picked up an American machine, the Boles 3450 micro. The microsystem itself is well worth considering. It isn't quite down there with the Gemini and Superbrain, by the figures I've seen, but it is a reasonable price, something which nobody could expect after the original Tandberg system.


This one just so that you don't get confused, is called the TG3450. It is made 'to Tandberg's specifications' according to Mike Keenan of Tandberg, but it is being marketed in this country by Boles & Co (UK) Ltd, the UK arm of the American trading company (Boles Inc) which produced it. Details on 0372 65461; talk to Alan Marchant.

\$100graphics

Plug in a board and get cheap graphics on a system. All you need is the \$100 bus inside the system to plug the board into. The product is the board from Almarc Data Systems and the company claims it is usable with all Vector Graphic systems in conjunction with a standard Vector Graphic memory board holding 8 kbytes of RAM. Details on 0602 625035.

Atom club

I am having some trouble debugging the official software supplied with my Acorn Atom. Since there are now around 5000 other users, I assume that some of them are having similar irritating problems — isn't there somebody out there trying to start a user group? Get in touch with me, (via PCW) and I'll publicise it. I might even join.



As plotters go, this may not be right up to architect/draftsman standards. As matrix printers, go, it's a damn fine plotter. Roxborough makes it in enough versions that you can connect it to Apple, PET, HP and any other sort of cheap micro using a Centronics or RS232 port standard. It looks like a useful printer, too. Details on Rye (079 73) 3777.

**WE HAVE ALL THE NEW ATARI®
VIDEO GAME PROGRAM™
CARTRIDGES.**

ATARI £86 + VAT

SILICA SHOP

TELEPHONE FOR FREE BROCHURES 01-301 1111

ELECTRONIC GAMES

ATARI



**SPECIAL PRICE
£86 + VAT**

SPACE INVADERS



HAND HELDS • CARTRIDGES
ATARI • ACETRONIC
PRINZTRONIC
RADOFIN • DATABASE etc.

We keep a full range!
Send for cartridge lists stating which machine you own.

INTELLIVISION MATTEL



£173.87 + VAT

Available August 1980
This is the most advanced TV game in the world.
Expandable next year into a full microcomputer.
COLOUR CATALOGUE AVAILABLE WITH DETAILS ON ALL THE CARTRIDGES

BRIDGE


COMPUTER



- ★ Plays 1/2/3 or 4 Hands
- ★ Problem Mode
- ★ Audio Feedback
- ★ Instant Response
- ★ Auto scorekeeping

DRAUGHTS

COMPUTER



- ★ Solves Problems
- ★ Rejects illegal moves
- ★ 2 level machine £43 + VAT
- ★ 4 level machine £77.78 + VAT

CHESS

COMPUTERS



Send for further details.

NEW RANGE AVAILABLE AUGUST 1980
We specialise in computer chess machines & stock over 13 different models from £20 to £300

BACKGAMMON

COMPUTERS



From £38 to £108. Send for further details.

OMAR 1
OMAR 2
CHALLENGER
GAMMONMASTER

LEISURE

- ★ CHEAP TV GAMES
- ★ TELEPHONE ANSWERING MACHINES
- ★ AUTO DIALERS
- ★ CALCULATORS
- ★ DIGITAL WATCHES
- ★ PRESTEL
- ★ HAND HELD GAMES

TELETEXT




RADOFIN
TELETEXT
Add on Adaptor

£173 + VAT

24TUNE DOOR BELL £13.65

+ VAT



FREE CATALOGUE

For a free copy of our 32 page catalogue, send a 12p stamp to Silica Shop Ltd or Telephone 01-301 1111

MAIL ORDER SERVICE — Free postage & packing

TELEPHONE & MAIL ORDERS - accepted on:

Access ★ Barclaycard ★ American Express ★ Diners Club ★ credit facilities arranged

CALLERS WELCOME — at our shop in Sidcup — Demonstrations daily

Open from 9am-5.30pm Mon-Sat 9am-1pm Thurs 9am-8pm Fri

GUARANTEE — Full 12 months + After Sales Support!

We have comprehensive brochures on all products. Please let us know what you are interested in and we will send you detailed brochures AND our own 32 page catalogue covering most games on the market.

SILICA SHOP

SILICA SHOP

1/4 The Mews, Hatherley Rd.,
Sidcup, Kent

Tel: 01-301 1111

PCW. 3.81

THE GREAT COVER-UP!

Not since the days of Watergate has there been a public scandal of such far-reaching implications.

It has recently come to the attention of the PCW Secret Police that certain regular readers have been storing their valuable back issues 'au naturelle'.


We consider this practise to be singularly lacking in dignity, and would therefore appeal to you in the name of common decency to please ensure that your

magazines are properly dressed at all times.

This may be achieved by the simple expedient of purchasing one or more of our sturdy yet colourful PCW binders.

So why not join in the great cover-up and preserve your precious PCW's in their original pristine perfection.

Just check the coupon at the foot of the page.



Please send me — PCW Binders at £2.95 each

NAME _____

ADDRESS _____

(Block capitals please)

I enclose cheque/P.O. for £_____ made payable to
Sportscene Publishers Ltd. (Binders),
Send coupon to PCW (Binders),
14 Rathbone Place, London
W1P 1DE. Allow at least
14 days for processing.



NEWS

ComputerTown UK! is a nationwide network of voluntary computer literacy centres. All letters should be addressed to CTUK! c/o 14 Rathbone Place, London W1P 1DE

It's good news once again — this month we announce ComputerTown Gateshead. This has been started by John Stephen Bone plus ten computer-owning volunteers. This particular ComputerTown, like Sutton-in-Ashfield before, is closely affiliated with a computer club — Newcastle Personal Computer Society, in fact. Anyone in the Tyne & Wear district who'd like to join in the fun, please contact John at 2 Claremont Place, Gateshead, Tyne & Wear — he'd love to hear from you. More news from John when we hear how his first day went (he started on Saturday 10 January).

Since we launched ComputerTown last November we must have had letters from at least 30 people, but so far we've only heard about three ComputerTowns actually starting. Are there more of you out there who haven't told us about your activities, or do some of you need a gentle reminder? We'd really like to have the time and money to ring everyone up periodically and whisper words of encouragement, but sadly we have neither, so it's really down to you, individually, to find the enthusiasm and drive to get your local ComputerTown started. Don't pretend that it will take up too much of your time — Eastcote gets around six hours' attention per month from each of its volunteers. The sessions are run twice a month for two hours each. Demand is increasing quite heavily but then again we are meeting quite a few people through the project who are capable of running ComputerTown evenings themselves. This should mean that those with little time to spare should not necessarily have to increase their commitment. Surely you can find just six hours per month?

Another thing that's beginning to happen in Eastcote is that adults are coming along and seeing their children getting stuck in to the computers without any fear or problems. Six-year-olds arrive and, within ten minutes, are operating the PETs as if they'd grown up with them. The problem for the adults is that they're frightened of making fools of themselves in front of all the children. Even worse, we suspect, is the thought of a child explaining how to use the machines. Accordingly, there is a movement in favour of adults-only evenings or even some sort of formal lessons away from ComputerTown as such. At the moment it's fairly tentative but if the pressure increases then we'll be taking one or other of these alternative approaches.

The third thing that adults find disconcerting is that ComputerTown works on the 'discovery' principle of learning. If they run into difficulties they can

chew the problem over with the inevitable group of onlookers and, if that fails, they know they can come to one of the three or four qualified organisers. I suspect that this all appears pretty chaotic to those used to a more formal learning environment. Enough, enough — let's move on to the other news of the month.

Arthur French from Crawley Teachers' Centre has kindly sent us a cassette tape for the new ROM PET called 'This is a PET and this is what it does'. The program occupies 10k and is really quite excellent — we shall be using it at ComputerTown Eastcote next Tuesday. Any other ComputerTowns who'd like a copy should send a cassette and the return postage to CTUK! at 7 Collins Drive, Eastcote, Middlesex. We'll send your cassette back with the program encoded on both sides but we will only provide this service to those running ComputerTowns, needless to say.

It looks as if a ComputerTown West Bromwich will come into existence soon. Sorry to be a bit mysterious — but if you're in the area and interested in contacting the organisers then we at CTUK headquarters will pass your letters on. Similarly, anyone in the Winslow area of Buckinghamshire who might be interested should write to us here and we'll pass your letter on to someone in that area.

Have a peek at this month's 'Commons Report', you'll see that ComputerTown has caught the imagination of Ian Lloyd MP. Needless to say, we have offered to run a ComputerTown Houses of Parliament whenever he likes. We shall pursue this idea and keep you posted.

Nick Green of Commodore kindly sent us a couple of cassettes containing 40 programs. These form the basis of Commodore's Workshop Software which is used by educational establishments around the country where teachers are learning about microcomputing. According to Kit Spencer, these programs are considered to be in the public domain and anyone associated with ComputerTown is free to copy them. At Eastcote, where we evaluated the programs, we chose seven as being particularly suitable for use in ComputerTowns. Anyone interested in using these programs should write to us and we'll pass your address on to Commodore, who'll do the rest. Once again, this only applies to bona fide ComputerTowns.

Anyone in Aldershot who's interested in starting a ComputerTown should contact David Williams at 94 Gloucester Road, Aldershot, Hants GU11 35H. At the moment David is looking for kindred spirits. A trip home on the

underground following the PCW Christmas festivities may pay dividends. Les Ord of RAF Uxbridge expressed great interest in the idea so anyone else in the area should write to Les there. Incidentally, we already know that he'd get a sympathetic hearing from Mr Colehan, the borough librarian, if he wants to use library premises. We also bumped into Frank Fadipe who lives at 1 Brook Close, Ruislip. He's got an Apple and would be interested to hear from others in the Ruislip area who would be interested in getting something going there.

Julian Allason (founder of Petsoft and now publisher of *Printout*) came up with a smart idea the other day. Knowing how busy we are running PCW, he suggested that we might find people prepared to take over the central organisation of ComputerTown at colleges and universities. It seems that such establishments are often looking for real projects for students to run in order to gain practical experience. It sounds like a great idea to us — any offers?

Pete Shaw kindly wrote from Clacton-on-Sea in Essex to offer us help in London; he also mentioned that he might be getting something going near where he lives. Anyone interested write to us here and we'll pass your letters on. Another Essex man, Philip Joy, writes from Romford to say that he'd like to start a ComputerTown in his area. Anyone else in the area who'd like to join him write to Philip at 130 Rush Green Road, Romford, Essex.

Simon Withers, who is 13, writes from Wigan to volunteer his services to anyone willing to start a ComputerTown in his area. Simon can be contacted at Kilmartin, Bellingham Mount, Wigan Lane, Wigan WN1 2NJ.

Lovely Cherry Watret of Microsense thinks that Hemel Hempstead is ripe for its own ComputerTown. Accordingly, she visited Eastcote recently to see how things operate there. Someone else who has visited Eastcote is Ian Thomasson and he is now planning to start a ComputerTown of his own in Rayners Lane. Anyone in the area who is interested should contact Ian at 16 High Worpole, Rayners Lane, Harrow, Middlesex.

Look out for your local ComputerTown in our quarterly User Group Index — it will be listed under the National section.

Finally, thank you all very much for all your enthusiasm and interest in ComputerTown. Please keep in touch and tell us how things are going in your neck of the woods. Remember, we'd like to see thousands of ComputerTowns all over the country! We look forward to hearing from you.

COMPUTER FAIRE

A Conference & Exposition

on

Intelligent Machines

for

Home, Business, & Industry

Personal
Computer
World

Spring in San Francisco from £440

Enjoy a two-centre holiday in sunny California, 1 – 9 April, 1981
just in time for the 6th West Coast Computer Faire.

Lounge on Santa Monica beach, visit the first ever computer store or maybe even take a peek at Hollywood. Follow this with a few days in San Francisco visiting the Computer Faire and possibly pop down El Camino Real to Silicon Valley.

All this, and much more can be yours if you take advantage of Meridian Tours' special offer to PCW readers, details of which are now being finalised.

Three holidays are planned, each of which ensures that you are in San Francisco for the duration of the Faire, which must be the biggest micro-dedicated show in the world. The first holiday comprises one night in Los Angeles at the first-class Sheraton Miramar at Santa Monica Beach followed by six nights in San Francisco at the Civic Centre Holiday Inn, just round the corner from the Faire. The second holiday provides the chance to spend three nights in Los Angeles and four in San Francisco while the third allows you to 'do your own thing' for a week following one of the above holidays, simply returning to base for the journey home.

The holiday price includes all flights, hotel accommodation, supervised transfers between airports and hotels, entrance to the Faire, a copy of the conference proceedings and compulsory insurance. The cost does not include transport to and from Gatwick, meals abroad or additional accommodation for those wishing to stay an extra week.

Car hire can be arranged at special rates by Meridian before departure and special excursions may be booked with their local representatives while abroad.

Having said all that, this promises to become quite an event in the PCW year; it's bound to be fun — even for those who aren't too interested in computers. They can make the most of San Francisco with its Golden Gate Bridge, cable cars, Chinatown, Fisherman's Wharf — not to mention a more recent phenomenon, lobby watching in the Hyatt Regency.

For further information and a booking form write to West Coast Trip, PCW, 14 Rathbone Place, London W1P 1DE.

This holiday is being organised by Meridian Tours Midlands Ltd who are bonded tour operators
(Air Tour Operator's Licence No. 700B)





There are times when news of the mundane has implications that could be called sensational. In this case, that news is that the manufacture of small 5¼in Winchester disk drives is becoming routine and that instead of pioneering new technology, manufacturers are sticking to 'conservative' design and manufacturing principles. What this means, in turn, is that the small and *inexpensive* Winchester drive will soon turn from technical wonder to commonplace.

ler and data separator while adhering to the Shugart interface standard. Manufacturing Winchester drives is the product of experience and that investment in experience will soon begin to pay off in reliable volume production.

It is well known that one of the main reasons Apple did not include a hard disk option in the Apple III is that there was no source of drives that could produce in the volume that Apple would require to meet its needs.

fit under the seat of a plane and be complete. By complete, I mean full keyboard, 64k RAM, CRT display, 5¼in floppy drive and running CP/M. The little bird who told me this one has not been known to be wrong very often in the past, but, of course, I can't say which bird it is.

The trend towards practical voice I/O is receiving another boost from Centigram Corporation with a new improved version of their Mike voice terminal. Mike incorporates both voice output and voice recognition. The terminal can be trained to recognise up to 99 separate words, which it converts to codes and sends to the host computer via an RS232 channel.

Mike is not limited to that set of 99 words, either; the host computer can dynamically swap word sets in Mike's memory so that the operator can work with an arbitrarily large number of sets of 99. The computer

accuracy when training Mike and then testing the terminal against a tape recording. At the same time, it recognises that voice I/O is still in its infancy and there is not really a practical limit to the refinements they feel would really be desirable.

The world of local networking is getting another boost from Giltronix, a Palo Alto company specialising in automatic switching (mostly of the RS232 variety) among computers and various peripherals. The company started out producing simple RS232 switch boxes, so you could switch, say, between a CRT terminal and a hard copy terminal. It has recently come out with an intelligent controller (run by an 8085) that can control traffic between five serial ports, an IEEE-488 interface, two parallel ports, and 16 DPDT DIP relays.

This little wonder sells for \$599 in kit form and is positioned midway between the manual switches

'..the small and inexpensive Winchester drive will soon turn from technical wonder to commonplace.'

Manufacture of 8 and 14in Winchesters is gearing up something fierce in Silicon Valley, with a new company called Quantum recently formed for the express purpose of manufacturing drives that are compatible with the Shugart interface. There is quite a bit of carping among drive manufacturers about the Shugart interface, but like the S100 bus it has a foothold that is not likely to disappear. Of greater interest to users of personal computers, however, are the goings-on in the 5¼in Winnie world.

First to market a 5¼in drive was Shugart Technology, a company formed after the founder of Shugart Associates was eased out of the company he started (a not uncommon occurrence in this industry). Shugart Technology has since been renamed Seagate, and the original Shugart is now announcing its own 5¼in drive. The other serious contender in the market is IMI, a Cupertino-based company which is located right across the street from Apple.

Indications are, that as production volume increases, these highly reliable drives will be selling in OEM quantities for around \$800. That means that a 6 megabyte disk system should be available to end users for around \$1500 in the near future. But, as in the past, users will probably become *blase* and treat even this phenomenal amount of storage as the norm.

Another question is that of the controllers. IMI has built in its own control-

Now that production looks like it is indeed going to come up to a decent volume, there are rumours that Apple is planning to include that option.

There are even rumours that Apple will begin to manufacture its own 5¼in Winchesters, either independently or under licence from an established manufacturer. At any rate, if these rumours are true, Apple will have to initially buy in pretty sizeable numbers in order to keep up with the current trend toward these fantastically small mass storage devices.

Rumours

Now here is a super rumour, so if it doesn't happen, don't blame me, but if it does, you heard it here first. According to obscure sources, Sperry Univac is reputed to have a true Josephson computer working in the lab. Josephson junctions are those circuits that operate best at a temperature near absolute zero. The Sperry machine is said to operate around 2 degrees absolute, and Sperry's solution to the repair/service problem is supposed to be simple replacement. If all goes well, the machine should be announced in about two years. There has been no word about how the company plans to ship such a product, but many inane suggestions come to mind. Perhaps it'll set up a plant at the north pole.


Another it-should-happen-soon report concerns a personal computer that will fit in a case small enough to

'.. a personal computer that will fit under the seat of a plane.'

can also limit recognition possibilities to subsets of the current 99 so that there will be less chance of confusion within the current set.

Mike uses a method of digital recording which generates patterns by analysing words spoken into it by the operator. Centigram says it has achieved 100% lab

and a \$40,000 unit meant for the big boys. The service it provides at an amazingly righteous price is a traffic centre for data acquisition, multiple computer communications, and very versatile process control. My 'Fearless Forecast' is that Giltronix will be heard from loudly in the near future.



'Honestly mum he never speaks to me these days. He just leaves me the occasional floppy disk.'

PCW welcomes correspondence from its readers but we must warn that it tends to be one way! Please be as brief as possible and add "not for publication" if your letter is to be kept private. Please note that we are unable to give advice about the purchase of computers or other hardware/software — these questions must be addressed to Sheridan Williams (see 'Computer Answers' page). Address letters to: 'Communications', Personal Computer World, 14 Rathbone Place, London W1P 1DE.

Easier entry

As a half-blind, one-fingered keyboard-poker, I have found that the easiest way of entering a long program single-handed from written matter is to dictate it first onto tape on an ordinary tape recorder; then, using headphones, type it in at a rate appropriate to one's ability. This way leads to far fewer errors (spaces for example, can be counted aloud both on dictating and on playing back), far less fatigue and is much quicker. In addition the listing can be much more easily checked (again via the headphones) and it seems to allow much earlier understanding of the program.

The method is so successful that I am considering modifications to my PET to allow the built-in cassette to be used for the job.
Peter Tyler, Attenborough,
Notts.

MW for WP

Your penetrating article on the Microwriter (November *PCW*) rightly lists its values as a portable word processing system but makes the peculiar suggestion that the terminal price, around £400, is too costly.

As a marketing consultancy with no connection whatever with Microwriter, we were one of the first MW users two years ago and our system has proven the equal of dedicated WP setups costing thousands more — with the added benefit of true portability. Like any WP system, it has seen continuous use in producing personalised direct mail letters and standard documents requiring successive updatings. But unlike others, it has also enabled me to cope personally with secretarial chores when staff are absent and confidential correspondence that cannot be routed through a secretariat.

To gain the cheapest comparable WP facilities with VDU and letter quality printing would require at least a Superbrain or Superpet 8000 plus peripherals at upwards of £3000. And you cannot put a PET in your briefcase and write your reports at home or during train journeys, as you can with the MW.

The usual objection to the MW, its non-qwerty keyboard, is actually beneficial in learning the system. I was using the MW fluently within a week, whereas our new

Superpet with Wordcraft
(acquired for its large disk
memory) will take our
secretaries weeks of training
before it shows any real gains
in productivity.

It beats me how your writer can suggest that under £2000 is too much to pay for a full word processing system, including *all* peripherals and with the benefit of portability, when you could pay the same again for a comparable system, that was non-portable and more difficult to learn!

Nick Robinson, Datanews Services, Luton.

It is not possible to compare the Microwriter system directly with more expensive, conventional word processors (and such a comparison was deliberately avoided in the review) because the latter offer many facilities which are not available on the MW we tested — automatically searching for and substituting strings, for example, or reading names and addresses from a separate file when printing direct mail letters. The extra facilities of more complex WP systems contribute to the longer 'training periods which they require — Ed.

Sord not 'defunct'

We would like to formally request a retraction of the statement '(not to be confused with the long defunct Japanese Sord)' in 'Yankee Doodles', January *PCW*.

As one of the two importers of the Sord range of microcomputers into the UK we feel very strongly that such sweeping statements, which are very detrimental to our business, should be published without first checking the facts. We are already

finding that questions over the security of Sord are being asked by prospective purchasers.

Sord is not only still in existence but is one of the leading manufacturers in Japan. The basic unit, the M223 Mk III, is based on a Z80A CPU with an AM9511 APU, integral VDU and twin 350k Teac disk drives. The unit is very flexible and has expandability options of add on 8in IBM compatible floppy disks, 8 mbyte hard disk with magnetic cartridge backup and a complete range of peripherals including colour graphics, paper tape, extra VDUs, data pads, etc.

For 1981 Sord is introducing two new ranges of products. Firstly, the M243 which has as standard 192k bytes of RAM (and can be extended to approximately 1 mbyte) and 8in IBM compatible units; hard disk, etc. are all available. Secondly, a new series of 16-bit computers, the M400 series, based on the 8086 CPU and with up to 1 mbyte RAM and with internal 8 mbyte hard disk.

As you can see, progression is fast and to state that Sord is defunct is a gross error.
Paul Whitehead, Exleigh
Business Machines Ltd,
Penzance.

'Yankee Doodles', of course, reflects and reports the situation in the USA where, we understand, Sord products are no longer sold. We're glad to assure readers that, as Mr Whitehead states, the company itself is by no means defunct and that its products continue to be sold in Britain. — Ed.

No LIST

B Mistry's method of preventing listing on Ohios or UK101s also prevents the program

from running.

The following routine causes the computer to jump to the machine code monitor if the program (which runs as normal), is stopped or exited:

If somebody tries to list the program they will discover that it is impossible to get to command mode. To RUN again, stay in the monitor, put C3H into 0004H and A8H into 0005H. Type ' then A274G — and run or list as required.

10 POKE 4, 17 : POKE 5, 189
will cause a cold start and
make things even more
difficult! For automatic start
of Basic programs after load-
ing, first save the program.
When OK appears, stop the
tape using the pause control,
type "? POKE 515, 0 : RUN",
release the pause control and
hit RETURN.

Dave Henniker, Edinburgh

Printer interface


This is a very low-cost RS232 to 20 mA converter for those guys that don't want to spend mucho pounds on a commercial converter. I use it between my Explorer 85 RS232 printer port and an LA 36y printer.

Les Solomon, *Popular Electronics*, New York

1211 problem

Many thanks for mentioning the 'PC-1211 Users Club' in the December edition of *PCW*. I would like to offer the services of the club to help solve any problems readers of *PCW* have with their PC-1211/TRS-80 pocket computers in the same way that the ZX-80 Users Club appears to be of service.

Any queries sent in can be forwarded to us at the



Low-cost RS232 to 20 mA converter — see 'Printer Interface'.

address below and we will solve them as quickly as possible.

Also, we were pleased to see the PC-1211 information in 'Calculator Corner', but please remember that it is a computer, not a calculator.

Robert Valt, PC-1211 Users Club, 281 Lidgett Lane, Leeds LS17 6PD, Yorkshire

Telesolution

Recently, a telecommunication problem in my office started a thought process which rapidly led to my concluding that the problem could be solved using existing technology but in a novel manner. Furthermore, the idea has world-wide application potential and could be patented. Hopefully no-one has a similar system in their lab! Are any fellow PCW readers interested? If so, please make contact.

New readers may be interested to know that I started reading PCW last autumn after reviewing two other magazines: the choice was an easy one. I hope PCW maintains the educational items in particular; I recommend the magazine to other newcomers. T R Armstrong, 21 Merdon Ave, Chandlers Ford, Eastleigh, Hants SO5 1EH

Image digitiser

In the July 1980 PCW, Dr Steve Abbott requested information regarding the eventual availability in England of the Periphicon image digitiser.

We are pleased to inform you that we stock both the 32x32 and the 64x64 pixel models in Denmark, complete with housing, cable and TV camera lens. We have started using this interesting device in industrial robotics mainly and have developed a range of supporting software. As one example of its applications, we can mention that it is used on the Champion Spark Plug production line to control preset spark plug gap as well as electrode quality.

One application which we would find very interest-

ing, but which we have no time to develop, is a character recognition device, perhaps combined with one of the new language dictionary chips, to enable direct reading of normal printed manuscripts. Perhaps that would be an idea for Dr Abbott!

The price for the 32x32 unit is about £300, and for the 64x64 unit about £800. E-C Data Inc, Tornevangsvej 88, POB 116, DK-3460 Birkerød, Denmark

NEW tip

Having recently purchased a UK101, I have found it is possible to retrieve programs after typing NEW.

When NEW is typed, the 101 places zeros in locations 769 and 770, which are the top of program pointers in RAM. By keeping a note of the various values which the locations contain for your programs, it is possible to retrieve them after you have typed NEW. P Mirams, Northwich, Cheshire

Micros in libraries

I am an external postgraduate student at Loughborough University and I am writing a thesis for a Masters degree in Library Studies entitled 'The Microcomputer and the Library'. I would be very glad to hear from anyone operating or using a microcomputer in any form of library or information work, to learn what systems they are using and to hear about their problems and successes. Andy Dawson 53 Downton Avenue, London SW2 3TU

The Basic saga

The dispute between Malcolm Peltu and D McFarlane ('Communications', December 1980) is akin to deciding whether Robin Cousins or Sebastian Coe is the greater sportsman — like is not being compared with like.

Basic was designed to

enable beginners (not necessarily programmers) to make use of a computer as a mathematical and analytical tool as quickly as possible, while Cobol was aimed at the business programmer. Basic programs tend to be short and short-lived, while Cobol programs (outside 'real-time' transaction processing applications) tend to be large, may have to run regularly for years and will handle far greater combinations of data than the average Basic program. The accounting package described in the NCC book reviewed by Peltu (September Bookfare) is almost certainly typical.

Thus, professional programmers take many man-hours to make sure that their programs are 'right', and to document them so that other programmers and their successors can understand the logic in order to amend it correctly when necessary (large systems tend to change, even while the programs are being written!). Less than 50 percent of a programmer's time is spent in writing code.

It would not be possible to write the average Cobol program in standard Basic. On the other hand, few professionals would attempt to write a predominantly mathematical routine in Cobol, although the facility to link subprograms written in different languages would enable them to write, say, a control and file-handling routine in Cobol, which would invoke a Fortran routine to perform statistical analysis on the input data. (Not being a mathematician, I wonder how much better Fortran is than Basic — apart from being compilable, I mean.)

I hope Mr McFarlane does not ignore the wider world of programming altogether. I do advise him, though, to use the System 4 Cobol reference manual as a doorstop or bookend until he can scrounge a copy of an ICL Cobol training manual (System 4, 1900 or 2900 versions, though the former probably describes the simplest implementation) which will be much more readable.

Having said all that, I agree that Mr. Peltu has gone out on the wrong limb for once. I believe that the real conflict is the one which will occur between the 'complete language' Ada and Cobol (or Fortran or Basic, not to mention Jovial, Coral 66 and RTL2), and which is prefigured by the Pascal v the others debate. Frank Little, Swansea

Oh Oh Guy

It's the privilege of user groups to moan and to dream of the ideal machine, but Guy Kewney (Oh Oh Ohio in last issue's Newsprint) certainly got the wrong idea!

He quoted the piece out of date and out of its user group context, which assumes that everyone knows the good points of OSI's kit. The standard Superboard like all machines has a few limitations but a typical member's machine has one and a half times the screen display and three times the Basic speed of the TRS-80 for example, a screen editor and extensive machine code monitor built-in, and plenty more besides, all for around £250. And despite Guy's comments the kit is robust and consistently reliable — something that I believe can't be said of the 'Big Three' systems. All of our moans in the piece quoted have since been resolved — even the documentation, now produced for Ohio by the Howard Sams publishing group.

For more details contact the dealers, or the user group through me. Tom Graves, 19a West End, Street, Somerset.

Computing philatelist found!

In answer to Nigel Stokes' query about computing philatelists, I am one such! I use an Apple II with disk drive to store want lists of stamps needed in files by country. These I then update and send to my correspondents around the world.

I am also working on the planning stage of a catalogue program to update the value of my collections and to diagnose the areas showing the greatest appreciation, etc. I would be very grateful to hear from anyone else working in similar, or other, philatelic fields. John Oldfield, Calle Galatxo 29, Capdella, Mallorca, Spain

Big keys please

One of our customers is the Spastic Centre of NSW, sheltered workshop and training centre, in Sydney. We supply them with software for their nine Apples. The Director has asked me to try to find a source of special keyboards with large letters, with the keys having separation one from the other. They would have to be connectable and compatible with the Apple, of course. The object is to allow those with spastic problems to use the Apples and make fewer mistakes.

Apple education in Cupertino doesn't know of a suitable supplier, I wonder if any of your readers can help? Keith Stewart, Seahorse Computer Services, PO Box 47, Camden NSW 2570, Australia.



'No we can't tonight Gerald, it's not safe!'

In the microcomputer jungle The Sharp MZ-80 system now with



Since its introduction, the Sharp MZ-80 system has proved to be one of the most versatile systems in the micro jungle, for commerce, industry and enthusiasts alike.


Now the MZ-80 Computer system has even more versatility thanks to CP/M[™], giving greater adaptability to face the future. After all look what happened to the Dinosaur.



The MZ-80 system is made up of the MZ-80K computer with the powerful Z-80 microprocessor. MZ-80FD Floppy Disc storage unit, now with CP/M[™] for even greater versatility. MZ-80P3 dot printer producing ultra Sharp print out copy.

CP/M[™] is a Trade Mark of Digital Research Ltd and was developed by Crystal Electronics, Torquay.

survival depends on adaptability. CP/MTM has even greater versatility.



Your Sharp Microcomputer Dealers

AVON

BCG SHOP EQUIPMENT LTD - BRISTOL -
TEL: 0272 425338
DECIMAL BUSINESS M/CS LTD - BRISTOL -
TEL: 0272 294591

BEDFORDSHIRE

H. B. COMPUTERS (LUTON) LTD - LUTON -
TEL: 0582 416887

BERKSHIRE

BCG SHOP EQUIPMENT LTD - READING - TEL: 0734 54015
NEWBEAR COMPUTING STORE LTD - NEWBURY -
TEL: 0635 30505

BUCKINGHAMSHIRE

INTERFACE COMPONENTS LTD - AMERSHAM -
TEL: 02403 22307

CHESHIRE

CASH REGISTER SERVICES - CHESTER - TEL: 0244 317549
FLETCHER WORTHINGTON LTD - HALE - TEL: 061-928 8928
NEWBEAR COMPUTING STORE LTD - CHEADLE HEATH,
STOCKPORT - TEL: 061-491 2290

CLEVELAND

HUNTING COMPUTER SERVICES LTD - STOCKTON -
TEL: 0642 613021

DEVON

BCG SHOP EQUIPMENT LTD - PAIGNTON - TEL: 0803 557711
CRYSTAL ELECTRONICS LTD - TORQUAY - TEL: 0803 226999
PETER SCOTT (EXETER) LTD - EXETER - TEL: EXETER 73309

DORSET

SOUTH COAST BUSINESS M/CS - FERNDOWN, DORSET -
TEL: 0202 893040

ESSEX

PROROLE LTD - WESTCLIFFE ON SEA - TEL: 0702 335298

GLOUCESTER

GLOUCESTERSHIRE SHOP EQUIPMENT LTD -
GLOUCESTER - TEL: 0452 36012

LANCASHIRE

B & B (COMPUTERS) LTD - BOLTON - TEL: 0204 26644
MICRODIGITAL LTD - LIVERPOOL - TEL: 051-227 2535
SUMITA ELECTRONICS LTD - PRESTON - TEL: 0772 55065
SUMLOCK SOFTWARE LTD - MANCHESTER -
TEL: 061-228 3502
SOUND SERVICES - BURNLEY - TEL: 0282 38481

LEICESTERSHIRE

ARDEN DATA PROCESSING - LEICESTER - TEL: 0533 22255
GILBERT COMPUTERS - LUBENHAM - TEL: 0858 65894

LINCOLNSHIRE

HOWES ELECT. & AUTOM. SERV. WASHINGTONBOROUGH -
TEL: LINCOLN 32379

LONDON

E.S. BUSINESS EQUIPT LTD - LONDON - E8 -
TEL: 01-836 1176

CENTRAL CALCULATORS LTD - LONDON - EC2 -
TEL: 01-729 5588

DIGITAL DESIGN & DEVELOPMENT - LONDON - W1 -
TEL: 01-387 7388

EURO-CALC LTD - LONDON E.C.2 - TEL: 01-729 4555

EURO-CALC LTD - LONDON W1 - TEL: 01-636 8161

EURO-CALC LTD - LONDON W.C.1 - TEL: 01-405 3113

JAXREST LTD - LONDON EC1 - TEL: 01-403 1801

LION COMPUTER SHOPS LTD - LONDON W.1 -
TEL: 01-637 1601

PERSONAL COMPUTERS LTD - LONDON - TEL: 01-626 8121

SCOPE - LONDON EC2M 4HX - TEL: 01-247 8506

SUMLOCK BONDAIN LTD - LONDON EC1R 0AA -
TEL: 01-253 2447

VIDEO SERVICES (BROMLEY) - TEL: 01-460 8833

CREAM COMPUTER SHOP - HARROW - TEL: 01-380 0833

NORFOLK

SUMLOCK BONDAIN (EAST ANGLIA) LTD - NORWICH -
TEL: 0603 26259

NORTHAMPTONSHIRE

HB COMPUTERS LTD - KETTERING - TEL: 0536 83922

NOTTINGHAMSHIRE

KEEN COMPUTERS - NOTTINGHAM - TEL: 0602 583254

MANSFIELD BUSINESS M/CS LTD - MANSFIELD -
TEL: 0623 26610

OXEN

OXFORD COMPUTER CENTRE - 73/75 GEORGE STREET -
OXFORD OX1 2BQ - TEL: 0865 49349

SALOP

COMPUTER CORNER - SHREWSBURY - TEL: 0743 55166

SOMERSET

NORSETT OFFICE SUPPLIES LTD - CHEDDAR -
TEL: 0934 742184

SUFFOLK

MICROTEK - IPSWICH - TEL: 0473 50152

SURREY

PETALACT ELECTRONIC SERVICES -
WOKING - TEL: 04862 69032

R.B.M. DATA SERVICES -
CROYDON - TEL: 01-684 1134

BARNES CONSULTANTS - GUILDFORD -
SARADAN ELECTRONICS SERVICES -
WALLINGTON - TEL: 01 669 9483

T & V JOHNSON (MICROCOMPUTERS) - CAMBERLEY -
TEL: 0276 20446

SUSSEX

M & H OFFICE EQUIPMENT - BRIGHTON - TEL: 0273 697231

TYNE & WEAR

P.M.S. LTD - SUNDERLAND - TEL: 0783 480009

WALES

CITY RADIO - CARDIFF - TEL: 0222 28169

SIGMA SYSTEMS LTD - CARDIFF - TEL: 0222 21515

MORRISTON COMPUTER CENTRE - 46 CROWN STREET -
MORRISTON - SWANSEA - TEL: SWANSEA 795817

WEST MIDLANDS

CAMDEN ELECTRONICS - SMALL HEATH (BIRMINGHAM) -
TEL: 021-773 8240

E.B.S. LTD - BIRMINGHAM - TEL: 021-233 3045

JAXREST LTD - BIRMINGHAM - TEL: 021-328 4908

NEWBEAR COMPUTING STORE LTD - BIRMINGHAM -
TEL: 021-707 7170

POINTCRAFT - BIRMINGHAM - TEL: 021-233 2325

YORKSHIRE

DATRON INTERFORM LTD - SHEFFIELD - TEL: 0742 585490

BITS & P.C.S. - WETHERBY, W YORKSHIRE - TEL: 0937 63744

SCOTLAND

A & G KNIGHT - ABERDEEN - TEL: 0224 630526

BUSINESS & ELECTRONIC M/CS - EDINBURGH -
TEL: 031-226 5454

FORTRONIC LTD - DUNFERMLINE - TEL: 0383 823121

STRATHAND LTD - GLASGOW - TEL: 041-552 6731

NORTHERN IRELAND

O & M SYSTEMS - BELFAST 49440

IRE

TOMORROWS WORLD LTD - DUBLIN 2 - TEL: 00001 776861


ISLE OF MAN

DELTA SYSTEMS LTD - DOUGLAS - TEL: 0624 4586



COMPUTER APPLICATIONS

Find out today what a Sharp Microcomputer will do for you.



**BENCH
TEST**

ONYX C8002



*Sue Eisenbach brings you the first
review in our multi-user
Benchtest series.*

A few years ago, computers could be divided (by word-length) into mainframes and minicomputers — fewer than 20 bits to the word and it was a minicomputer; otherwise, it had to be a mainframe. When the microcomputer came along with an 8-bit word length, it fitted in neatly below the mini but when the 32-bit 'superminis' were announced, the dividing line began to blur and it became necessary to find other ways of classifying machines. Some people just said, 'a mini is a computer produced by a minicomputer manufacturer' and left it at that. Now that microcomputer manufacturers are producing 16-bit machines which compete directly with minicomputers, it is difficult to know whether it is appropriate to think in terms of 'supermicros' or to treat them as normal minis. In either case, the Onyx C8002 is the first of the 16-bit Z8000-based systems to be made available in this country.

The Z8000 processor has an interesting history. Originally it was designed to be supplied in two versions: the Z8001 had a total of 45 distinct instructions (or 105 mnemonics or 187 instructions including all variations — it depends on what you want to count) and could address eight Mbytes via memory management hardware, while the Z8002 had a straightforward 64 kbyte addressing range (no fancy hardware extras) and slightly fewer instructions. Both processors offered 16 16-bit registers, or eight 32-bit registers or four 64-bit registers. If desired, the first eight 16-bit registers can be further subdivided into 16 8-bit registers. Recently, Zilog announced that a third version which incorporates hardware paging will emerge. In the course of events, the Z8000 design, particularly in its Z8001 form, seems to have run into more revisions than even Zilog can be happy with, with the result that a

number of OEMs have been unable to deliver the memory managed systems they had designed in advance of quantity production.

In the meantime, Onyx has hedged its bets: it, too, wanted a large-memory Z8000 system but began with the more readily available Z8002 and then designed its own memory management system to expand the Zilog processor's addressing range from 64 kbytes to 1 Mbyte. It was this ploy which enabled Onyx to win the race to provide the first commercially available supermicro system. Confusingly, although this system is known as an Onyx C8002, the other system which Onyx offers, the C8001, incorporates a Z80A processor rather like the Z8001 implied by its designation.

Having resolved the hardware question, there was still a requirement to provide enough software to compete with the established minicomputers and

once again two choices were available. Firstly, one could beef up the current 8-bit software, offering (for example) MP/M 8000, exploiting the rudimentary scheduling offered by MP/M. It is doubtful, however, whether this package would behave as flexibly and coherently as a modern minicomputer operating system designed in and built for the type of processing environment at which this product is aimed. As an alternative, one could adapt a ready-written, well-established minicomputer operating system to run on one's own hardware. Accordingly, Onyx has obtained a licence to provide Western Electric's Unix V7, running under the name Onix.

In fact, this 'lock, stock and barrel' approach has left a few, for the most part fairly cosmetic, patches showing. For instance, at login, the system comes up with 'UNIX' rather than 'ONIX' and there is the occasional reference to 'PDP11' in the documentation. Finally, for the British user, it is somewhat disconcerting to work on a computer which insists on telling the time according to Silicon Valley (Pacific Standard) Time.

Hardware

The least impressive feature of the Onyx is its looks — it's not that the box is particularly ugly but one expects such a 'big' machine to need more than a 22 x 17 x 8in, 60lb metal cabinet with a key-type on/off switch and a single on/off light at the front. Installation involves releasing the carriage-lock which stops the disk heads from flopping about, plugging a terminal into the 'console' slot at the back, plugging the machine into the mains and switching on. As the fans start (one for the disk, the other for the rest of the system) so does the Winchester drive sounding like a jet engine warming up until it gets up to speed (3600 rpm) and settles to a steady hum.

In the meantime, the system puts itself through a series of hardware tests, displaying the message 'C8002 SELF TEST COMPLETED' on the console when it is finished, followed by the prompt. Of course if something is wrong then a suitable message appears instead. A simple carriage return will initiate loading from the disk while a 'T' will load from magnetic tape.

Immediately beneath the cover are two printed circuit boards (side-by-side) which completely span the box so that the first impression is that it is packed full of components. However, further examination reveals a second layer of PC boards, beneath which lie the Winchester drive unit, the magnetic tape unit (accessed through a slot in the front), the power supply and fan. The top two boards comprise the processor board and a 256 kbyte memory board, while the next layer provides a second 1/4 Mbyte of RAM and the mass storage controller board. All boards are interconnected by cables along their common edge across the middle of the box so there is no back-plane as such.

The processor board contains a 40-pin Z8002 which, according to Zilog, has a cycle time of 250 ns and executes everything but 'multiply' faster than a PDP11/45. This is supplemented by the AMD 9512 floating-point processor capable of 64-bit floating or

fixed point arithmetic, incorporating its own stack and capable of interrupting the Z8000 on completion of computation. Unfortunately, there was no way to access this device through the software supplied with the review machine. Apparently an imminent operating system revision will, once implemented, allow this feature to be used.

All the I/O ports stem from the processor board — they are wired onto a plate at the rear of the cabinet via 25- and 37- way D-sockets. There are ten serial ports; nine of them are RS232C, of which one supports a standard synchronous modem employing bisync or SDLC protocols, while the other eight are for terminals or printers. The console port has hardware switches on the processor board but all the rest have software selectable baud rates from 300 to 38.4 k. The tenth serial port is a high-speed (880 kbits/sec) RS422 port designed for local networking with other C8002s. There is a single parallel port — 16 bidirectional, buffered and terminated TTL lines (eight for data, eight for control) for a parallel printer or similar peripheral.

The rest of the processor board contains circuitry to drive a DMA channel for communication with the disk controller and for the Onyx special, the Memory Management Controller, which extends the Z8002's address range from 64 kbytes to 1 Mbyte via a mapping system (based on a 2 kbyte page) which effectively generates a 20-bit address. In addition, this device makes it possible to maintain separate program and data areas for each process, each area being addressable up to the maximum 64 k. This represents an improvement over many 16-bit minis where the 64k limit must include both instructions and data.

The memory modules are each composed of four 64k banks of 4116s (16k dynamic RAMs) together with refresh hardware and parity checking. The cards supplied filled the cabinet, although, according to Francis Kelly of Keen Computers, systems with 1 Mbyte (ie two additional cards) would be supplied fitted with a larger top cover which allows more room.

The mass-storage controller on the fourth board incorporates a Z80A processor with 64 kbytes of memory. Some of the memory is used to hold the software necessary to control the disk and tape hardware and the rest is used as a disk sector cache. Frequently accessed sectors will not initiate any disk-seek activity as they will still be left in this memory from the last access. Transfer is from disk memory to main memory via the 8-bit DMA channel. The controller is capable of supporting a total of eight disk drives (10 Mbyte, 18 Mbyte or 40 Mbyte). However, the system as a whole cannot support more than one controller so that there is no likelihood of improving efficiency by separating filestore from paging memory.

The disk drive on the review machine was the IMI 7710 Winchester with a capacity of 10 Mbytes when formatted and which is also used in the Corvus sub-system and the Cromemco Z2H. The special Winchester read/write heads together with the two actual disks (providing three data surfaces or 350 data cylinders, depending on which direction you look) are enclosed in a sealed, contamination-free clear plastic

container. The specification claims zero preventative maintenance and a half-hour repair time, which sounds as though they just throw away the broken unit and stick a new one in. Mean access time is rated at 50 ms.

A magnetic tape drive is built into the Onyx to enable an external backup. The 4 x 6 x 3/4in cartridges are inserted through a slot in the front panel of the cabinet and have a capacity of about 12 Mbytes. An entire 10 Mbyte disk can be dumped in about 15 minutes. Alternatively, it is possible to transfer individual named files from disk to tape and vice versa so that any given user can, on a multi-user system, maintain a personal backup cartridge. Finally, the operating system can be loaded from tape.

During the time we had the review machine a number of different terminals were attached (without any difficulty) to the system, including our own ADDS Regent 25 and Cossor Units and as well as Hazeltines and ITTs at Queen Mary College. Keen Computers supplied an Ann Arbor Ambassador as the console device. Unfortunately, with such an exciting computer at the other end we didn't have much time to investigate the facilities offered by this intelligent (Z80A controlled) terminal. Physically it features a 15in P39 phosphor non-glare screen with a detachable (up to 4ft) 94-key keyboard divided up into a qwerty area, an editing/numeric key pad (programmable) and a programmable 12-key top row (24 functions via the shift key). The display screen provides 60 lines of 80 characters. This gives a pretty cramped screen of smallish characters but the line count can be decreased by the operator down to a minimum of 18 lines of correspondingly larger characters. In fact 30 lines was a perfectly comfortable compromise.

A 'Setup Mode' can be invoked within which all terminal-type functions such as baud rate and scrolling/paging can be defined. Once these specifications are made the information is stored in RAM which is maintained by battery when the terminal is switched off so that it doesn't have to be reset every time it is used. In addition, it is possible to define a window anywhere on the screen and to restrict operator access to this region; further, you can define fields (in 'form-filling' mode) within which operator entry may be forbidden, curtailed (eg numeric only), formatted (eg right-justified), or hidden (eg passwords). Such fields may be selectively transmitted to (or omitted from transmission) to the host machine or to a printer.

Software

On completion of the boot-up procedure, the console will have to be placed within the Onix operating system. Since none of the other terminals will be 'live' at this point, the console is in single-user mode, useful for certain operations (eg, backing up the disk) when it would be dangerous or a nuisance to have other users on the system. As soon as the console is logged out (Ctrl-D), the multi-user Onix system boots in, enabling all attached terminals for logging in. Onix is the Onyx implementation of Unix V7. It would seem to be appropriate to try to give some idea of what the system feels like, particularly for readers accustomed

**Comart Approved
Dealers**

Belfast

O & M Systems
95 Dublin Road
Tel: 0232 49440

Birmingham

Byteshop Computerland Ltd
94/96 Hurst St, B5 4TD
Tel: 021 622 7149

Cambridge

Cambridge Computer Stores
1 Emmanuel St, CB1 1NE
Tel: 0223 68155

Cornwall

Benchmark Computer
Systems Ltd
Tremena Manor
Tremena Road
St Austell, PL25 5GG
Tel: 0726 610000

Dublin

Lendac Data Systems Ltd
8 Dawson St
Tel: 0001 372052

Glasgow

Byteshop Computerland Ltd
Magnet House
61 Waterloo St, G2 7BP
Tel: 041 221 7409

Leeds

Holdene Ltd
Manchester Unity House
11/12 Rampart Road
Woodhouse St
Tel: 0532 459459

London

Byteshop Computerland Ltd
324 Euston Road
London W1
Tel: 01-387 0505

Digitus
9 Macklin Street
Covent Garden WC2
Tel: 01 405 6761

Jarrogate
67 Tulseimere Road,
West Norwood,
London SE17
Tel: 01-670 3674

Manchester

Byteshop Computerland Ltd
11 Gateway House
Piccadilly Station Approach
Tel: 061 236 4737

NSC Computers
29 Hanging Ditch
Tel: 061 832 2269

Newbury

Newbear Computing Store
40 Bartholomew St
Tel: 0635 30505

Nottingham

Byteshop Computerland Ltd
92A Upper Parliament St,
NG1 6LF
Tel: 0602 40576

Sheffield

Hallam Computer Systems
451 Eccleshall Road, S11 9PN
Tel: 0742 663125

Southampton

Xitan Systems
23 Cumberland Place,
SO1 2BB
Tel: 0703 38740

Sudbury

Eurotec Consultants
Holbrook Hall
Little Walsingham
Tel: 0206 262319

Waricks

Business & Leisure
Microcomputers
16 The Square
Kenilworth
Tel: 0926 512127

Watford

Lux Computer Services
108 The Parade
High Street
Watford WD11 2AW
Tel: 0923 29513

Comart Microcomputer dealers
are located strategically
throughout the country to give
support, guidance and
assistance. In the event of
difficulty contact Comart direct.

comart communicator

The clean simplicity outside...



...conceals the pedigree inside.

Comart's CP100 Communicator is the new British designed, British made Microcomputer from Comart. It is the result of a carefully conceived development programme. It exploits Comart's first hand experience of the British computer market, and their growing strength as a manufacturer.

CP100 is the first of a new generation of flexible, expandable micros specifically developed to suit British operating conditions and communication requirements.

The clean lines outside, conceal the power within; its S-100 bus means wide ranging peripheral support, and simple after sales care. And, that's not all. Communicator is built to keep your future options open. It's ready for Prestel, asynchronous, and synchronous operation. It has expandable memory capability and yet it's price competitive as a stand-alone system with its CP/MTM operating system, and support software.

Find out more about Communicator today.

The U.K. Leaders in Microcomputer
Development, Application and Support.

comart

St Neots HUNTINGDON Cambs PE19 2AF
Tel (0480) 215005 Telex: 32514 Comart G.

to a single-user system. (A fuller description appears in a separate Unix article in this issue).

In response to the 'login:' prompt, the user is required to type a directory name followed (after another prompt) by a password which is not echoed on the screen. The directory name refers to the user's own file space and the password guarantees the user privacy of access. After logging in, the command 'ls' will produce a list of all the entries in the directory. These entries may be the names of files containing programs, or data, or text, or the names of other subsidiary directories. In fact, the user's own directory name is simply another entry in some higher-level directory so that the entire file-structure is a massive tree-like hierarchy stemming from a ROOT directory. (This is the directory the console is logged into after booting up.) For security reasons it is possible for users to prohibit access by other users to one or more of their files, the access attributes of a file defining whether or not it is readable, writeable and executable. An executable process (including 'system' processes such as editors, translators and utilities) can be initiated simply by typing its name; two or more processes can, in one command, be initiated for sequential or parallel execution and a file containing a series of commands can be created, made executable and run. Finally, no practical distinction is drawn between I/O devices and disk files (eg the Serial Line Printer is a 'write-only' file called 'slp').

The question is: Is Onix really Unix? We decided that, since every reference on the screen is actually to 'Unix' rather than 'Onix', it must be, but then wondered how successfully Unix had migrated from its birthplace in the PDP architecture. This is not such an easy question to answer so we sought the assistance of the Computer Systems Laboratory at Queen Mary College. This unit, under Professor George Colouris, runs a network of three PDP11s, all running under Unix, and has developed a quantity of software, including some for computer-to-computer communications. The Onyx was linked into this network with no difficulty and communications established. With the 11/34 behaving as a terminal, a small C program was typed into the Onyx. This was compiled with the Z8000 C compiler and then used to handle the hand-shaking while a much larger program (a QMC editor) was transferred at a much higher speed.

C is a high-level system language in which almost the entire Unix operating system is written. It has specially convenient data-types for system work and, because it is a high-level language, it is fairly easy to use. It is thus a straightforward matter to modify or adapt Unix to specialised applications. To transfer Unix to a new machine one needs a C compiler that will generate the machine code of the target system and a few device-specific handlers. The whole operating system can then be compiled like a normal program and executed on the new system.

However, there are bound to be a few chinks in software which has migrated in this way. For instance, at run-time, the little communications program flagged an OVERFLOW error which seems to have been caused by the

Z8000 C compiler allocating register space more economically than its PDP 11 counterpart (ie, an 8-bit register). There were no such problems with the (much larger) editor so we must assume that portability from the PDP will be fairly straightforward — and, of course, this sort of problem would not arise with anything developed on the Onyx itself. We were able to crash the system by creating absurdly large arrays — not very nice in a multi-user environment. More serious was the fact that the system could be crashed by omitting the EXIT instruction from a C program. The compiler really should be able to pick up faulty syntax of this kind.

Other software on the system included a Pascal compiler (based on the UCSD system but without GET or PUT) which generates native Z8000 code rather than p-code, and a special Z8000 implementation of adb (the Unix assembler/debugger). Apart from these, most of the system routines and facilities seemed to be direct recompilations of the PDP originals, as described above. These included bc and dc, the Unix desk calculator programs and nroff and eqn, the Unix text-formatting packages. There was a slight feeling of fragility about the system (the occasional unexpected occurrence or unusual error message) as though not all utilities had been completely tested. As the software matures, however, we can expect this to fade and certainly the new (forthcoming) releases promise to incorporate more of the features which make up the 'standard' Unix system, including:

- access to the floating-point hardware;
- f77, the Fortran '77 compiler;
- Basic, apparently a special Z8000 version of Microsoft;
- Cobol ANSI '74, level 2 with multi-key ISAM;
- UUCP communication software, the Bell equivalent of the QMC routines which we used.
- a screen-oriented editor;
- the GAMES package, SPELL & CRON;
- Codasyl DBMS (Microseed);
- the portable C compiler.

The Pascal compiler, which was not supported by any documentation, was slightly slower than we had expected. In addition, on one trial we hit a series of run-time errors which, when corrected, revealed a batch of unrelated but previously unflagged compile-time errors. It is difficult to be certain about the mechanism which gives rise to this phenomenon but it is clearly undesirable for compile-time errors to be masked in this fashion.

Overall, however, we were impressed with the power and flexibility of Unix and with the fidelity of the Onix implementation, as far as it has gone. Our thanks to the Computer Systems people at Queen Mary College for their enthusiasm and instructive help.

Timings

Unix provides a program called TIME which can be run in association with a specific process and with which most of the figures given below were obtained. When a process has finished, TIME provides three figures:

Real — elapsed time measured on the system clock (rounded to the nearest second);

User — time actually spent executing the program. (When we ran the same job several times simultaneously, this produced a wide variation in results so we think it needs attention before it will be accurate.);

System — time spent obeying system calls initiated by the program.

In fact, TIME samples the processor every 60th of a second in order to discover which process is actually running at that instant, so that the figures given for user and system are 'statistically' accurate rather than 'absolutely' accurate, as one would expect with stopwatch timings. There is a certain amount of system time required regardless of the number of tasks being executed so when the system was run as a single user system the sum of the user and system time was a smaller percentage of the real time than when several tasks are run. (Similar system overheads built up when a large number of jobs were run.) Real is taken off the system clock and is slightly longer than a stopwatch timing since TIME itself is a program that is running during the interval that the process is being timed.

As a final caveat, it would be unreasonable to expect identical timings for two runs of the same job, even in single-user state, owing to the system activity inherent in managing a large block of memory (paging) and an even larger backing store (disk access is optimised through a very large buffer). Nevertheless, we felt that the figures obtained under the 'real' heading were sufficiently meaningful, particularly as a basis of comparison one with another, to be worth recording here.

The first tests to be run were the multi-user tests described in a previous article. Test 1 is designed to tie up the processor (it is Basic Benchmark 7 translated into Pascal) while Test 2 is an I/O test (listing the character set onto the terminal 100 times). Tests 3 and 4 write and read records to and from the disk. Test 3 opens and closes the file between each access while Test 4 simply opens the file once to write and once to read. All tests are run with one, two, three and then four users, the idea being to measure the effects of increasing usage on the system. Only (the longest) real timings are shown, since it is the effect on actual time elapsed which is being sought.

As was expected, system overheads accounted for most of the time on the processor test so that the four processes took markedly less than 4 x 1 process would. For the I/O test, we unfortunately had to use two terminals at 9600 baud and two at 2400 (all we had). The timings show, though, that this job was completely limited by the terminal speeds (that is, sending characters to four terminals is no slower than sending to one). By comparing the figures for tests 3 and 4 it is possible to get some idea of the weight of system calls necessary to open and close the diskfile between accesses although these tests did not seriously test the file I/O owing to the size of the disk buffer (64k) compared to the file size (12.8k). Overall, however, although these tests were probably not as successful (or stressful to the system) as we would have liked, it is probably true to say that the system can cope very well with four users at the level

of activity indicated by the tests and that no catastrophic loss in response time occurs at this loading.

We felt the need to push the system quite a bit harder by increasing both the loading and the number of users. Compiling a Pascal program seemed to place pressure on the system and so, for this test, we decided to compile the first multi-user test. Compiling makes ample use both of the processor and of disk accesses and should therefore provide a realistic loading.

As the figures show, the system seemed to cope best at about four users and still offered good response up to six users. After that, response drops off badly as the system struggles to meet all the demands made on it, spending more time moving code backwards and forward from the disk and correspondingly less time on the user programs. (The ultimate catastrophe, known as 'thrashing' would occur when all its time is spent on these disk transfers.) As it is, with eight users executing programs on the system, a 40-second compilation would take nearly ten minutes to complete. (Timings would have been even worse if the users were compiling different language source code as all the compilers are re-entrant, so on our test only one copy of the Pascal compiler was being used.)

While we had the review system in our possession, we were fortunate to be able to link it into a network of PDP11s, all running under Unix in the Computer Systems Laboratory at Queen Mary College. We were able to compare its performance, in single user mode, against that of a PDP11/34 (also single user) with 192 kbyte of memory (in single user mode the amount of memory is irrelevant) and a massive 132 Mbyte Winchester disk system. These tests were devised by the QMC Computer Systems Laboratory and were written in C. The first one was designed to tie up the processor by initialising a 10000 element array 100 times while the second listed a large file to the terminal using the NROFF text formatter (an I/O test). The final one wrote single characters into a large disk file and then read them back. Everyone was surprised at how well the Onyx performed against the pricier 11/34, especially in the I/O test. The 11/34 seems to beat the Onyx when accessing disks, as is shown in the 'system' times.

Finally, the Pascal Benchmarks were run on the Onyx in single-user mode but without the 'arithmetic' tests (MATHS, REALARITHMETIC, REAL-ALGEBRA), owing to the absence of floating point facilities. The figures from TIME varied quite a bit between runs and, since we felt it was unfair to compare these, which included the TIME overhead and went from load to completion against those of other machines which went from S to E, we ran the whole lot through again with a stopwatch.

As expected, the stopwatch timings are all below the figures from TIME, although the differences varied more than we would have liked. The compiler produced Z8000 object code. When these figures are compared with those obtained for OMSI Pascal running on a PDP11/04, a slower processor, it seems that there is scope for a more efficient compiler.

Potential

There seem to be two major areas where the Onyx can make an impression. The first is probably in educational institutions both for teaching programming and computer systems and as a research tool. Unix provides a good development environment for programmers and an especially gentle entry into the arcane world of systems programming. With a sound implementation of Pascal, Fortran, Basic and Cobol, the system should adequately provide for high-level programming teaching regardless of the programming philosophy adopted. However, the absence of a backplane rather rules out specialised hardware-dependent laboratory or control applications.

The second area should be small scale commercial software houses. Facilities exist within Unix for the creation of highly effective turnkey systems and when Microsoft's Bascom is implemented, commercial development work could take place on the Onyx and the finished software downloaded for distribution on single and multi-user micros. Moving in the other direction, with a fairly extensive Cobol compiler, a relational database and good networking facilities (all promised), mainframe-scale development work could be undertaken. In either case, the size and scope of the Onyx system seem well suited to offer a flexible environment for a wide range of commercial applications. In addition, since little of this type of application software exists at present, there is the opportunity to establish an early footing in what could turn out to be a rapidly expanding software market.

Documentation

The review machine was accompanied by three large Unix manuals, draft copies of the Onyx C8002 User's Guide and Software Release Notice and user manuals for the Ann Arbor VDU and the Anadex printer. The Unix manuals are the standard Bell labs set — The Programmer's Manual and the two-volume Supplementary Documents. This material is also supplied on the system — a good idea since software updates can incorporate amendments to the documentation and, in addition, the user can reproduce as many copies as required. Onyx doesn't seem to have taken advantage since there are still references to PDP 11s within the text. The first manual is divided into eight sections: Commands; System calls; Subroutines; Special files; File formats and conventions; Games; Macro packages and language conventions and Maintenance. Each section describes every program pertaining to that section so there is a certain element of repetition in the descriptions. There is also a great deal of cross-referencing but, since 'the obvious is often left unsaid in favour of brevity,' this makes the manual hard to use unless one adopts a scholarly approach and makes intense use of the index which accompanies the text.

In contrast, the supplementary text contains 38 essays and tutorials on a variety of topics (Unix for beginners, The editor, The C language, etc). These are carefully and clearly written and an excellent way of learning about Unix for anyone willing to submit

themselves to the 'tutorial' discipline and pace. For reference purposes though, it's a pity there isn't something between the exhaustive tutorials and the laconic Programmer's Manual.

The 33-page draft C8002 User's Guide describes how to install and run a C8002, but too superficially to be really useful to anyone who needs more than straightforward 'operator knowledge' about the system. There really is a need for a more detailed description of the system and its procedures. The seven-page Software Release Notice simply lists the software available and repeats the tape-loading sequence found in the User's Guide. There was no Pascal manual at all.

Expansion

The minium system configured for four users comes with 256 kbytes of memory, the 10 Mbyte Winchester and magnetic tape backup. The system can be expanded to an eight-user system with up to eight 40 Mbyte drives and 1 Mbyte of memory (according to Keen — the sales literature says the top memory is 1/2 Mbyte). It would probably be unwise to think in terms of eight heavy users on the full complement of disk drives, particularly with the 4 MHz processor and comparatively slow (only one controller) disk system.

On the software side, there is the hope that the vast and ever-increasing quantity of PDP originated Unix software will migrate quite happily onto the Onyx C8002.

Prices

Now for the bad news — the Onyx system is totally unbundled. Thus the review system was priced at £19,060 plus VAT, which breaks down as follows:

C8002/512/10Mb	£13,700
Onix/8	£2300
C Compiler	£550
Pascal Compiler	£550
Onix Manuals	£70
Ann Arbor Ambassador VUD	£995
Anadex 9500	£895
Total:	£19,060
Other prices quoted by Keen are:	
Four user systems:	
C8002/256k/10Mb	£11,800
C8002/256k/18Mb	£13,050
Onix/4	£1400
Eight user systems:	
C8002/512k/18Mb	£14,950
Add-on hardware:	
10Mb add-on disk	£3300
18Mb add-on disk	£4450
256kb memory board	£2400
Additional software:	
Microsoft Z8000 Basic	£375
CBasic II Compiler	£150
Fortran IV	£475
RM Cobol	£550
Bysync Comm Package	£475

We have stated that the Onyx C8002 competes in the traditional minicomputer market and it is interesting to see how competitive it is. The closest match we could find (to the bottom of the range) was a Comma Hawk (PDP11/23 with 256k, 5Mb fixed, 5Mb removable) four user system for £10,200. This price doesn't include the Unix licence (free for educational users,

\$20,000 for commercial users) and so is only worth considering in an educational environment.


Conclusion

Did we like it? Definitely — it was exciting to have such compressed computing power humming away in the front room throughout Christmas and New Year but then all we had to pay for was the electricity. For those who must pay more for their programming pleasures there are other considerations. The hardware seems reasonably reliable — occasionally it took two goes to boot in — but Keen Computers remedied the only real problem we encountered — a memory failure, probably due to lugging the system about too much — with commendable rapidity. The software is a bit limited at present but this should expand and improve in quality and the PDP Unix software is obtainable (not to say available). The Z8000 assembler is a software plus and the current lack of floating point facilities a definite minus.

With the forthcoming crop of multi-user systems, we are likely to face uncertainties similar to those which abounded in the early days of eight-bit micros. In this context, Onyx seems a good bet because it seems to have selected the correct processor to guarantee early production and to have adopted sensible software. It is difficult to know when the expansion limit of 1 Mbyte of main memory, eight Winchester all on one controller and no proper backplane, will become a handicap — that really depends on what configurations the other designers can come up with.

For the educational user, the facilities offered are slightly greater than those available on a PDP 11/23 — only 64 kbytes of user memory (for program and data) and 256 kbytes memory in toto — but a less flexible range of disk-drives and a higher price-tag. For the commercial user the promised software (Cobol '74, Fortran '77, DBMS and BASCOM) should prove superb tools for giving a competitive edge to production software provided these arrive before the competition can get their systems to the market. For the Unix enthusiast, Onyx will supply the sources for the device-drivers and those parts of the system for which any licence-holder can show a need.

It would be misleading to end on anything but a positive note... therefore, it is a pleasure to welcome the first of the supermicros into the British computing arena.



TECHNICAL SPECIFICATION

CPU:	Z8002 4 MHz, ZBOA 4 MHz on mass memory controller board
Memory:	256k to 1 Mb dynamic RAM and 64k dynamic RAM on mass memory controller board
Keyboard:	94 keys including numeric, cursor and function keys
Screen:	18 to 60 lines of 80 characters
Printer:	Anadex 9500
Cassette:	4 track 3M DC300 type 12Mb
Disk Drives:	1—8 Winchester Drives 10Mb, 18Mb or 40Mb
Ports:	10 serial, 1 parallel (16 lines bidirectional)
System Software:	Unix Version 7
Languages:	Z8000 Assembler, C and UCSD Pascal Basic, Cobol and Fortran 77 promised

Pascal Benchmarks

Benchmark	Real (from TIME)	Stopwatch
magnifier	1	0.5
forloop	7	6.1
whileloop	6	5.9
repeatloop	7	5.4
literalassign	8	6.7
memoryaccess	8	6.9
vector	24	22.7
equalif	10	9.9
unequalif	10	9.9
noparameters	8	7.4
value	9	8.0
reference	8	7.9

		PDP11/34	ONYX C8002
Processor	Real	27	22
	User	22.2	17.6
	System	0.3	0.1
I/O	Real	137	58
	User	73	35
	System	5	10
Disk	Real	723	770
	User	16	9
	System	533	622

Timed against a PDP11/34 with
96Kword and a 132 Mbyte
Winchester drive

Multi-User Tests

Users	1	2	3	4
Test 1	3	4	5	6
Test 2	32	32	63	65
Test 3	19	32	47	63
Test 4	12	21	31	40

Compiling a small Pascal program

Users	1	2	3	4	5
Time	40	68	105	114	157

Users 6 7 8

Time 237 392 582

Better than Adventure?

We reckon that CATACOMBS, our latest game in the Adventure mould, is better than the original! You'll need a 16 or 32k PET with disks to find out if we're right - and £27.

Also for disk owners we've two new games collections, each of six programs on one disk - BRAIN TEASERS (£15) and GAMES PLUS (£12). On a more serious note there's DISK APPEND and DISK MERGE at £15 each, and for £22 MASTER DIRECTORY is a powerful package that will keep track of all your disk files. We are official WORDPRO and VISICALC dealers and we can also offer KRAM for £59!

There are dozens of great PET programs in our free 1981 Catalogue, together with supplies and some nifty gadgets - like the KL-4M four-part harmony music board which comes complete with the excellent VISIBLE MUSIC MONITOR for £34. Also from the States we've PAPERMATE, a really versatile word processor that does everything that most people will ever want - for £25 on tape or disk!

We've the TOOLKIT at £29 (Basic 4 £34), and for £45 you can choose between PIC-CHIP and SUPERCHIP (now also available for Basic 4). Short of sockets? Then we can offer both in one 4k chip for £90. If you've still got OLD ROMs then how about the OLD ROM PACKAGE - Toolkit, Superchip, and extension board for £75, the price you could have paid for Toolkit alone until recently.

From plug-ins to a plug-on, the PRESTO DIGITIZER, at a Supersoft price of just £18, saving you £24! Back to software with PEP, or PET ENHANCEMENT PACKAGE. For £25 you get a double-density PLOT command, computed GOTO and GOSUB, INPUT with timeout and many more original features. If you fancy writing your own machine code, we have MIKRO and MAKRO assemblers at £50 each.

SUPERSOFT

POST FREE - ADD 15% VAT TO ALL PRICES

28 Burwood Avenue - Pinner - Middlesex 01-866 3326

NEWSFLASH

AN INEXPENSIVE NEW DATA STORAGE DEVICE FOR THE NASCOM IS HERE AT LAST!.....

For under £325 you get a TWO drive expansion for your computer. The full kit includes two mini-cassette drives, interface board, firmware, cables, manual, etc. Two mini-cassettes also included.

Also...

Philips Mini-Cassette (MDCR20) drives... £83.00 Serial Interface Checker/Faker (I/O Tester)... £86.00
Serial RS232C to Centronics Parallel Interface Adapters... from £50-90 All prices exclude V.A.T.

C.I.E.L. are interested in your designs. Excellent rates for any professional hardware or software.

Send s.a.e. for more details and price list to;

Computer Interfacing & Equipment Limited.

46, Moredun Park Gardens, Edinburgh, EH17.

Tel. Edinburgh (031)664 3877, accounts or,

Glasgow (041)221 3399 Sales & Technical Enquiries

» 5% DISCOUNT TO COMPUTER CLUBS

» DEALER ENQUIRIES WELCOME

Name	
Company	
Address	
Post Code	Tel



Rip off

Let's put the record straight, for a start. The true author of the Ski-Jump Simulation program that we published three months back was Clive Riches of Sprowston, Norwich, and not as credited at the time.

The story goes like this — four months ago 'YCW' received four programs from a reader, and very nice they were, too. One of them was subsequently published but no sooner was the issue on the newagents' stands than we got a letter from Clive.

'Oi!' he said, 'that program is mine! It's a straight steal of one I did for my A-levels, and I can prove it!'

Getting to the bottom line, Clive was right — he had been ripped off by a youth who had been able to make straight copies from disks held at Norwich Polytechnic. Not only had he copied Clive's program, but those of three other students, too! Then he simply stripped off any identifying lines and coolly submitted them to this page for publication and payment!

In the end, justice was done. The real author received payment and the thief has been blackballed, but I can't help wondering what sort of an idiot would do a thing like that in the first place.

I can imagine only two reasons: (1) the honour and glory of seeing his name in print over a published program, and (2) the money. If the first was his motivation, then the supposed honour is sour; when he proudly flashes the magazine about, *he knows* that his friends' congratulations are undeserved. If the second, then the idiot might have guessed that the original author would spot the publication and the events would take the turn that they did. Or perhaps he was simply taking a chance on it? Either way, his action was contemptible.

In point of fact, I suspect that it was money he was after, because I am told that he wants to set up in business selling software — preferably someone else's, I suppose. You could be sure that he won't be allowed to advertise in *this* magazine, but readers in the Norwich area had better look to the security of their programs!

Security

Time was when the whole society of computer users was a sort of scattered village, with everyone knowing everybody else, but one of the results of the explosion in computer use is that all sections of society can get to use them — and that means the young and the old; honest and dishonest; wise and foolish; adequate and inadequate; law-abiding and criminal. New forms of crime are enabled as fast as old ones are rendered difficult by computers. Clive Riches is only one victim among what will, without doubt, be a vast army of victims of a type of crime impossible a few years ago.

Computer users will have to come to terms with this and take what precautions they can — especially as the Law has not yet caught up with new methods of data storage. It must be recognised that storing programs on disk in a College or Polytechnic is virtually the same as leaving them lying about in a public place. This isn't much help to young folks like Clive, who are dependent upon what is provided, and college authorities must recognise that as they provide lockers for students to store books, sports gear and suchlike, so it is their duty to provide secure storage for computer data and programs. The method is easy, once the need has been recognised — students log in and are given access to a restricted number of files.

We have the technology — why are we not applying it?

There are two human failings here that I would like to draw your attention to. The first is that, because we work and study with another person, we are loath to think of them as thieves. 'Our school isn't like that!' we say, or, 'I can't believe he would do a thing like that!' That is a failing that crooks take advantage of.

The other failing is that once a school — or any individual or group of individuals — gets a reputation for harbouring crooks, it is extremely difficult to get rid of it. 'Give a dog a bad name...' That human failing is the one that dishonest people whine about the most, of course. For a school, it means that in order to undo the dishonesty of a few, thousands must labour long and hard. That is why I hate thieves and vandals so much — and why I crack down on them so hard in my own school.

Programs received

PET subroutines by Neil Stoker (16) of Gateshead. Planet Predictor by D H Matthews of Brussels. Anti-Aircraft Gun by Daniel Brown (13) of London. Space Station Alpha by Jonathan Lansdell of Wokingham. Shootout by Matthew Sargaison (11) of Berkhamsted. Mole Hunter by Carl Birks (14) of Southport.

The submission from Jonathan Lansdell was particularly interesting, although we cannot publish it. It is very long — some 19 pages — but represents not an actual program so much as an idea. At first sight, spending this much time and effort into refining an idea might seem pointless, but it isn't. With a complex notion such as Space Station Alpha, getting the idea down onto paper is a necessary first step — it's much easier to make changes at this stage than it is when you have begun to write the program, or even when flow-charting has begun.

Jonathan is also right in supposing that ideas are saleable. I once had a friend who wrote for the film industry and who earned £30 (a lot of money in those days) for an idea scribbled on the back of an envelope.

(Yes, it was eventually made into a film.)

No — the main reason that we are not publishing is because of its great length. It is also somewhere between an 'idea' and a 'program'; what the film industry would call a 'treatment'. One also suspects that when our friend comes to translate his treatment into a program, he may find that he needs more computer memory than most of us have available; a common failing with treatments.

Still — 'You Gotta Have A Dream!' — and why not?

I was also happy to get Matthew Sargaison's program. Regular readers may recall that we published a Space Defence program by Stewart Sargaison some time ago — well, Matthew is Stewart's kid brother. That's quite a computer family they've got going there in Berkhamsted; I was privileged to meet them all at the PCW Show — kids, dad, even grandad — all interested in computers. Great!

Talking of grandads reminds me: a kind old gentleman came to see me at the PCW Show to say that he thought that I was writing not only for young readers, but also (as he put it), 'the young in heart'. Thank you sir — I hope so. All the kids that I know have a very well-developed sense of what is 'fair' and will, I hope, agree with my comments about program theft.

TRS-80 L2 GRAPHICS

by Torstein Kongsheim

```
3 PRINT"INPUT SCREEN SIZE (HORIZONTAL & VERTICAL)"
4 INPUT H:INPUT V
5 H=H-1:CLS
6 B=RND(5)+1
10 FOR A=0 TO H STEP B
20 SET(A,Z)
30 NEXT A
40 Z=Z+1
45 IF Z=V,LET Z=0:GOTO 60
50 GOTO 6
60 C=RND(5)+1
70 FOR D=0 TO H STEP C
80 RESET(D,K)
90 NEXT D
100 K=K+1
110 IF K=V,LET K=0:GOTO 6
120 GOTO 60
```

TAKING THE LID OFF UNIX

All you ever wanted to know about Unix — courtesy of Chris Sadler and Sue Eisenbach.

The December 1980 issue of the American micro magazine *Byte* carried an item which commented on the number of 'Unix-like' operating systems which were being advertised. The author, Sol Libes, mentioned three: Xenix, from Microsoft, for all the 16-bit processors, OS-1 from Electrolabs and a third, for Z80s, from Morrow Designs. Had he read the advertising copy for that very issue, Sol Libes would have been able to add Cromix (from Cromemco), Uniflex (from Technical Systems Consultants), Idris (from Whitesmiths) and OS-9 from Microware. Even then he would have missed out Onix, Omnix, Tynix and Zilog's plans to sell Unix proper on its Z8000 systems.

Now, most of the above will work only on one processor or another; and some of them have been designed from scratch (incorporating Unix-like features) while others have been transferred directly (under licence) from the Bell Labs system sources, but all exist because of the high regard in which the system software community holds Unix.

Unix was developed in Bell Labs (the research and development company of AT&T) in 1969 by Ken Thompson, whose main objective was to create a hospitable environment for software development. By 1971 Thompson, who had been joined by Dennis Ritchie, had produced the first single-user version, running on PDP 7s and 9s and drawing somewhat on some of the features of Honeywell's Multics mainframe operating system which had been developed at MIT. The second version was on a PDP 11/20 while the third incorporated multi-programming and could run on the entire PDP 11/34-70 range. The fourth version could run on the Interdata 8/34 as well as a PDP. Nowadays, most installations run Version 6 on PDP 11s although Version 7 exists, running on large PDP 11s and the VAX 11/780. Apart from the new micro-versions catalogued above, Amdahl last November announced a version running on one of their mainframes.

Bell Labs is a branch in a tree of companies, the root of which is the corporation AT&T (see Figure 1). A series of legal judgements in the United States during the fifties has led to the application of major monopoly constraints (the AT&T family of companies is to be involved in communications only) to its marketing policy. This

colours almost everything about getting and implementing Unix. It appears that, although Western Electric (the marketing company of AT&T) will take your money when you buy Unix, it is not allowed to treat you like a customer. For instance, it is not allowed to advertise, there is no maintenance or support, no warranty and no trial period. The terms are strictly cash in advance and the amount paid varies from \$4000 to \$40,000, depending on who you are and what exactly you buy. For customers who only require Unix to run the products they sell, binary code should be sufficient. Western Electric allows object code to be sold for the same price as source for a second CPU. It also makes special arrangements with large software suppliers (Onyx, Microsoft) who supply object code only. Purchase price covers the licence only, the handling charge (expenses and medium) being extra. Bona-fide degree-giving educational institutions only have to pay the handling charge. The software comes on a nine-track magnetic tape with one set of manuals.

It is a comment on the quality of Unix that, even though Western is forced to treat its customers (about 2000 sites) as shoddily as this, and even though the bulk of distribution goes to educational users (65 percent), the revenue obtained from Unix is big enough to have featured in one aspect of AT&T's recent reorganisation (ie it is recognised as a significant source of income).

What's so special about Unix?

In order to discover why so much fuss has been made of this piece of software, it is necessary to look at those features which constitute any operating system and see which aspects Unix implements in a special way. Every interactive operating system incorporates at least two things — a command interpreter to decode instructions input by the user and act on them and a peripheral management system so that I/O devices, data files, and user and system programs can be located and manipulated at will. In addition, a multi-user system must have a scheduling algorithm and a file-security system in order to allocate the system resources among competing users. The first of these tries to ensure a unique share of the processing facilities

for each user while the second provides a unique share of the storage facilities.

A good operating system will have a concise and logical command format that is easy to learn and quick (and consistent) to use. In addition, the peripheral management system should make efficient use of disk space. There are many other features which are highly desirable in an operating system but it is probably best to look first at the four essentials: a command interpreter; a peripheral management system; a scheduler and a security system to deal with the extras afterwards.

The Unix command interpreter is a program called the *shell*. The basic command format for the shell is a single word (generally two letters), which will normally be the name of a particular program which performs the action commanded, eg

`$ls` (\$ is the Unix prompt)

will execute the program 'ls' whose function is to list the user's filenames on the terminal screen. Similarly, `$who`

will execute program 'who', which displays a list of all users currently on the system. Should the called program require parameters, these will be passed with the command line. The shell assumes that the user's terminal is the default input/output peripheral, although this can be easily over-ridden by means of the operators '<' and '>' such that

`$ prog > filename` (where filename may be a peripheral)

will have the effect of executing the program 'prog' and directing the output to the specified file. Likewise

`$ prog < filename`

will execute 'prog' accepting input from 'filename'. There are other operators which can be used in shell command lines and these will be discussed later.

The shell's mode of operation is quite complex. Once the required command has been interpreted and the requisite program located on the disk, a 'fork' process is initiated (any program in a state ready for or during execution, is called a 'process' in Unix). What the fork does is to create two versions of the shell, one called the parent process and the other, the child process. At this point a second program (exec) loads in the code for the child process and begins to execute it. All the information available to the parent process (ie the information about the 'environment', which terminal to talk to, which

files are accessible, etc) is inherited by the child (see Figure 2). In the meantime, the parent process is still active, although in some cases it may not have anything to do until the child process completes. For instance, any command terminated by '&' will pass control back to the shell while it is executing, so that the shell can deal with the next command in parallel. Commands separated by a ';' will be handled in sequence. This is the first hint that Unix is a clever operating system.

The filing system owes its strength to its simplicity — merely a tree-structure whose root is a directory (a list of names of other files) and whose final branches are the programs and data files of the system and the users (see Figure 3). Disks full of files, organised into subtrees, may be attached (mount-

not have write access, Unix doesn't write it back to the disk after usage); x = permission to execute a file (files created using an editor don't have this permission unless the user specifically changes a file's access rights).

Access rights are granted on three levels:

rwX rwX rwX
(owner) (group) (world)

The above describes a file which is wide-open. Utilities exist which make it possible for the user to protect files from, or to make them available to, users in his *group* (a special designation of users) or to all users.

The designers of Unix have been at great pains to make operations concise and efficient for its users, who have repaid with fierce loyalty. But Unix makes very little attempt (short of giv-

presents to the user. Some may be impressed by the power of the shell, others by the simplicity of the filing-system, but every development user will know that no off-the-shelf operating system can exactly match the particular requirements of the current programming job. The real strength of an operating system lies in its adaptability — its capacity to accept patching or rebuilding as the programming environment evolves.

Several powerful operating systems seek to meet this requirement by offering a wide variety of 'building' options. When the operating system is set up, a 'generation' program asks the user which of the available options should be built into the system. The result is a more-or-less customised system. The Unix approach is completely different.




Fig 1 Structure of AT&T




Figure 2 Fork process

ed) onto the main tree at any point. Each file (including directories) comprises a sequence of characters terminated by the end of file marker (CTRL-D). (No record structure or file headers exist.) At any given time, a logged-in user will occupy some position in the tree. Any file to which access is required will lie in a directory and the 'path' is the route taken from one point to another. Paths can be stipulated either in absolute terms (eg /usr/chris/notes) or sometimes relative terms (eg '.' means 'next highest level') in commands to the shell. Additionally, I/O devices are treated simply as entities in a directory dev so that it is straightforward to direct output to, say, a line, printer (ie, \$ file >/dev/slp where 'slp' refers to 'serial line printer'). Finally, the shell can interpret an extremely generous selection of wildcard designations so that '?' refers to any character in the sense that 'a?e' stands for 'a.e', 'ale', etc. Similarly, '[. . .]' means 'in the range' so that '[a..c]xyz' stands for 'axyz, bxyz, cxyz'. Finally * stands for 'everything' or 'any string'. So, *ing will find 'string', 'writing', 'laughing', etc. More than one wildcard can be used in a single string.

Security is dealt with by a password system. Each user logs into a named area on the file tree and must supply a password to gain access. All the passwords are held in a publicly available (at least for reading) file called 'passwd' — but in encrypted form. In addition, every file reference in a directory includes a string of bits which grant (or withhold) access rights as follows: r = permission to read; w = permission to write (if a file does




Fig 3 Directory hierarchy

ing some error diagnostics) to keep its users from making mistakes — the user is assumed to be intelligent. This is in contrast to some operating systems (particularly on mainframes) which assume their users to be button-pushing morons who must continually be stopped from doing something stupid. Nevertheless, with all the attention paid to the user, Unix does not seem to have the capacity to save the machine much work — it is known to need comparatively large amounts of memory and disk space and the scheduling algorithm is perhaps not as sophisticated as it could be. Still, if a system has to be kind to users or kind to machines, few would choose the latter.

Adaptability

The previous section attempted to give some idea of the sort of face Unix




Fig 4 The pipe



LUNAR LANDER SURPEME (16K/G/B) — classic spacecraft-landing simulation. Short, medium & long-range scans show planet surface in arving detail. Continuously updated STATUS REPORT gives vertical, horizontal & relative velocity, altitude, fuel level, G factor & surface scan for suitable landing site. 8 skill selections. Brilliant graphics £13.95

STARTREKII (32K/G/B) — enthralling, real-time version from our Invasion Earth author, using M/C code sub-routines to great effect. Special features include larger galaxy shielded homing warheads (fired by Klingons), time slots & non stop action. £13.95

INVASION EARTH (MC/G) — New improved version! 4 complexity ratings. 10 overall speeds. Variable shot speeds & alien descent rate. 4 invader types. Intelligent homing, exploding, angled, direct, multiple warhead & radio-jamming missiles. £10.95

INVASION EARTH (MC/G) — as above with SOUND EFFECTS using AY-3-8910 CHIP £12.95

"NASCOUNT" — PERSONAL FINANCE (16K/MC) — Make life simpler with this finance planner. Budget income/expenses month by month and highlight likely surpluses & deficits. Can be used to check bank account & record past income/expenses 50 entries each period. Five digit codes with analysis by code & sub-code. Calculate cumulative cash flow to specified month end. Output to cassette & printer. £12.95

CONSTELLATION (16K/B) — Turn your screen into a telescope & view the stars from any point in the Northern Hemisphere at any time & date. Display stars by magnitude, identifying number or constellation. The telescope can be raised & lowered, zoomed in & out. Also output of star map to printer.

**** NASCOM 1 — COTTIS BLANDFORD** cassette interface for N2 format, reliability & fast load. £14.50 or £11.50 with program order.

B = Nascom BASIC (State Tape BASIC if required), MC = Machine Code, G = Nascom Graphics, 8k RAM required unless otherwise stated. Ask for NAS-SYS or T4 versions.

ALL PROGRAMS SUPPLIED ON CASSETTE IN CUTS/KANSAS CITY FORMAT.

NASCOM 1 & 2

WORDEASE — WORD PROCESSOR (MC)

Professionally written 4K word processor: — 14 line window on text buffer & extensive on-screen editing facilities. Insert & delete characters, lines & paragraphs. Text manipulation — copy from one section of text to another, or read in additional material from tape to any point in the text. FIND & REPLACE facility. Text buffer size according to available memory.

Exceptional formatting capability: — commands embedded in text allow complete flexibility e.g. variable tab position, indent, line length & page length. Use of up to 10 'MACROS' permits automatic inclusion of headings, footings & other 'text repeats', & also automatic page numbering.

Output to printer — can vary character delay, inhibit line feeds & force upper case if required.

An extensive manual is supplied (itself prepared on Wordease).

(MANUAL ONLY) — £1/refundable against program order) £25.00

DRAUGHTS (B/G) — by a Country Player & member of English & American Associations, this program plays the standard E.D.A. rules & employs advanced end-game tactics. 6 levels & large clear graphics mean real value for beginners & experts. Hints/instructions included. State if games graphics ROM version required £9.95

BACKGAMMON (16K/B) — 5 levels of play are offered in this game, played to the standard rules. Program includes instructions. Available to run on its own or excellently presented using our special games graphics ROM £9.95

WRITTEN ANY PROGRAMS?

We pay handsome royalties

List of programs as follows:-

Super Startrek (16K/B) £9.95, Cowboy Shoot-out (MC/G) £6.95, Alien Labyrinth (16K/B/G) £8.95, Musical Break-out (MC/G) £6.95, Super LIFE (MC/G) £8.95, Driver (B/G) £6.95, Cliff Invasion (B/G) £8.95, Labyrinth (B/G) £6.95, Space Fighter (B/G) £7.95, Death Run (B/G) £6.95.

PROGRAM POWER
5, Wensley Road, Leeds LS7 2LX
Telephone (0532) 683186

MUSIC BOX

Now you can make music with NASCOM. Easy to follow program allows you to key in old favourites or have fun composing your own tunes. 7 octave range with staccato option, 9 tempos. Set note duration or tap in rhythm as required.

Comprehensive editing. Delete, insert or amend notes. Single-step forwards & backwards through tune. Add new lines within declared array size.

The program includes tape generating & play-back routines & is supplied with 2 demonstration melodies & instructions for connecting your Nascom to an amplifier/speaker such as our unit below.

Min.16K required — please state T4 or Nas-sys/2 or 4 MHz/with or without graphics.

Only £13.95

AUDIO INTERFACE BOARD & SPEAKER

Compact & ready assembled, suitable for use with "Music Box" & other 'sound effects' programs. 3 simple connections. Complete with instructions on programming for sounds £9.75.

AY-3-8910 SOUND CHIP

Program up to three independent channels with music & sound effects! Supplied with detailed write-up £8.50

SOUND CHIP INTERFACE BOARD — Using the PIO, program up to four sound chips at once, e.i. 12 separate programmable sounds. Each board contains an interface allowing a further board to be attached. Only simple link changes required. Connect to amplifier/speaker such as our unit above. £13.50

SOUND CHIP DEMO PROGRAM — First mode gives direct entry to chip registers, making experimentation simple & thus rapid appreciation of chip's potential. Second mode turns keyboard into 7 octave 'piano', displaying state of registers & notes (up to 3) being played. £6.95


GAMES GRAPHICS ROM

Contains graphics characters for NAS—CHESS, DRAUGHTS, BACKGAMMON, DICE & a number of other useful characters. Uses NAS-GRA ROM socket. £15.00

GAMES ROM ADAPTOR — allows switching between NAS-GRA ROM & GAMES GRAPHICS ROM £5.90

COMBINED ROM & ADAPTOR £18.90

Please add 55p/order P & P + V.A.T. @ 15%
Sae for FULL CATALOGUE (now over 50 items!)



7 NEW PROGRAMS

- Mastermind
- Reverse
- Space-Docking
- Putting
- Hangman
- Wumpus +
- Share Valuation +
- Plus Others

+ Requires more than 1K RAM

PLUS HINTS AND TIPS ON

- Program Writing
- Graphics
- Cassette Use
- Program Efficiency

PLUS REFERENCE SECTIONS ON

- Basic
- ZX80 Op Codes
- Error Codes
- Useful Subroutines

128 Pages

£4.95

Including Postage & VAT

Cassette Tape of Programs above plus book £14.95

PHIPPS ASSOCIATES 3, DOWNS AVENUE, EPSOM, SURREY. KT18 5HQ
or Telephone Epsom (03727) 21215 Quoting your Access Card Reference. No callers please.



The bulk of the operating system was written in C, a high-level system language (also developed at Bell Labs). There was a time when 'high-level' and 'system' were mutually exclusive when applied to languages. Although C is not the only such language around, it is a fairly powerful example of its kind and has the right sorts of control and data structures to make it relatively easy to set up activities at system level. It also produces very efficient run-time code. (It is said that Zilog's interest in Unix stems from its discovery that C was more efficient than PL/Z, Zilog's own 'system' language.) In addition, Unix provides a large number of routines which provide access to the system tables and other information which is essential to system programming.

Further, since the shell has very little processing capability in its own right, it relies on calls to lower-level utilities. Since the source for these utilities is written in C, it is a simple matter to modify or replace these to suit one's purposes and still make them available via the shell. Finally, Unix can migrate to foreign hardware more easily than most operating systems (which is why you are likely to see it around quite a lot) because one simply needs a good C compiler generating the required machine code and, apart from device handlers, a few hardware-specific routines and a few time-critical routines, the whole system can be built like an ordinary program.

At a higher level, the shell will execute any filename which it is supplied so that a file containing a sequence of commands can be submitted to the shell which will process them, one command at a time, as directed. This is known as 'programming the shell' and has developed some very powerful features:

1. Commands can be strung together with & or ; or on consecutive lines;
2. Parameters can be passed into dummy string variables;
3. The control structures

```
if <condition> then <action> fi
case < instance > in (<list>)< action>
;;<action> ;; .. ;; esac
for <instance> in <list> do <action>
done
while <condition> do <action> done
```

are implemented;

4. Output from one program can be directed (as input) to another program running in parallel, without requiring an intermediate datafile or explicit synchronisation, by means of the 'pipe' function (:). Thus, \$nroff <text : pr will invoke 'nroff' (see later) to process file text and output to program 'pr' (the line printer) line by line. Figure 4 illustrates this mechanism.

These facilities enable the system programmer (or anyone else who wants to spend the time) to create a custom-built environment with utilities which perform exactly the tasks required, invoked by appropriate names — eg 'chatty' Unix would have a file 'remove' which contained the single (standard) Unix command rm followed by \$1, a dummy string variable for the filename; alternatively CP/M could be emulated by calling this file ERA. In fact, it is even possible to replace the entire shell (in its role as the place which users log into) so that users find themselves in a special environment (turnkey, or dedicated to one function).

For the most part, however, pro-

grammers will be happy to accept the bulk of the Unix environment as they find it, as it contains a broad range of system facilities. The Unix ethos distinguishes between: 'commands' which are utilities directly available for invocation at the terminal, like editors & compilers; 'subroutines', which are self-contained segments of code available to users within their programs; and 'system calls' which are far from self-contained, burrowing into the inner workings of Unix itself to achieve some system function like accessing a file or loading and executing a program. Both commands and subroutines can and do make implicit use of system calls, but Unix is especially flexible in making the naked system calls so easily available to the general user.

Commands

Standard Unix comes with ed which is a fairly ordinary line-oriented editor with a few irritating features (eg no prompt at the beginning of each command line). Anyone in this country either has, or should, be able to get hold of em (an improved line-oriented editor or, better still, ded (a screen-oriented editor) — both emanating from Queen Mary College, London University. One unusual feature of these editors is that it is possible to pass commands out to the shell from within the editor.

There is a C compiler, obviously, as it's the father of the Unix system in the sense that everything else sprang from the digital equivalent of its loins. A utility called lint will accept a C source program and perform 'strong' type-checking and a number of other checks (presumably the actual compiler is a bit sloppy about these things, probably to cut down on compile-time). Developers are advised to use lint on all completed programs, particularly those which may have to travel (see Onyx review). Alternatively, there is a portable C compiler which should aid in producing less troublesome transfers.

There is a Fortran compiler and in version 7 this is the full (structured) Fortran 77 implementation called f77. The Unix approach to Fortran is somewhat mixed — rumour has it that the first Fortran IV compiler was produced in a fortnight for a bet! Any language deserves more respect than that. And yet there is Ratfor — the structured preprocessor for Fortran which lies at the heart of 'Software Tools' — yet another Bell Labs development. Under Unix, Fortran programmers are encouraged to write their programs in Ratfor. Failing that however there is struct which will convert a Fortran program into a Ratfor one. This is then fed to the Ratfor preprocessor which produces another Fortran program for onward transmission to f77.

The standard Pascal compiler under Unix is Tanenbaum's 'Amsterdam' Pascal which generates a pseudocode (not p-code) with great efficiency and some thorough error checking. It is also possible to compile directly into native PDPP11 machine code (assuming you have a PDP11). This is a longer process but produces faster code since the pseudo-code interpretation phase is eliminated. On the Onyx, the UCSD Pascal compiler was used. For both of these, the compiler outputs to a fixed-name file (typically a.out) from which the user is expected to extract the

object file. This could be a great nuisance during heavy program development.

Other offerings under Unix include APL, Lisp, BCPL (an ancestor of C), ALGO68s (from Manitoba) and POP-11 (from Sussex).

There is a wide range of development tools including:

- yacc (for 'yet another compiler compiler') and lex (a lexical analyser), for building your own compiler or cross-assembler;
- make for maintaining (ie making global amendments to and then re-compiling) a suite of (usually interlocked) programs;
- adf a debugger featuring core-dumps, breakpoint execution etc;
- ld (for 'loader'), a link loader which enables the assembly of collections of self contained object-modules into something executable;
- ar (for 'archive'), a library creation and manipulation package, and
- as an elementary assembler.

Text-handling is a part of the *raison d'être* for the entire Unix project at Bell, so there is an unusually large range of programs which transfer, format and otherwise manipulate text files. Chief among these are nroff and troff which can detect formatting commands embedded in text-files and implement these on a line-printer or phototypesetter respectively. In addition, however, there are egm, which enables the user to insert mathematical equations into text — tbl, which offers the same facilities with tabular formats — spell — which will check the spelling of every word in the text-file against 30,000 (American) English words (this will only be valuable in this country when the project to Anglicise all these words has been completed) and a large number of smaller-scale programs which search, sort, count and otherwise manipulate the words and letters in text-files. Finally, pr and cat handle the output of these files onto the printer or terminal.

There are programs to pass messages from one user to another, whether the recipient is currently logged-in or not. There are other programs which permit (and control) communications between different Unix systems, interconnected in some way.


Finally, there are all the 'extra' programs such as a games package which includes chess (another Bell speciality), Othello, Blackjack and Moo (numerical Mastermind). The program learn accepts input in programmed-learning format and uses this to control 'lessons', there being six such files to introduce the new user to Unix. Unfortunately the feedback mechanism is not sufficiently sensitive for this program to be a particularly powerful educational tool. There are a pair of 'desk calculator' programs, dc which provides immediate mode, Polish notation arbitrary precision arithmetic capabilities and bc which is simply a pre-processor which allows one to pass input to dc by means of C-type syntax.

Conclusion

Many of the features described here deserve more attention than we have been able to give them and there are many other useful or interesting features which we could have discussed,

GOTO page 146

Clearly ahead of its time.



Line Printer



Matrix Printer



Ink Jet Printer



Qume's Sprint 5

When you buy what is regarded as the best daisywheel printer terminal in the world - the Qume Sprint 5 - you expect a backup service to match. ISG Data Sales Ltd., your official UK distributor of Qume terminals, provide just that:-

- On-site installation, commissioning, service and maintenance by our own trained engineers.
- Fast response to service calls
- Maintenance contracts
- Ex-stock delivery of Qume terminals, accessories and supplies
- Purchasing or leasing options
- THE MOST COMPETITIVE PRICES AROUND.

The Qume Sprint 5 offers:-

- Letter perfect printing at 45 or 55 cps.
- Over 50 different type styles including APL, scientific symbols and international character sets
- Smart microprocessor utilisation for powerful flexibility
- 43 Qume-defined commands for operator control
- Convenient switch selectable functions on front panel
- Built-in diagnostics
- Serial or parallel interface
- MultiColor ribbons

If you want to be ahead of your time, ask for Qume - from ISG Data Sales, your official UK distributor

Qume®
AUTHORISED
DISTRIBUTOR

isg data sales ltd

Fairacres Estate, Unit 9,
Dedworth Road, Windsor, Berkshire.

Telephone: Windsor (07535) 57955
Telex: 849110.

SECRETS OF SYSTEMS ANALYSIS

PART 7: THE FIRST STAGE IN SPECIFYING A PROGRAM

Lyn Antill continues her series aimed at bridging the gap between the micro expert and the would-be user.

So far in the series we've looked at the need for systems analysis, the means of analysing the user's requirements and at the way in which a buyer can go about looking for hardware and software. All these jobs can be done by someone who didn't know anything about computers when he started, because they rely so much on knowing what the micro is going to be used for. The user is the one who knows about the job that is going to be done on the micro. If he can put that knowledge in terms of requirements that the computer people can understand and if he can ask the right questions about the systems he is offered, then he can make a sensible choice of system. At least he can if there is a system on sale which meets his requirements.

If you have not managed to find a suitable program package and a machine to run it, and if you still feel that a microcomputer system is going to be the best solution for your problems, then you have to start breaking new ground. You will have to write your own program, or get someone else to write one for you. One thing that you have to accept before you embark on such an enterprise is that it will not provide you with a quick solution to anything (except, perhaps, for the problem of how to use all that spare time and cash you didn't know what to do with!). In other words, writing a program takes time, and having a program written for you takes time and costs money, and it's only justified if it saves you more of both in the long run.

Specifying a program is probably the most difficult part of systems analysis for the non-programmer to come to terms with. Indeed, many people who are good programmers themselves would find it very difficult to write a specification for someone else to program from. All sorts of information has to be communicated to the programmer. Some of it is straightforward. Some aspects may be difficult but still perfectly clear-cut, eg, calculating PAYE, where, even though the rules are complicated, there is a standard way of doing things and knowing whether the answer is correct. Unfortunately, there are also areas where there are no rules and where people have relied on their common sense to decide how the work should be done. Obviously computers do not have common sense so the work must be spelled out in detail if it is to be programmed. If you leave it to the programmer to do this you may well

find that his view of common sense does not agree with yours, or that he simply does not allow for the odd-ball situations that you know keep cropping up. Another thing which has to be communicated is the sequence in which different tasks have to be done, especially the occasional jobs like end of month and end of year.

Because there is so much information involved in a computer program specification, this is one area that has been thoroughly investigated by the NCC, and most of their forms are devoted to various aspects of program specification. There is so much involved, and it is so important to get it right, that I will be spreading the subject of specifying a program over two months.

What machine are you writing for ?

As well as deciding who is going to write the program, you need to decide what machine you are going to buy. There is more freedom of choice here because there is not the problem of teaming it up with an existing program package. Before you decide, you should have worked out what constraints your program is going to make on the choice — what memory; does it need a full size screen; graphics; disks? You will want to choose a programmer who is familiar with the machine (or a machine your programmer is familiar with) and the particular features of the machine will have to be borne in mind when designing the programs.

It's a toss-up just how soon to buy the machine. You don't want to part with all that money before you have to, but then you don't want to find that deliveries are late and your programmer is twiddling his thumbs in your time. So, once you've decided on a machine, you need to check out two things — how long it will take to get one delivered (and functional), and how long it will take to get hold of a programmer and get him to the stage of sitting down at the machine. If you're thinking of writing the programs yourself, get hold of a machine as soon as possible, because it always takes longer than you think it will to learn your way around the machine and the language. This means that the more time you have to spend on playing around the better. It also means that you have more time to ask questions about all the snags you're bound to hit as you try to find your way through the manual.

Who's going to write the program?

Before looking at the job of writing a specification, I would like to look at the question of who is going to use that specification. This is because you can get away with less formality if the program is to be written by you or someone close to you. Many teachers of systems analysis would regard that statement as a heresy and would point out the danger that the lack of formality may hide a lack of clear thinking that would lead to disaster later on — and, of course, that danger does exist. Nevertheless, it is clear that good programs are sometimes written from informal specifications by people who know what they're doing. The important part is to specify the overall pattern correctly, the skeleton, or, more properly, the structure. If the structure has been laid down clearly, then an informal specification can afford to be sketchy about the details, eg, 'prepare invoice' is a perfectly good instruction to someone familiar with the way you prepare your invoices, but would need to be spelled out in more detail to a stranger.

Well, could you write the program yourself? You may already have decided that you don't want to or don't have time to, or that what you want is far too complicated for a novice. But if you're toying with the idea, and can't decide whether it's feasible, the only way of finding out for sure is to try. The only trouble with this is that you may have used up quite a lot of time before you discover that the answer is 'No', and this could be very frustrating. But if you want to try (for the experience if nothing else) then you need to start on a simple problem, or at least a problem with a simple solution. You will probably go for Basic as this is the most popular language on micros, and it is the easiest one to write simple programs in (although this is a rather circular definition of simplicity). Basic was designed for doing calculations and for passing information to and from the operator. If this is the sort of program you had in mind, you stand a fair chance of learning enough Basic to write the program satisfactorily. Also, it's much easier to test this sort of program because you can see whether you are getting the right answers to the calculations by working out a few of the answers yourself.

Files were added to Basic as an after-

thought and different Basics have different ways of handling them — some nicer than others. It's more difficult to test file handling programs, because you have to write another program to read back the file you've written and if the results are not what you expected, it's not always obvious whether it's the reading or the writing that has gone wrong. It's more disastrous if a file handling program goes wrong because not only will you have wrong answers this run but you will have duff input to the next run unless you re-create your data. File handling programs also call for greater thought about security and backup procedures and this relies on better knowledge of the operating system for taking copies, renaming files, etc. Students are quite a way through a course in Basic (or Pascal) before they do any file handling. Cobol is the only language available on a micro where you start with file handling but you have to learn quite a lot of Cobol before you write any programs at all. So, if yours is a file handling program, I would think very hard (and possibly take some tuition) before embarking on that as a first foray into programming.

Experimenting

Whether you are thinking of writing the program yourself or getting someone else to do it, you may well want to start off by doing some experimental programming — trying out different ideas to see what looks best. This is rather like an architect drawing sketches of a building showing what it might look like and getting his client to decide what he wants before the detailed plans are made. This is not something that you will find recommended in a textbook, probably because it is not really feasible on a mainframe, although it is precisely what I intend doing this year at work where we are toying with the idea of creating a database on our mainframe. It is a technique that I have always used but it probably only works for me because I am a user and a programmer as well as an analyst. This is very rare in mainframe situations, but quite common on micros. For this reason, the program sketch is worth writing into the textbooks, as an early stage in the design process.

If you are writing your own program and it's not too complicated, you may well be able to go from the experimental program to the finished product without writing down a formal specification. This only works if you can keep the whole of the program in your mind's eye while you are working. What tends to happen is that things go fine for a while and then you start adding bits, or making corrections, and you patch the code to cater for things you forgot the first time through. The patches get patched again for the second round of amendments and the program starts getting into a mess. You forget which is the latest version of the program and the listing and try amending the wrong one. And so on. Most programmers (except perhaps for a few youngsters brought up on a strict diet of structured programming) will have gone through the galling experience of each new patch creating several new bugs. This is bound to catch up with you at some point as your programs get bigger, but you always

think it won't until some time after it has.

This is the biggest pitfall for the programmer (layman or professional) so even if you think you can tinker around on the machine, experimenting with ideas and refining them, do make sure that you take a long cold look at what you have done — see to what extent it meets your requirements and don't be afraid to throw away a first attempt when it appears to be getting too messy. You won't have lost the ideas, but they will be better for being put back together in a more coherent structure. (If it's any consolation I shall have to throw away the first draft of this article because I've caught myself writing this under the wrong section heading. When you read it it'll be in a different place. PS: the second draft got thrown away, too, because I'd started to tackle things in the wrong order!) Don't be afraid to doing a bit of redrafting — but if you're doing too much of it it's because you didn't think the problem out properly in the first place, or because the problem was more difficult than you realised or knew how to handle.

If you want to get a professional programmer in, or you want to do a professional job yourself, then you must write the specification out properly.

This is the culmination of the systems analyst's job.

Run chart

The first thing to specify is the way in which programs fit in with each other and with the user's clerical procedures, and the way in which files are passed from one program to another or from one run of the program to the next. If you have only one program and no data other than DATA statements in the program, then the run chart becomes trivial and can be ignored. In all other cases it should be drawn even if it appears to be very simple. A Run Chart is drawn up from the Systems Outline Charts, and shows how data is input to a particular program to be processed, how programs store data on files, or read stored data from files produced by other programs, and create output on the screen or on the printer. It is a flow-chart and uses different symbols to indicate the different elements involved.

It is customary for the Run Chart to be produced at various levels of abstraction, but on a micro it is probably quite satisfactory to draw it at the programmer's level, using actual files and programs, rather than talking generally about processes and storage. The symbols used are shown in Figure 1, and Figure 2 gives an example of a




Fig 1 Run chart symbols




Fig 2 Specimen run chart

Run Chart in use.

All flowcharts should observe several general principles. They start at the top and work down to the bottom. Standard symbols should be used so that their meaning is immediately apparent. The symbols should be joined by lines (which should never cross) with arrows on them to indicate the direction in which the diagram is to be read. On a run chart this arrow represents the flow of control within the program. It should be clear where data enters the program from the outside and where the flow starts and stops. The flowchart is not intended to be a confusing bit of technojargon. It is the simplest way of representing flow through a variety of processes. If it is not self-explanatory this isn't because it's a flowchart but because it's a bad one. Simplicity is the key both to clear thinking and to good communication.

Several things are identified in the Run Chart which then have to be specified in detail later on. These are screen dialogues, reports and printouts, files, programs. I like to tackle them in this order, if only because that puts the easiest ones first. Every other part of the specification should be cross-referenced to its place in the Run Chart.

Screen layout charts

These are done on a piece of glorified graph paper. Ordinary graph paper would do but it won't convey quite the right shape for the letters. The correct paper has oblongs rather than squares. A full size screen is usually 80chs wide and 24 lines deep, but many screens are less than this. So the first thing to do is to check the size of screen that you'll be using.

Unless the screen format is particularly important, or you want to create interesting graphics effects, then it is probably sufficient to draw up samples of each dialogue on ordinary paper and leave the exact spacing to the programmer. The main danger here is of trying to fit in more characters than you have available, especially with a smaller screen. But this can be avoided by remembering to count any long lines, and also allowing a character position for each punctuation mark.

Printer layout charts

The same goes for these as for the screen layout charts. The first thing to check is the size of your printer. If you have particular requirements — like wide forms that have to be printed — then these will have been taken into account when you bought the printer. Normal requirements for reports, etc, where the exact spacing is not critical, can be drawn up on ordinary paper, but if you are using pre-printed forms, eg, to print invoices, where much of the information has been printed on to the paper and the computer has only to fill in the gaps, then these must be specified formally on the correct paper. This is the only way in which the programmer can work out the exact spacing required to get the items to print in the right places. This sort of exact printing is far easier to do in Cobol than in any other language I have come across,

because it permits you to incorporate the complete format of each different sort of line into the data definitions within the program. With Basic you have to mess around with TAB statements with every field you print.

Some printers have variable spacing, which could have some effect on the use of printer layout charts for specifying fields to be filled in one pre-printed forms, but this shouldn't cause any real problems. Other printers have facilities for printing double size letters for headings. Again, any use of this should be indicated on printer specifications.

Figure 3 shows an example of a printer layout chart.

Error messages and reports

These aren't really a separate item. Every time an error might occur, there should be an indication of the message which should be sent to the operator indicating what has gone wrong and what should be done about it. This is always the area where the operator needs the most help and the most thought should, therefore, be given to this type of message. There is nothing more frustrating for the user than to be confronted with a message he doesn't understand and to be stuck in a situation he can't see how to get out of. One of the worst situations for the operator — and the one where he is most likely to lose confidence in the competence of the programmer — is where the program suddenly drops out of Basic and announces 'SYNTAX ERROR AT LINE 99'. The ability of Basic to produce such messages for the programmer is one of its strengths, but statements such as these are completely meaningless to the non-programmer. What is more, the operator has no idea what has happened to any data that was being processed, files have not been properly closed, and any pretence at security and control over the program has been lost. This message indicates that the program has failed to test for potential errors, and has blindly tried to execute something impossible.

The user should have a good idea of the sorts of clerical error that might occur, eg, trying to post an amount to an incorrect account because the

account number has been mistyped. However, s/he may not be too clear about what sorts of errors could occur from the computer's point of view. Things which it is easy for a human to check may be difficult for a machine and vice versa. A user may also not be familiar with the program instructions that are being used, or the way in which data is stored and retrieved by the use of certain commands. This often makes it difficult for the user to imagine the sorts of errors that are going to occur in day-to-day operation. Conversely, it is often difficult for the programmer to put himself in the position of the operator who has no idea of the logic of what is being done inside the machine and so has no idea of why mistakes are occurring, or what to do about them.

The only way in which a satisfactory solution can be worked out is for the programmer and the user (and that includes the keyboard operator as well as the boss) to sit down together and discuss what is going on, both in the office and in the machine.

Forms design

You may be trying to write programs to use your existing forms, in which case you must make sure that the programmer has copies of all of them and knows how they are used and how they fit in with the other parts of the program specification. There again, you may be designing new ones. I have already outlined the way in which the layout is specified for the programmer, but there are a few other things to be borne in mind.

Forms are fed through the printer in different ways on different machines. On a typewriter, they are always fed through from the back, and there is always a chance to open the carriage and correct the adjustment of the paper if necessary. A typewriter uses a friction feed, normally works on single sheets of paper and can be adjusted for a variety of paper thicknesses including multiple copies. Some printers have a friction feed and have hoppers for single sheets. Others will only work on rolls of paper (like a Telex machine) others have a sprocket feed mechanism and have to use fan-fold paper with

GOTO page 145

Layout for aged debtors report. prog ADR

Page No 99

Aged Debtors Report As at DD/MM/YY

Account No	Name	Date Due	Amount
999999	xxxxxxxxxxxxxxxxxx	DD/MM/YY	££££9.99
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
Total on this page			£££££9.99
Total so far			£££££9.99

N.B. '9' indicates any number

'x' indicates any character

DD/MM/YY shows that the date is to be printed in the English style.

£ indicates that the £ sign should precede the first significant digit.


Each page should carry the same page header and trailer. The final page should conclude with the following:

Total No Debts = 999999 Total Amount £££££9.99

Fig 3

BENCH TEST

BIGBOARD



PCW welcomes Dr Neil Cryer to what we hope will be the first of many Benchtests by him.

The name Bigboard reflects the facilities offered by this single board computer, rather than its size. At only $8\frac{1}{2} \times 13\frac{3}{4}$ in, it is small enough to fit into a large keyboard case, which was how I first saw it at the Breadboard exhibition in November, 1980.

At the moment, it is available only as a kit and is advertised as being suitable for people with some hardware/software experience. It comes without the necessary ancillaries of an ASCII keyboard, a power supply and a video monitor, and with no floppy disks. For review purposes, however, the suppliers, Maclin-Zand, provided a ready constructed board, tested to the minimum configuration advertised.

Facilities

Bigboard comes with a floppy disk controller, and gives a full 64k of RAM. Maclin-Zand says that it will eventually be available made up and in a case as a complete system.

The minimum configuration has no spare ports; the existing two drive the floppy disk system and the ASCII keyboard. Extra kits are available — one supplies an extra PIO giving two spare 8-bit ports, and another is available for adding two serial ports with software programmable baud rates (50 to 19.2 kbaud), while a third provides a counter timer chip to give a real time clock, together with floppy disk shut down after any 30 second period of inactivity. No further expansion is intended, which some users may find limiting.

I see Bigboard as providing the heart of a system comparable with Super-brain.

Construction

The instructions in the construction manual are clear, concise and adequate for the manufacturer's target customers experienced with hardware and software. Other users might find them too brief, as there is no advice on such things as identifying resistors and soldering.

To put myself in the position of someone making up the kit, I asked the agents to supply me with the components for the serial port so that I could see how easy it was to construct using the instructions. I consequently fitted six ICs, a crystal and 20 sundry other components. There were no problems. The component positions were marked on the board in the usual way and the soldering was no finer than with most other computer boards.

As with any kit of this type, there is little documented help for anyone unlucky enough to have a system which doesn't work first time. The instructions do offer a few suggestions as to the areas of the circuit which may be responsible for certain faults, but essentially the user would have to be experienced enough to trace through the circuit using suitable equipment, Maclin-Zand does, however, promise a full back-up service.

Installing the system

The system will operate without floppy disk drives, but since I imagined that most people would be buying it largely because of the controller, I wanted to incorporate this. So I connected two 8in Shugart SA800 units.

The video section provides a 60Hz

frame signal for a monitor which gave no problems. I would not advise anyone to fit their own modulator for running this board on a normal television because any display of 80 characters per line is generally unreadable on a normal television. Although Maclin-Zand says that later versions of the board will operate with a 50Hz frame frequency, I would still advise use with a monitor.

Memory arrangements

Bigboard has a full 64k of usable RAM, plus 2k of video RAM, plus up to 8k of EPROM type 2516. The video RAM and EPROM are addressed at the cost of temporarily switching out some of the 64k main RAM. Bigboard switches between alternative memory blocks by addressing an appropriate output port location.

On power up, Bigboard switches out the first 16k of RAM and makes the 8k block of EPROM available instead. It starts by executing the monitor program in this EPROM at address zero. The first instruction is the Z80 block move, which relocates the monitor to the top of RAM. Bigboard then makes a simple jump to the new copy of the monitor in RAM which then switches the bottom block of RAM back into use. Pressing the reset button does the same trick. 6k of the EPROM are not used at the moment and so are free for user programs. The memory-mapped video display similarly block switches between video and normal RAM. For the rest of the time, the whole of RAM is available for use in whatever way the user wishes. This contrasts with systems

where some of the memory addresses are taken up permanently with EPROM.

Bigboard's ports, in common with all Z80 systems, are addressed by separate IN and OUT commands and don't take up memory locations. Its port addresses are used not only for the usual input and output from the board, but also to control the baud rate of the serial ports, scrolling for the video, and block switching of the memory as described above.

The character set

Like many systems giving 24 lines of 80 characters, each of Bigboard's characters is formed using a 5 x 7 dot matrix. I found these characters rather difficult to read and I was particularly unimpressed by the way lower case is presented as a smaller version of upper case. I would have preferred a true lower case, although I appreciate that, with so few dots available, it would have required some compromise in displaying the descenders of letters, like y and g.

This character set would detract from Bigboard being used as the basis for a word processor unless a separate serial terminal is used with its own character set. Alternatively, if a suitable program was written, Bigboard could drive a daisywheel printer to give a quality printout.

The system commands

Bigboard powers up to display the message '... system 3.3 ...', followed on the next line with an asterisk and a dash as a non-flashing cursor. Eleven single letter commands are available before CP/M is called up: in particular, D to display the contents of a block of memory; M to display the contents of successive individual memory locations to allow them to be changed; R to read a sector from disk into memory; and of course B to boot in CP/M.

Two commands strike me as unnecessary: one to test memory and the other to verify that two memory blocks hold the same information. I feel that these are only needed if the system has problems with corrupted data in memory, and that for a properly debugged system there are many more useful commands that could be supplied instead, for example, to write a block of

memory out to disk.

Bigboard requires all commands with numbers to be typed in with only commas as separators and with no extra spaces anywhere. This is simple to get used to, but might be a little annoying at first to anyone used to a freer format.

I see purchasers adding other commands to the monitor program which, at present, makes no use of the scroll and cursor movement facilities, available as subroutines. I think it's a pity that Bigboard doesn't come with these; it would seem a relatively simple matter to provide full cursor control and on-screen editing, which would make such a difference.

Keyboard

Any keyboard should be suitable, provided it supplies the ASCII codes directly along seven wires (bits 0 to 6) together with a strobe signal going high or low when the data is ready. The strobe line prevents there being significant problems with contact bounce. All power supply lines are available on Bigboard's keyboard connector.

Floppy disks

Bigboard uses the 1771 controller chip and can drive up to four SA800 or similar disk drives. Connections are standard. It powered up without trouble and, on typing B for boot, came up with the message '60k CP/M version 2.2'.

With the use of CP/M, a wide range of software should be available for purchase, although any with specialised screen displays may have to be modified. As it is too early for any commercial software to be advertised for Bigboard, and as the review board was supplied with no software other than CP/M 2.2, I borrowed a copy of Basic from another CP/M system. I found no problems running it.

I checked a large number of the disk copy, verify and editing commands without any problems.

Video

The video is memory-mapped in a 2k section which Bigboard block switches; it is therefore independent of the main RAM at the same address, 3000H.

When the screen is written to, it fills from the top down and, when it is full, the display moves up each time a



new line is entered. The screen may also be scrolled up or down by writing to an appropriate port, in which case any lines moving off the top will reappear on the bottom and vice versa. I see few occasions for using this facility.

Writing to the screen is by means of a subroutine in the monitor and occurs at the current cursor position which may be moved up/down, left/right. The user could also block switch in the video RAM and write direct to it, but the method of scrolling the screen would have to be taken into account which would make the programming trickier.

Expansion possibilities

Bigboard has been designed to be complete in itself, and no external bus connector of any sort is provided. The system should be used within the facilities offered, and should not rely on later expansion, as this may not be simple or indeed possible.

Documentation

Bigboard is supplied with an 11 sheet construction manual, a seven sheet user manual, a seven sheet theory of operation manual and very clear circuit diagrams. The manuals are rather brief, but are in accordance with Bigboard, being for people with some expertise.

At a glance

Bigboard has some very attractive features, in particular the incorporated floppy disk controller and the full 64k RAM.

In summary, Bigboard's ports could drive a printer, a modem, a serial terminal and an ASCII keyboard and still have one 8-bit port spare. As no software is supplied to run the system, the user would have to write it himself.

With Bigboard, a system of video monitor, keyboard, 8in floppy disk with CP/M and power supplies can be put together for less than £1000, which is certainly not unreasonable.

Overall I consider Bigboard to offer good value for money. I found it easy to set up and use and I suspect that for those with some experience it would be fairly straightforward to build from a kit. The lack of a bus arrangement limits expansion considerably but then you do get quite a system for your money. The ability to use CP/M makes an enormous number of packages available to the user and that, coupled with the 64k memory, must be one of the strongest points in Bigboard's favour.

Technical Data

CPU:	Z80 2.5 MHz
Memory:	64k dynamic RAM +8k EPROM type 2516 (Only the 2k system monitor supplied) +2k video ram
Bus:	Not available
Ports:	2 serial, 2 parallel uncommitted + ASCII keyboard port
System: S/W:	Monitor with 11 commands, CP/M

OPTIONAL ANCILLIARIES

For full potential an 8M Shugart SA power supply is needed.
+2k video RAM
800 compatible disk drive and associated power supply.

NECESSARY ANCILLIARIES

(Not supplied with the kit)
Power supply: +5V 3A
+12V .25A
-12V .2A
ASCII keyboard with strobe line
Video monitor

PRINTERFACING

Peter Faff concludes his series on hooking low-cost printers to micros.

Printina MP 18S electro-sensitive print mechanism

The MP 18S is a fairly compact electro-sensitive printer that functions in an unusual but very clever fashion. The print needles are mounted on a plastic arm that moves in and out of the printer frame itself, while the connection to the print needles is made by seven wiping contacts, plus a separate set that generates the timing signals. Due to its method of construction this printer needs to be ordered with a special printed circuit board, which serves two purposes. Firstly, it provides a mount for the printer and enables the paper feed to function, and, secondly, it carries gold-plated tracks that enable the connections to be made to the print needles. The print mechanism and the mounting board are both available from Seltek Instruments Ltd at £58 and £4.25 respectively.

The mechanism itself is simple and there is little to be said about how to use it. Printing is carried out from left to right in a serial fashion: that is, dot column by dot column. The timing tracks on the board indicate when to turn off the motor power at the end of a line and when to start printing a new line. Print format is 5x7 bit, and the unit can print up to about 21 characters on the paper. The spacing between dot columns is determined by an external dot clock. By varying this clock frequency you can alter the number and the size of the characters that are printed.

As the unit is so simple I will only give a brief description of the control logic required. A block diagram of the control circuit is given in Figure 1. When the motor is started, one of the moving contacts will indicate when the start of the line is reached; when this occurs you must allow a short delay before starting to print. This delay will give the left hand margin. The frequency of the dot clock determines the dot spacing and should be varied to taste.

The next stage is the column counter, which determines which of the five possible seven-bit data words is output by the character generator. This counter should count from 1 to 7, then reset to 1 and start counting up again. The first five counts will select the five possible columns of the 5x7 character cell while the next two counts will give a space between the characters.

A further stage is the character counter. This addresses the line store RAM and selects the 6-bit data for each character in turn. These six data bits go to the character generator where they select the correct page of 5x7 data. This character counter is incremented by one each time the column

counter resets from 7 to 1. The counter's upper limit is determined by the number of characters you wish to print. When the counter reaches its maximum count, the line of print is finished and the various stages should be reset ready for the next line. Power to the motor should be turned off when indicated by the timing contact. You can see that this printer builds up characters from left to right and that the characters to be printed are sequentially read out of the RAM until the line is finished. The motor requires a supply of approx 5V. The print head supply should be somewhere in the region of 40-60V between the paper roll and the print needles. The pulse width required to print a dot should be adjusted to give good print density. If you wish to print large characters, you will find that the individual dots are not very clear; one

way around this problem is to print two adjacent dots instead of one. This will complicate the circuit slightly but the resultant print is much more legible.

Olivetti series PU1828 & PU1840 parallel thermal printers/plotters

These two mechanisms look like stretched versions of the PU-1800 printer described in January. The main difference is that both units have a modified timing disc which enables them to print a continuous field of characters or dots; both units can thus be used as printers or plotters. The PU-1800 cannot be used as a plotter because it can only




Fig 1 MP18S control circuit block diagram.




Fig 2 Diagram of character cell covered by each thermal element and relationship of DT 1+2 and STLN timing signals to character matrix for PU 1828 printer.

print columns of five dots. The PU-1828 and the PU-1840 are both available from Roxburgh Printers Ltd and cost £40.50 and £76.50 respectively. The PU-1828 is a 28-character printer that has one element for each character field; the PU-1840 is a 40-character printer that has one element for every two characters.

The PU-1828 differs from the other units in that it has one print element per character, which makes it somewhat easier to drive because there is no need to work out which character out of two is being printed. When designing a control circuit for this printer, you first need to know which dot in the character zone is to be printed next. After the DT1 and the DT2 signals have been ORed together and debounced by a suitable monostable, the resultant pulse train should go to a counter. At the start of the print cycle, this counter should be set to zero. The first DT1+2 pulse to occur will then set this counter to 1, indicating that the next character to be printed is the first in the character field. The control logic must now load the first dot of the 28 characters to be printed into the 28-bit latch. When the next DT1+2 pulse occurs this will enable the latch outputs to print a line of 28 dots. This pulse will also increment the counter indicating that the next dot to be printed is the second one in the character field; the control logic must now load the state of the second 28 dots into the latch ready for the next DT1+2 pulse. Each successive DT1+2 signal thus enables the latch outputs and increments the counter by one. When

the counter reaches a count of 6, the dot selection logic should be disabled; the next DT1+2 pulse to occur is the last of the first group (see Figure 2). This pulse should reverse the count direction so that the next pulse to occur will cause the counter to count down from 6.

At this point, the print head also reverses the direction of its travel and the paper is spaced up by one dot line. The next DT1+2 signal is thus the first of the second group, decrementing the counter by one to 5. The counter now indicates that the fifth dot of the dot line can now be loaded into the 28-bit latch ready to be printed by the next DT1+2 pulse to occur; this pulse will also decrement the counter to 4. This process continues until the counter reads 1; the logic now loads the first dot of the second dot line into the latch ready to be printed by the next DT1+2 pulse, which also decrements the counter to 0. The counter is now reset to 0 by the STLN signal and the count direction is set to 'up'; as this occurs, the print head again reverses and the paper is moved up by one dot line again.

The next DT1+2 signal to occur is the first of the third group and this increments the counter by one to indicate that the next dot to be printed is the first of the third group. The cycle then continues as outlined above so that, at any time, the control logic can look at this counter to find out which dot is next in line to be printed. The next step is to determine which row is being printed. The best way to do this is to use a counter that is reset to 1 by the first STLN pulse to occur after the 'print start' command. This counter will thus indicate that the first row is being printed. After seven DT1+2 pulses, this counter will increment by one to indicate that the second row of dots is being printed, and so on. In this way you can keep track of which row is being printed at any one time.

Now that you know which row and column is being printed, you can identify any dot out of the 5x7 character matrix. As explained above, the state of this dot now has to be loaded into the 28-bit latch; since there are 28 latch positions the loading routine must be carried out 28 times, once for each

character position. The dot counter and the row counter remain fixed for each line of dots. You now have to determine the state of the first dot. To do this, the first RAM location is addressed and the resultant 6-bit output is fed to the character generator ROM. This ROM outputs seven-bit slices out of a 5x7 character zone; a 3-bit address from the column counter will indicate which of the five possible 7-bit slices will be output. This 7-bit word is then further processed by a data selector (controlled by the row counter) which selects one of the seven bits and outputs it. The single bit of data that results is then loaded into the first location of the 28-bit latch. The next RAM location is now selected by a counter and the stored character data is output to the character generator ROM; the row and column counters do not change while this is going on.

The single bit data output of the data selector is then loaded into the second latch position. This process continues until all 28 latch positions have been filled, at which point the cycle stops, and when the next DT1+2 pulse occurs the latch outputs will be enabled and the 28 elements will simultaneously print a complete line of 28 dots. As this occurs, the column counter will increment by one and the row counter may also change. The control logic must now cycle through the 28 RAM locations again in order to load the data for the next dot into the latch. The cycle continues as outlined above until the entire row of characters is printed. When the row counter reaches eight, the selection logic should be disabled; the power to the motor should be turned off when the next STLN pulse occurs, and a dynamic break circuit should be employed to bring the motor to a swift halt. When you wish to print another line, the motor power should again be turned on and the control logic must wait for the next STLN pulse, which will initialise all the counters and allow the cycle to continue as outlined above. If you refer to Figure 6, you will find a block diagram of the control circuit as described above, which should help you to understand the circuit operation.

The PU-1840 is a 40-character print-




Fig 3 Connection diagram for PU 1828 flexible connector.




Fig 4 Diagram of character cell covered by each thermal element and relationship of DT 1+2 and STLN timing signals to character matrix for PU 1840 printer.




Fig 5 Connection diagram of PU 1840 flexible connectors.

er that uses 20 thermal elements. Each element covers an array of 14 x n dots which can contain two 5 x 7 character cells as shown in Figure 4. This printer could be used with a modified version of the control circuit suggested for the Olivetti PU-1800 thermal printer in January's 'Printerfacing', but for the purposes of this article I will suggest an alternative circuit that you may like to try out.

With the circuit described in January, most of the processing required to determine which dots are to be printed next is carried out in the interval between DT signals. Further, this processing must be repeated for every thermal element. In the case of the PU-1840, this would mean 20 times. Now for the PU-1840, the interval between DT signals is approximately




Fig 6 PU 1828 suggested control circuit block diagram.

2.7 ms; you therefore have only about 130 μ s in which to read a character out of the line store RAM into the character generator, select the correct bit from the resultant character column output and load this bit into the correct position of the 20-bit latch.

This might seem to be pushing things slightly, so I have devised an alternative circuit where all the processing is carried out before the start of the print cycle. With this circuit, the data for each element is stored in a shift register, from which it can be read out and sent directly to the print element drivers with the minimum of fuss. This approach is probably the best to use with a series parallel printer that has a large number of columns, such as the PU-1840. By referring to Figure 7 you will see how each print element of the PU-1840 scans through two character cells within the 14 x n bit character zone. The diagram below this figure shows how the information required to print these two characters would be stored in a 70-bit shift register. Each group of five dots that makes up each row is stored in the sequence that it will be required by the print element.

Now, since 70-bit shift registers are probably rather hard to come by, I would suggest that you use a RAM

instead. For instance, a 256 x 4 bit RAM could be used to replace four 70-bit shift registers — these days RAMs are also very cheap. The PU-1840 has 20 print elements so you will require five RAMs. By referring to Figure 8, you will be able to get a rough idea of how the circuit functions. The first section is the address counter for the line store RAM. When the print cycle is started, this counter should be reset. The least significant bit of this counter can be set independently of the rest and it determines which character is to be printed, ie, left to right. The counter itself cycles through a count of 1 to 20. The resultant 6-bit address goes to the line store RAM. The character stored in the selected RAM location is then output to the character generator.

Also feeding this character generator is a row counter that determines which of the seven possible rows is to be output. This row counter is incremented by one after the address counter has cycled through a full count of 40. The character generator thus outputs the five-bit data for the first row of each of the 40 characters stored in the line store RAM. The output of the character generator is then loaded into one of the four 5-bit parallel load serial output bi-directional shift registers. When the first rows of the first four right hand characters have been loaded into these shift registers, the data is shifted out and serially loaded into the first five locations of one of the 256 x 4 bit RAMs. The direction in which the data is shifted is determined by the control logic and it will reverse after the second set of five-bit data is shifted into the RAM. The five 256 x 4 bit RAMs are addressed in turn and eventually the first five RAM locations will contain the data for the first row of 20 right hand





Fig 7 How data for one thermal element is stored in a 70-bit shift register.

Make your micro



Get the most out of your microcomputer with Graham-Dorian Business software.

At any given time, your hardware is only as useful as the software you run in it. Our programs let you realise the full potential of your hardware.

Graham-Dorian provides highly detailed and well documented programs. All pretested on the job. Each so comprehensive that it takes little time to learn to run a program — even for someone who's never operated a computer before.

Graham-Dorian programs are on-line now working for us and others around the world. They are ready to go to work immediately or to be tailored for your more specific needs. Each package contains a software program in BAS and INT film form plus a user's manual and hard copy SOURCE LISTING.

Programs are compatible with most major computers using CP/M disk operating systems, and come in standard 8" or on various mini-floppy disks.

Graham-Dorian stand behind dealers with technical advice.

Yes, there's a world of difference in business software. Graham-Dorian has more per-package capabilities and more packages (with new ones added every few months).

Distributors for Micropro:- Wordstar, Datastar & Mailmerge. CP/M for Tandy Model I & II

*GDSS are appointing UK Dealers and European Distributors. Enquiries and applications invited.

*CBASIC-2 is a trade mark (copyright 1980) of Compiler Systems, Inc. GDSS are the European Distributor for CBASIC-2.

The Graham-Dorian line now includes these packages:

- Nominal Ledger
- Purchase Ledger
- Sales Ledger
- Job Costing
- Order Entry & Invoicing
- Payroll
- Manufacturing Inventory
- Manufacturing Job Costing
- Wholesaler Inventory
- Retailer Inventory
- Cash Register
- Apartment
- Surveying
- Dental

CBASIC-2*

Ask your dealer for a demonstration soon.



Graham-Dorian Software Systems

A division of Graham-Dorian Enterprises
& Terodec (Micro Systems) Ltd.
Unit 58, Suttons Park Avenue, Earley
Reading, Berks RG6 1AZ
Tel (0734) 664345/6 GDSS

Unique in concept—the home computer that grows as you do!

The Acorn Atom

£120

plus VAT and p&p

Special features include

- * FULL SIZED KEYBOARD
- * ASSEMBLER AND BASIC
- * TOP QUALITY MOULDED CASE


NEW!

Colour Encoder
for full colour
graphics

£21.50

The Acorn Atom is a definitive personal computer. Simple to build, simple to operate. A powerful, full facility computer with all the features you would expect.

Just connect the assembled computer to any domestic TV and power source and you are ready to begin. (Power requirement: 8V at 800mA). There is an ATOM power unit available – see the coupon below.



FREE MANUAL

Free with every ATOM, kit or built, is a computer manual. The first section explains and teaches you BASIC, the language that most personal computers and the ATOM operate in. The instructions are simple and learning quickly becomes a pleasure. You'll soon be writing your own programs. The second section is a reference

Your ACORN ATOM may qualify as a business expense. To order complete the coupon below and post to Acorn Computer for delivery within 28 days. Return as received within 14 days for full money refund if not completely satisfied. **All components are guaranteed with full service/repair facility available.**



Also available
ready-built

£150

plus VAT and p&p

● The picture shows mixed graphics and characters in three colours

manual giving a full description of the ATOM's facilities and how to use them. Both sections are fully illustrated with example programs.

The standard ATOM includes:

HARDWARE

- Full-sized QWERTY keyboard
- 6502 Microprocessor
- Rugged injection-moulded case
- 2K RAM
- 8K HYPER-ROM
- 23 integrated circuits and sockets
- Audio cassette interface
- UHF TV output
- Full assembly instructions

SOFTWARE

- 32-bit arithmetic ($\pm 2,000,000,000$)
- High speed execution
- 43 standard/extended BASIC commands
- Variable length strings (up to 256 characters)
- String manipulation functions
- 27 x 32 bit integer variables
- 27 additional arrays
- Random number function
- PUT and GET byte
- WAIT command for timing
- DO-UNTIL construction
- Logical operators (AND, OR, EX-OR)
- Link to machine – code routines
- PLOT commands, DRAW and MOVE

The ATOM modular concept

The ATOM has been designed to grow with you.

As you build confidence and knowledge you can add more components. For instance the next stage might be to increase the ROM and RAM on the basic ATOM from 8K + 2K to 12K + 12K respectively. This will give you a direct printer drive, floating point mathematics, scientific and trigonometric functions, high resolution graphics.

From there you can expand indefinitely. Acorn have produced an enormous range of compatible PCB's which can be added to your original computer. For instance:

- A module to give red, green and blue colour signals
- Teletext VDU card (for Prestel and Ceefax information)
- An in-board connector for a communications loop interface – any number of ATOMs may be linked to each other – or to a master system with mass storage/hard copy facility
- Floppy disk controller card.

For details of these and other additions write to the address below.

**ACORN
COMPUTER**

4a Market Hill,
CAMBRIDGE CB2 3NJ

Quantity	Item	Item price inc. VAT+p&p	TOTALS
	ATOM KIT-8K ROM+2K RAM (MIN)	@ £140.00	
	ATOM ASSEMBLED-8K ROM+2K RAM (MIN)	@ £174.50	
	ATOM KIT-12K ROM+12K RAM (MAX)	@ £255.00	
	ATOM ASSEMBLED-12K ROM+12K RAM (MAX)	@ £289.50	
	1K RAM SETS	@ £11.22	
	4K FLOATING POINT ROM (inc. in 12K Version)	@ £23.30	
	PRINTER DRIVE 6522 VIA	@ £10.35	
	(inc. in 12K version) LS244 Buffer	@ £3.17	
	COLOUR ENCODER	@ £21.50	
	MAINS POWER SUPPLY (1.3 amps)	@ £10.20	
	TOTAL		

To: Acorn Computer Ltd., 4a Market Hill, CAMBRIDGE CB2 3NJ

I enclose cheque/postal order for £

Please debit my Access/Barclaycard No.

Signature

Name (Please print)

Address

Telephone No.

Registered No: 1403810. VAT No: 215 400 220

PCW 3/81



Comart Approved Dealers

Belfast

O & M Systems
95 Dublin Road
Tel: 0232 49440

Birmingham

Byteshop Computerland Ltd
94/96 Hurst St, B5 4TD
Tel: 021 622 7149

Cambridge

Cambridge Computer Stores
1 Emmanuel St, CB1 1NE
Tel: 0223 68155

Cornwall

Benchmark Computer
Systems Ltd
Tremena Manor
Tremena Road
St Austell, PL25 5GG
Tel: 0726 610000

Dublin

Lendac Data Systems Ltd
8 Dawson St
Tel: 0001 372052

Glasgow

Byteshop Computerland Ltd
Magnet House
61 Waterloo St, G2 7BP
Tel: 041 221 7409

Leeds

Holdene Ltd
Manchester Unity House
11/12 Rampart Road
Woodhouse St
Tel: 0532 459459

London

Byteshop Computerland Ltd
324 Euston Road
London W1
Tel: 01-387 0505

Digitus

9 Macklin Street
Covent Garden WC2
Tel: 01-405 6761

Jarrold

67 Tulsemere Road,
West Norwood,
London SE17
Tel: 01-670 3674

Manchester

Byteshop Computerland Ltd
11 Gateway House
Piccadilly Station Approach
Tel: 061 236 4737

NSC Computers

29 Hanging Ditch
Tel: 061 832 2269

Newbury

Newbear Computing Store
40 Bartholomew St
Tel: 0635 30505

Nottingham

Byteshop Computerland Ltd
92A Upper Parliament St,
NG1 6LF
Tel: 0602 40576

Sheffield

Hallam Computer Systems
451 Eccleshall Road, S11 9PN
Tel: 0742 663125

Southampton

Xitan Systems
23 Cumberland Place,
SO1 2BB
Tel: 0703 38740

Sudbury

Eurotec Consultants
Holbrook Hall
Little Walsingham
Tel: 0206 262319

Warwick

Business & Leisure
Microcomputers
16 The Square
Kenilworth
Tel: 0926 512127

Watford

Lux Computer Services
108 The Parade
High Street
Watford WD11 2AW
Tel: 0923 29513

Comart Microcomputer dealers are located strategically throughout the country to give support, guidance and assistance. In the event of difficulty contact Comart direct.

Cromemco



Flexibility + Versatility

System Flexibility

Cromemco give you the high performance, reliable computer power you need now, with the in-built capability for future expansion and adaption as demands and requirements change.

The choice is wide. Cromemco's S-100 bus construction provides for expandable memory capability and the widest choice and future options in peripheral support.

Now there is the exciting range of Cromemco High Resolution Colour Graphics Systems.

Applicational Versatility

Cromemco's CDOS Operating System supports proven, well documented Software for Business, Industry, Science, Research and Education; COBOL, RPG II, Macro Assembler, 16K and 32 BASIC, FORTRAN IV, LISP, RATFOR, Word Processing and Data Base, are all included in the range.

Now, there is the new CDOS compatible, Cromix Multi-user Multitasking Operating System which opens up new avenues in application and performance for Cromemco System Users.

The U.K. Leaders in Microcomputer Development, Application and Support.

comart

St Neots HUNTINGDON Cambs PE19 2AF
Tel (0480) 215005 Telex: 32514 Comart G.

WOULDN'T YOU LIKE AN OSCAR FOR A SUPERB PERFORMANCE



To a casual glance, we must admit that there are several other computers which superficially resemble OSCAR. However, if you peek under the stylish structural foam housing, with its separate keyboard for better ergonomics, you'll notice the differences.

S100 SYSTEM

OSCAR has a 6-slot motherboard, housed inside the VDU housing, with proven IDS S100 cards to international standards for a flexible, easily maintained, system.

4MHz Z80A PROCESSOR CHIP

Possibly the most powerful m.p.u. chip in its class, running at full speed, makes OSCAR more powerful than many mini-computers.

64K DYNAMIC MEMORY

A full sized system for your full sized applications.

DISKETTE OR HARD DISK

The options are yours, starting with twin floppies at 400KBytes per drive or an 11MBytes Winchester located inside the VDU housing.

Maximum size? We're not saying, as we keep on increasing it, but it's unlikely to be too small.

CP/M™ OPERATING SYSTEM

Use of the industry standard CP/M™ Operating System means that a wealth of applications software will run on your OSCAR.

VISUAL DISPLAY UNIT

With the green phosphor recommended by opticians for low eyestrain, the VDU also has a bonded face-plate for extra safety. There is a full character set with real descenders on the lower-case letters. There are 24 lines each of 80 characters.

KEYBOARD

Separate keyboard with full QWERTY and numeric pad for fast entry.

PRINTER OPTIONS

A range of printers is available. Your dealer can help you select the appropriate one for your requirements.



APPLICATION PROGRAMS FREE

Sales, Purchase and Nominal Ledgers plus Stock Control and Payroll are available from your dealer and to avoid the problems of pirating, all you have to pay for are the manuals and the media. If these packages do not suit, your dealer will be able to offer alternatives, although, these are unlikely to be free!

NATIONAL SERVICE NETWORK

It's no good owning the best system if you can't get it mended, so IDS have arranged for a National Service Network to offer maintenance contracts on your OSCAR.

PRICE

An OSCAR with twin floppies costs from £2,495.00 (excluding VAT and printer)

NOW

Cut along this line, complete and post for further details.

Designed and manufactured in the United Kingdom by:-

INTERACTIVE DATA SYSTEMS LTD.

14 Heathfield, Stacey Bushes, Milton Keynes MK12 6HP

Buckinghamshire, England

Telephone (0908) 313997

Please send details of OSCAR and your other S100 products to:

Name _____

Position _____

Address _____

Company _____




Fig 8 Block diagram of alternative control circuit for PU 1840 etc.

characters.

This process is repeated again, but this time the address counter selects the 20 left hand characters stored in the line store RAM. The first row of data for these 20 characters is then loaded into the second set of five RAM locations. When the first ten RAM locations have been filled, the row counter selects the next row of character data stored in the character generator and the data for the 20 left and right characters can again be loaded into the output RAM, only it now goes into the second set of ten RAM locations. Since the row counter has changed, the data will have to be reversed and so the control logic changes the shift direction of the shift register. This ensures that the data is again loaded into the output RAM in the correct sequence required to drive the elements. This process of cycling through the line store RAM is repeated until the data for all seven rows have been correctly stored. When the cycle stops each 256 x 4 bit RAM will contain a 70-bit long data stream that corresponds to that shown in Figure 7.

The 20 RAM outputs can thus be used to control a thermal element directly. When the print cycle proper is then started, the logic will wait for the next STLN signal and when this occurs the DT1+2 signals will be used to clock the output RAM address counter and the stored data will be read out to energise the thermal elements in the correct sequence to print a line of 20 characters dot by dot. With the PU-1800 printer, the DT1+2

signals could be used directly but when using the PU 1828 or the PU 1840 you will have to allow for the two-dot space between characters and also the single-dot space at the edge of the 14 x n bit character field.

If you wish to use the PU 1828 or the PU 1840 for plotting, you will have to try a different approach. I suggest dividing each 14 x n bit character field into two 7-bit columns. You can then load the 7-bit data word for the 20 left or right hand columns into shift registers in groups of four. The data in these shift registers could then be left or right shifted into a 256 x 20 bit RAM array. When 140 bits of data have been loaded into the RAM, the character zone will have been filled and the data stored in this RAM can then be directly clocked out by the DT signals and fed to the element drivers. This is again very similar to the process outlined above for the character-only printer.

Anyway, that just about sums up

the Olivetti thermal printer series. Please bear in mind that the ideas given above are just suggestions and will require further development to suit your particular application. Remember that you can always contact me by writing to (not telephoning) PCW if you run into difficulties. I will try to help out anyone who bothers to ask.

Datac DMI 40 print mechanism

The DMI40 is a 40-column series-parallel impact printer with five solenoids mounted on an oscillating frame, each covering eight character cells. The mechanism can also be used for graphics and plotting because the print is not constrained by a preset timing disc to print only in columns. In order to print a complete line, the print head must make seven passes over the paper as well as two passes for the line space. It operates at approximately two lines per second. The basic mechanism prints on pressure-sensitive paper only, but a version fitted with a roll holder will shortly be available. The DMI-40 is available from Datac Ltd and costs approximately £139.

The DMI-40 is rugged and should therefore give years of trouble-free service. The motor and the five solenoids both require a 12V DC supply. The dot timing signals are generated by a slotted strip and a LED and photo-transistor assembly. This timing assembly generates one dot pulse DTS for each dot position. Using a 5x7 character matrix, each dot line will contain 240 dots; each print element thus prints 48 dots for each pass across the paper. By referring to Figure 9 you will see the zone that each print element covers; each zone contains eight characters and there are five zones across the width of the paper. During operation the five zones are printed simultaneously.

Designing a control circuit for this printer will pose problems similar to those posed by the Olivetti series-parallel printer mentioned in January. From Figure 9 you will see that each print element prints eight characters. The print element moves from left to right and then from right to left down through the column of eight characters. On each pass, an element can print up to 48 dots. The timing strip generates 48 pulses as the print head moves across the paper; at the end of each dot row a fairly long home region is located where no pulses are generated. During this home period, the print head reverses and the paper is spaced up by one dot line. Figure 10 shows a block diagram of a suggested control circuit. The four important stages on this diagram are the column counter, the character




Fig 9 Character zone covered by each print element.

new practical computing books

prentice-hall books

Michael P. Zabinski

☐ Introduction to TRS-80 LEVEL II BASIC and Computer Programming

With step-by-step instructions, this practical book shows how to use the TRS-80 for a wide range of applications from multiplication tables to computer graphics and video games.

£7.10 pb 186 pages 13-499962-2

Hubert S. Howe, Jr.

☐ TRS-80 Assembly Language

For the first-time user as well as experienced users of the TRS-80, this book covers introductory concepts, practical programming applications, ROM and RAM usage, and disk operating systems.

£6.45 pb 186 pages 13-931121-1

Lance A. Leventhal

☐ Microcomputer Experimentation with the Motorola MEK6800D2

A complete introduction, this new book stresses practical applications of microprocessors in such areas as instrumentations, communications, test equipment, and industrial and process control.

£11.00 pb 368 pages 13-580761-1

Lance A. Leventhal and Colin Walsh

☐ Microcomputer Experimentation with the Intel SDK-85

A series of laboratory experiments with over 70 fully documented programs are provided that cover all the basic aspects of using microprocessors in engineering systems design.

£10.35 pb 384 pages 13-580860-X



**Prentice-Hall
International**

Prices are correct at the time of going to press but may be subject to change.

sams books

Stephen M. Murtha and
Mitchell Waite

☐ CP/M™ Primer

Illustrated throughout with diagrams and photographs, this book gives clear instructions on how to use and work with the CP/M™ disk operating system which is very popular for the 8080, 8085 and Z80 microcomputers.

£7.75 pb 92 pages 672-21791-0

Howard M. Berlin

☐ Circuit Design Programs for the TRS-80

This book provides a variety of useful BASIC programs that will greatly simplify the design and analysis of common circuit problems.

£5.80 pb 140 pages 672-21741-4

Howard Berenbon

☐ Mostly BASIC Applications for Your Apple II

£7.10 pb 152 pages 672-21789-9

Howard Berenbon

☐ Mostly BASIC Applications for Your PET

£7.10 pb 160 pages 672-21790-2

Howard Berenbon

☐ Mostly BASIC Applications for Your TRS-80

£7.10 pb 168 pages 672-21788-0

book orders

These books can be ordered from your bookseller or in case of difficulty from Department 30, Prentice-Hall International, 66 Wood Lane End, Hemel Hempstead, Hertfordshire, HP2 4RG, England.

Please mark the number of books you wish to order in the boxes beside each title and return the advertisement to the address above with your payment.

Name _____

Address _____

I enclose a cheque/P.O. for £ _____

Please add 55p per book for postage and packing. Payment should be made out to **International Book Distributors**.

Please allow 28 days for delivery.

INTEGRATED SMALL BUSINESS SOFTWARE ISBS

Professional Business Packages for Microcomputer systems include:

- PAYROLL
- STOCK CONTROL
- ORDER ENTRY & INVOICING
- COMPANY SALES
- COMPANY PURCHASES
- GENERAL ACCOUNTING
- NAME & ADDRESS SYSTEM

Available as individual modules or complete system to run on RAI BLACK BOX, NORTHSTAR, HEATH, CROMEMCO, DYNABYTE, IMS 5000/8000, ALTOS, ALTAIR, SUPERBRAIN, MICROMATION and most other 8080 based systems.

Contact Lifeboat Associates, 32 Neal Street, London WC2 or your nearest dealer.

GRAFFEDOM 52 SHAFTESBURY AVENUE
SYSTEMS GROUP LONDON W1 01-734 8862

BUTEL-COMCO

RP1600 Daisywheel Printer

60cps!



List Price:

£1450

(excluding VAT)

- Price includes an interface
- Interfaces available are
Serial V24/IEEE/Centronics/Qume/Hytype
- Trade/OEM discounts available

Write or call for further information

Butel-Comco Limited
50 Oxford Street,
Southampton,
England SO1 1DL
Telephone 0703 39890
Telex 47523

BUTEL
Technology for business

I am interested in purchasing the RP1600
for connection to _____
Name _____
Company _____
Address _____
Telephone _____




Fig 10 Suggested DMI 40 control circuit.

counter, the row counter and the zone counter. The column counter keeps track of which column is to be printed at any one time. At the start of a print cycle when the control logic detects the home signal, the various stages are reset. At this time the column counter will read 0 to indicate that the first column is to be printed. Some time after the leading edge of the DTS signal all the processing will have been carried out and the 5-bit latch will contain data for the first dots to be printed. The control logic will then print these dots and then on the trailing edge of the DTS signal the column counter will be incremented to read one, indicating that the column number one is next to be printed. This continues until the counter reaches a count of five, which is the space column and so no dots will be printed.

The next DTS pulse will cause the counter to reset to zero, thus indicating that column number zero is to be printed next. In this way, the control logic always knows which dot is being printed next and therefore it has time to get the next series of dots loaded into the 5-bit latch. The column counter is an up/down counter; for the first eight characters it counts up from zero to five and for the next eight characters it reverses its count direction and counts down from five to zero. This is to allow for the print head reversing after every row of dots and is under the control of the control logic.

The next stage is the character counter. This counter keeps track of which character is being printed. The counter is clocked by a carry signal from the column counter; this carry is generated every time that the column counter resets. From start, this counter will count up to seven which is the last character of the first row. The next carry pulse now causes the counter to reverse its count direction. The next carry will now decrement the counter to six, and so on. When the counter now reaches zero it will again be reversed by one carry pulse and the next carry pulse will increment the counter to one again. In this way, the character counter keeps in step with the print head as it zig-zags across the paper.

The third stage is the row counter which keeps track of which row is

being printed. This counter is incremented by a carry pulse that is generated every time that the character counter reverses. From reset this counter counts up to nine, when the motor should be stopped, as the print cycle plus line space is now finished. The four-bit output of the row counter goes to a data selector which selects one bit from the seven that are output by the character generator ROM. This bit will belong to the row that is being printed at that time.

Next is the zone counter, which cycles through the five zones that cover the paper while the other stages remain fixed. The zone counter cycles through a count of zero to four selecting, in turn, five blocks of eight characters each from the line store RAM. The 3-bit data from the zone counter also goes to the output latch where it selects the bit that corresponds to the character zone being printed. This allows five bits of data to be loaded in turn into the output latch ready for printing. Thus, as the zone counter cycles through the five blocks of data, one of the eight available data words is being selected by the character counter. The five data words that are thus selected go in turn to the character generator, which outputs a 7-bit data word which is sent to the data selector where one of the seven bits is passed and then loaded into the five bit output latch in the position pointed to by the zone counter. You can see that the dot selection process only has to be repeated five times, whereas the Olivetti series-parallel printer required that the selection process be repeated ten times, which is a little bit more difficult. This circuit might seem a little complex at first but if you spend some time studying Figure 9 so that you become famili-

ar with the print format and how the data bits have to be selected in turn, you will understand the operation that much better.

The block diagram and the description is given only as a guide to point you in the right direction and you will have to undertake a certain amount of development work before you have a working printer, so good luck.

Conclusion

I hope that you have enjoyed this short series of articles, which was inspired by a letter in 'Communications' last July by reader H P Stearn, who asked if it was possible to interface a cheapo calculator type printer to a KIM computer.

In order to make this series useful to as many people as possible, I have refrained from any mention of specific microprocessor systems, and have given a short survey of the various cheap dot matrix printers that are available in this country. I have also explained how the units work and suggested ideas for control circuits. Since the interface requirements of most peoples' systems will differ, this side of the construction has been left to you.

With the circuits given you will have to load the ASCII data for the line to be printed into the block that is shown as the line store RAM on my block diagrams. All the circuits suggested are self-contained in that they only have to be loaded with a line of data and told to print. This means that the micro is not tied up controlling a peripheral that could function on its own. Since you will be building the unit yourself, the extra work and cost involved is not too important. I estimate that for between £50 and £100 you should be able to build a control circuit for the printer of your choice.

At the end of the exercise you will have a printer that costs less than a commercial unit and you will also have had the satisfaction of building the thing yourself. You could, of course, write suitable software that would enable your micro to control the printer directly. This approach is certainly far cheaper but it does have the disadvantage of tying up your processor when it could be doing other things. Remember that if you run into any problems you can contact me via PCW and I will do my best to help you out.

Suppliers of units mentioned are: Seltek Instruments Ltd, The Old Pied Bull, High Street, Stanstead Abbots, Herts SG12 8AB, tel 0920 871094. Roxburgh Printers Ltd, 22 Winchelsea Road, Rye, East Sussex TN31 7BR, tel 07973 3777. Datac Ltd, Tudor Road, Broadheath, Altrincham, Cheshire WA14 5TN, tel 061-941 2351/2.





Makers or breakers?

Mindstorms sounds like the title of a John Lennon song. It represents the kind of cultural and personal thoughtquakes and whirlpools of ideas which helped to shape Lennon and which, in turn, he helped to create.

Mindstorms (at least as far as this 'Bookfare' goes) is also the title of an important new book by Seymour Papert. In it he explains why he believes that computers could become an educational aid which will overcome 'mathophobia' and the cultural blocks which have divided people from an early age into arts/humanistic/'creative' or maths/scientific/'boring'-technological ghettos.

Architect or Bee?, on the other hand, sounds like the start of a children's ABC or a constructively censored version of the old Birds and Bees tale. It is, however, a question based on a phrase from Karl Marx and the title of another thought-stirring book which examines the relationship (or possibly the power struggle) between people and technology.

The author of this book, technologist and active trade unionist Mike Cooley, uses the Marxist analogy because it encapsulates his fear that computers are being used to emasculate creative skills.

Marx wrote: 'A bee puts to shame many an architect in the construction of its cells; but what distinguishes the worst of architects from the best of bees is namely this. The architect will construct in his imagination that which he will ultimately erect in reality. At the end of the labour process, we get that which existed in the consciousness of the labourer at its commencement.'

Supported by a range of practical examples, Cooley shows how computers have been used to human creativity from many jobs, such as toolmaking and engineering design, thereby diminishing human beings and making them 'subordinate to the machine.'

Unlike many left-wing critics of technology, however, Cooley also shows how computers could be used as a human-enhancing, liberatory form of technology. He shares with Papert a belief that, in the right political and cultural environment, computing could be a positive social force.

Cooley states unequivocally 'Human ingenuity, expressed through appropriate science and technology,

could do much to free our world from squalor and disease and fulfil our basic needs of food, warmth and shelter.' Papert believes that, by placing computer power in the hands of many people, the personal computer explosion will open new opportunities for imagination and originality. 'There might be a renaissance of thinking about education,' he concludes.

They also agree that the determining factor in the direction taken by computing will not be technical but political and cultural. *Mindstorms* are needed, they argue in their different ways, in order to create an environment which places the fulfilment of individual creative potential as well as community well-being as a prime social goal. 'The bottom line for such change is political,' as Papert inelegantly expresses it.

Papert, however, is a technological optimist who believes that the capitalist environment could, after some mindstorming, be a suitable base for nourishing the darling buds of computer creativity. Cooley, on the other hand, believes that the forces currently dominating most societies (and he is critical of Russian communism as well as Western capitalism) are so strong that computing will be used by those in power to 'gain control over human beings' because, as a headline in *The Engineer* once stated: 'People are trouble but machines obey.'

Cooley quotes positive examples of the use of computers in 'human-enhancing' roles but regards them as insignificant drops in the political ocean compared with the majority of industrial applications. Papert, however, quotes his own personal experiences with one computer educational project as proof of the potency and practicality of his vision.

Papert is a professor of both mathematics and education at the Massachusetts Institute of Technology (MIT). Since 1967 he has been developing a special computer language for use by children called Logo. The Logo group in the Artificial Intelligence (AI) laboratory at MIT has used Logo with a movable device called a Turtle as a means of teaching mathematical concepts like geometry and the Newtonian laws of motion as well as computer programming techniques and structured systems thinking.

Papert, however, predicts that the mindstorms set off by computer techniques like Logo will create new

approaches to the whole process of education and training. He explains the twin objectives of Logo by pointing out that the Greek word 'math' meant 'learning' and that Logo has applications both in mathematics and in 'mathetic' (learning about learning) techniques.

He believes that the computer can make formal, abstract ideas concrete and personal to a child. Even 'difficult' concepts like differential geometry can be translated into Logo programs which control the movement of the Turtle. The child views Turtle geometry partly as a game which tries to create different shapes made up of simple program steps which move the Turtle forwards, to the right, etc.

For example, a child could be asked to: 'Play Turtle. Draw a circle.' After experimenting with Logo programming, the child will realise that drawing a circle involves the repetition of a large number of very small Logo programming steps of the form FORWARD 1 RIGHT 1, where '1' indicates to the Turtle to 'move a little bit'.

This is effectively an intuitive analogue of the differential equation, a concept that is fundamental to traditional applied mathematics. Differential calculus describes growth by explaining what is happening at the growing tip; the Turtle program describes the difference between where it is now and where it shall be in a moment.

Although the child will not be immediately aware of the relationship between the Logo circle program and the differential calculus, Papert believes that the knowledge which the child learns in a concrete way will become a point of reference when learning about wider mathematical ideas.

Most significantly, claims Papert, the child will be learning the languages of mathematics in a natural way and will not feel excluded from the world of mathematics as do so many children when faced with traditional, formalised classroom maths.

Papert describes the learning environment created by Logo and the Turtle as a Mathland in which children can learn the language of mathematics as naturally as English children learn English in England and French children learn French in France. What is more, he argues that procedural and systems thinking inherent in computer techniques and systems 'powerful intellectual tool'.

As one child working with Logo described it, structured

programming techniques break complex ideas into 'mind-sized bites'. The child may initially learn the benefit of this when trying to draw a figure with the Turtle but finds bugs in the program. An unstructured program is difficult to debug but the fault in a well-organised modular program is more easily identified and rectified.

Working in the Turtle Mathland, children therefore learn a systematic approach to generalised problem solving. The child knows why, for example, overall complex problems should be broken into simpler, 'mind-sized bites' and can be related to problems that are already understood. From drawing a circle, more complex problems can be explored. The notion of debugging teaches a child that there are no simple right/wrong solutions to the process of exploring new ideas and that a key question is whether the overall 'theoretical' structure is 'fixable' or basically incorrect.

From a cultural point of view, this type of use of computers to 'concretise' formal ideas could help to break through what he calls the 'balkanisation of human knowledge which children come to see as a patchwork of territories separated by impassable iron curtains.' Difficulty with school maths is frequently the first step of an 'invasive intellectual process that leads us all to define ourselves as bundles of aptitudes and ineptitudes, as being "mathematical" or "non-mathematical", "artistic" or "non-artistic",' he says.

Echoing the McLuhanism 'the medium is the message', Papert expects that the versatility of computing could, in the appropriate political and social environment, break through the shackles of traditional school maths which were created by the inadequacies of teaching tools in the past.

As he explains, 'A major factor that determined what went into school maths was what could be done in the setting of school classrooms with the primitive technology of pencil and paper.' This forced an emphasis on tasks like drawing graphs and writing formulae and created the notion of maths as an abstract, formal technique.

Yet, as Papert explains, mathematics can be based on physical actions. For example, Descartes apparently invented analytical geometry by observing the movements of a fly on his bedroom ceiling and Papert himself related mathematics to his childhood understanding of how the gears of a motor car



worked. He has used Logo to analyse a supposedly purely physical activity like juggling into mathematical notions of structured thinking just as the 'physical' act of drawing a circle should be used to illustrate the theoretical concept of differential equations.

The challenges posed by Papert to traditional educational notions and description of possible learning innovations makes *Mindstorms* a stimulating book but more as a mind-riper than a mind-stormer. Although his theory is a general one, Papert uses Logo as the only specific example, so that the book becomes mainly a justification for Logo. It also gets bogged down in a great deal of educational theorising which is an example of the 'thought balkanisation' which Papert so dislikes.

If you are an educationist to whom 'Piaget's epistemology', is second nature then you will not, as I did, begin to feel excluded from a special 'education psychology club' in parts of the book. The fixation with Logo and a too liberal sprinkling of educational jargon makes *Mindstorms* a book of specialist interest to those already involved in computing and/or education rather than a major work of general importance, which its thesis could have justified.


Papert also dismisses criticism of his beliefs too glibly. He accepts that the use of computers in education may not have the effect he intends. In most cases of existing educational use, he admits, computers are being used primarily to put children through their traditional arithmetic or spelling paces, reinforcing traditional school drill and practice techniques and imposing rigid, automated methods on children. Instead of becoming a tool, like a 'pencil', that children can use to experiment with, to think and to make things with, the computer imposes its way on the child.

His only answer is to say that he has seen children interact creatively with Logo and that he hopes experiments like Logo will stimulate a major change in 'how things might be'. In other words, he has little more to offer than wishy washy thoughts.

Mike Cooley takes a much harsher and, to me, more realistic view of the equivalent dichotomy between experience and promise in the application of computing to employment.

He describes how humans and computers *could* interact creatively at work. It is possible, for example, to program a numerical-control machine by allowing the skilled craftsman to instruct the machine directly through

a physical medium, such as turning a crank or moving a joystick, rather than using a symbolic programming language. This is close to Papert's Turtle concept of 'programming through doing'. There is also a technique of computer-aided design in which the designer's special skills and aptitudes for assessing complex situations and making intuitive leaps is emphasised, with the computer acting best as an excellent analyser and computational machine.



Cooley has also been actively involved in the Lucas Aerospace Combine Shop Stewards' Committee which has been internationally recognised as a major contribution to creating an environment in which industrial democracy is used to direct technology to socially beneficial uses. When faced with the prospect of redundancy, the Combine Committee created a corporate plan which included the development of a special vehicle for children with spina bifida, a life support system to help people with heart attacks to get to hospital, solar collecting equipment and a vehicle that could run on rail and roads. They would also like to have money to build kidney machines.

Unlike Papert's promotion of Logo, however, Cooley does not build a revolutionary mountain by clutching at these few positive straws. He uses these

examples, however, to get to the political and economic 'bottom line' when he quotes the secretary of the Combine Committee who said, 'It is outrageous that our members in Lucas Aerospace are being made redundant when the state has to find them £40 a week to do nothing except suffer the degradation of the dole queue. . . Our workers should be given this money and allowed to produce socially useful products such as the kidney machine.' Social usefulness, however, is a not a bottom-line profit-making criterion in business.

Cooley provides many examples to show that a major management aim in introducing new technology is to reduce reliance on human skills and to improve productivity. He quotes an American systems designer, Robert Boguslaw, who put into words the usually unstated assumption and objective of many managements. Boguslaw says that systems designers should analyse the ways in which human behaviour can be controlled and to create the instruments which can achieve that control. In systems design, he says, the 'human operating units' have many disadvantages. 'They are somewhat fragile, unreliable and limited in memory capacity. But beyond all this, they sometimes seek to design their own circuitry. This in a material is unforgivable and any systems utilising them must devise appropriate safeguards.'

The bluntness of this quote is appalling, regarding people as 'materials' and 'operating units'. But many computer systems are designed precisely to this specification — to design human creativity and 'unreliability' out of rather than into the system. As an advert for a computer-aided design package put it: 'If you've got a guy who can produce drawings non-stop all day, never gets tired or ill, never strikes, is happy on half pay, with a photographic memory, you don't need (the name of the package).'

Cooley detects a trend towards developing library, medical, educational and other systems in which human/computer interaction communication replaces 'the rich interaction which comes from people discussing work problems with each other.' He fears, quite rightly, that this could lead to the loss of the open-ended cross fertilisation which flows from natural human interaction and that 'human beings could become industrial Robinson Crusoes in an island of machines.'

Apt and vivid phrases like these bring Cooley's work to life. The book is liberally peppered with crisp

force people to become 'operating units' and discards them when they become too old or unreliable to obey the machine's commands.

It is a pity, therefore, that he should fall into the simplistic Marxist cliché that the potential of technology to free rather than enslave workers 'can only become actuality' when workers 'own the means of the production' and 'the object of their labour.' However, he also points out that Lenin believed that 'capitalist' techniques of automation should be the foundation of 'socialist' organisation and the Soviet Union espoused with enthusiasm the management notion of Taylorism or Scientific Management. This was introduced in the first wave of manufacturing automation in the early 20th Century by Frederick Winslow Taylor who summarised its aim as: 'In my system the workman is told precisely what he is to do and how he is to do it and any improvement he makes upon the instructions given to him is fatal to success' (sounds just like Boguslaw).


The means of production in 'socialist' countries clearly does not in itself harness technology to more humanistic ends. Solving the problems so lucidly posed by Cooley will need a much subtler, more complex approach than Cooley's solution.

Two other criticisms slightly tarnish Cooley's otherwise refreshingly stimulating book. Firstly, it is unworthy of his otherwise highly perceptive technological descriptions to suggest that, because IBM operating systems have hierarchical structures and use words like 'supervisor', the technology intrinsically implies a particular management philosophy; such technical developments were related to available technology and to solving the practical problem of scheduling multi programming and multi-access to systems, not to imposing a fascist organisational regime.

Secondly, and this is acknowledged by Shirley Cooley who edited the book, it is not so much a book but a compilation of various writings and speeches; as such, it is a bit disjointed and repetitive in places but this is overcome by the vigour and clarity of most of the text.


Between them, Cooley and Papert raise many urgent and important questions about the application of computer technology. From their different perspectives

A Word Processor, Report Writer, Mailing System, Data Base Manager, and a Computer all for £1995*



Yes, we are offering all this with our SERIES 5000 5" floppy-disc system for the incredibly low price of £1995.*

Not only do you get a powerful Z-80A system on the S-100 bus built to high quality standards by Industrial Microsystems, one of the longest and best-established companies in the microcomputer industry, and supported by Equinox, specialists in microcomputers and multi-user systems.



You also get the popular CP/M Operating System (from Digital Research), a 12-slot bus for easy expansion, a Z-80A CPU for powerful performance, 2 serial and one parallel interfaces, 64KB of dynamic RAM with in-built error detection capability,

and dual 5" double-density drives with the option of a third drive (or quad capacity drives in place of double-density) in the same cabinet. Additionally, there is the Turbocharger option providing both enhanced disc capacity, disc performance and diagnostics. And if even greater storage is required we can supply 8" floppy drives and cartridge disc drives.

A powerful system for the computer-user and system developer — and one with eventual access to OS/2000, the Industrial Microsystems networking system.

And for the office or business user we are including as standard a powerful Word-Processing package (Wordstar), a Mailing and Letterwriting package (Mail-Merge) and the Datastar Data Base Manager. All these packages are widely accepted and professionally written by Micropro International.

Being CP/M based, the system with suitable configuration will also run the business software developed by (for instance) Graffcom, Peachtree, Paxton, etc.

It will also run a wide range of languages — Basic, Cobol, Fortran, Pascal, APL, Algol, C. Lisp, and Forth and will support a wide range of add-on S-100 devices, such as floating point processors, Prestel interfaces, speech synthesisers, digitisers and plotters, etc.

And just to make certain that you get full use out of your system, nationwide field service support is available at a modest extra cost.

*add VAT and the terminal and printer of your choice at the costs shown.

Series 5000 with 64KB Dynamic RAM, dual 5" double density drives, CP/M Operating System, Wordstar, Mail-Merge and Datastar £1995

The same system with quad drives in place of the double density drives £2230

Add-on double density drive £290

Add-on quad drive £405

Peripherals:

Televideo 912C VDU £595

Elbit 1920X VDU with Wordstar keyboard £895

OKI Microline 80 printer £595

Texas 810 150cps printer £1450

NEC Spinwriter RO Word processing printer £1850

All prices exclude VAT, carriage, training and installation and are subject to our standard terms and conditions.

OEM dealer and educational enquiries welcome.

EQUINOX
COMPUTER SYSTEMS LIMITED

Kleeman House, 16 Anning Street,
New Inn Yard, London EC2A 3HB
Tel: 01-739 2387/9 & 01-729 4460



they converge on the belief that computers could enhance human life, although they can also impose inhumane conditions at work and in education.

Their interplay between practical politics and philosophical, humanistic thoughts would have appealed to John Lennon. Unfortunately, as Lennon's death showed, mindstorms can prove to be insufficient to overcome the forces of fear, violence and frustration created in a society where individuals feel alienated and part of a soul-less machine rather than a living, caring community.

Myth tickle

The *Myth of the Micro* by Ridley Dale and Ian Williamson is like a tasty and nourishing Christmas pud coated in shocking-pink marzipan. The startling cover may attract attention but spoils the wholesome goodies inside.

As with many other of the flood of books about the microelectronics 'revolution' the *Myth of the Micro* has been tarted up to try to appeal to the mass market created by the Horizon 'Chips' TV programme and Dr Chris Evans' *Mighty Micro* book and TV series. The Dale and Williamson twist is to disguise a very lively and readable introduction to micros and programming techniques as an attack on the micro 'myth' makers.

This leads them to scatter some sour-grapeshot against the pundits who have predicted the future importance of microelectronics. They reserve particular bile for Chris Evans and the title of the book seems clearly aimed at his *Mighty Micro*.

They make much of their attack using a generalised, guilt-by-implication technique. 'Futurologists have the misfortune to be spectators, divorced from the game — perhaps disinterestedly observing the play from the sidelines,' they comment.

Who are they talking about? Surely not Chris Evans? At the National Physical Laboratory, he was in the thick of micro developments and his team was one of the first in the UK to make innovative uses of the micro, particularly in socially useful activities like the Mavis aid to the disabled or the Mickie hospital patient interviewing system. Yet Evans is high on their list of myth makers.

Or could they be talking about a person who helped to trigger the fears about mass unemployment caused by the micro because of a report he helped to produce? But then Iann Barron, director of Inmos, minicomputer pioneer and co-author of *The Future with Microelectronics* could

hardly be described as 'divorced' from the micro game. So, come on, Dale and Williamson — name some names please.

They quite blatantly state that 'Having thoroughly aired the scepticism with which we approach the myth of the micro what dare we ourselves say constructively about the world we face in the coming decade?' Without pausing for breath to at least attempt a justification, they launch into almost 50 pages of mainly superficial futurology and micro myth-making.

Without giving any real contradictory evidence and without stating who said that micros would be the only factor in increased unemployment, Dale and Williamson dismiss fears that information technology could contribute to the 'collapse of work' using the standard argument of 'we will lose more jobs if we do not use technology.' In fact it is they who create myths. Clive Jenkins, Barrie Sherman, Colin Hines and others who have written and spoken about the micro threat to unemployment have based their projections on the fact that rapid micro-inspired employment changes is happening at the same time as factors like world recession and a population bulge caused by the early sixties baby boom are already increasing unemployment throughout the world.

Yet, by their own calculations, they accept it is not unreasonable to project the loss of ½ million jobs in manufacturing industry in the 1980s and that in the service industry, 'the less privileged and organised members of society will no doubt be sacrificed in the interest of economy.' If this is not a cause for concern, if the human suffering likely to be created is not cause for voiciferous, emotional questioning, then what is? It is not myth making to call attention to the possible exacerbation of such human problems.

Dale and Williamson also mount a superficial, uninformed attack on Chris Evans' notion of Ultra Intelligent Machines. As is typical of many critics of artificial intelligence, they virtually define intelligence as that which a computer cannot at present do. When a computer can do something that was once regarded as a sign of human intelligence, like playing a good game of chess, it is dismissed as no sign of intelligence at all.

Compared with the substantial, stimulating analyses by Papert and Cooley in the books reviewed earlier in this 'Bookfare', the futurology and sociology of Dale and Williamson is lightweight punditry.

To concentrate on what

I regard as the distasteful wrappings of the *Myth of the Micro* is unfair to the bulk of the book which is a readable, witty, intelligent introduction to concepts like algorithms, binary arithmetic, computer architecture, software, microchip making and other basic microelectronics and computing techniques.

It does get quite heavily into the details of circuitry and binary rather emphasising the uses of information technology and, as such, might lose people who want to relate the technology to their real working lives.

Dale and Williamson do, however, use familiar metaphors and examples of micro-control, say, in a washing machine. Anyone wanting to get into bits and gates is therefore likely to find the *Myth of the Micro* accessible and informative.

The book's publishers and the authors have, however, led with their glass chins by emphasising the superficial shock-horror anti-myth mythology of the book with slogans such as 'Don't be fooled by technofear', on the cover. Don't be fooled by publishers' blurbs and authors' wild hobby horses is my advice. Despite them, you might actually get to the succulent goods that lie behind the gaudy wrappings.

Basic bashing

In the December *PCW*, I was taken to task by reader D McFarlane for my frequent attacks on Basic. In *Mindstorms* (reviewed above) Seymour Papert provides some more ammunition for my Basic bashing.

He calls Basic a typical example of the QWERTY phenomenon. The layout of the standard typewriter keyboard (with QWERTY as the top alphabetic row) was designed to overcome the way keys jammed on manual typewriter keyboards if the typist went too fast. But when this technological limitation was overcome, the QWERTY design remained because so many typists had been trained on it.

In the same way, he says, Basic took root on micros because it was possible to have Basic on systems with the small memory capacities of early microcomputers. But when the technical constraints were removed and hardware became cheaper, Basic lingered on.

'Complex arguments are invented to justify features of Basic that were originally included because the primitive technology demanded them or because alternatives were not well enough known at the time the language was designed,' comments Papert.

He continues: 'An example of Basic ideology is the argument that the language is easy to learn because it has a very small vocabulary. The surface validity of the argument is immediately called into question if we apply it to the context of how children learn natural languages.'

'Imagine a suggestion that we invent a special language to help children to speak. This language would have a small vocabulary of just 50 words, but 50 words so well chosen that all ideas could be expressed using them. Would this language be easier to learn?'

'Perhaps the vocabulary might be easy to learn, but the use of the vocabulary to express what one wanted to say would be so contorted that only the most motivated and brilliant children would learn to say more than "hi".'

'This is close to the situation with Basic. Its small vocabulary can be learned quickly enough. But using it is a different matter. Programs in Basic acquire so labyrinthine a structure that in fact only the most motivated and brilliant ("mathematical") children do learn to use it for more than trivial ends.'

Of course, this seems to contradict the experience of many schools where it appears that children find it 'easy' to learn Basic. Papert's answer is that 'Most teachers do not expect high performance from most students, especially in a domain of work that appears to be as "mathematical" and "formal" as programming. Thus the culture's general perception of mathematics as inaccessible bolsters the maintenance of Basic, which in turn confirms these perceptions.'

Ultimately, he believes, Basic 'neutralises the potentially revolutionary nature of computer technology,' which he believes could transform maths and other teaching methods. And there endeth my latest sermon on the evils of Basic.

Reviewed in this month's 'Bookfare' were: *Mindstorms* by Seymour Papert (The Harvester Press, Brighton, £9.95) *Architect or Bee?* by Mike Cooley (Langley Technical Services, 95 Sussex Place, Slough SL1 1NN, £2.50 plus 50p post and packing) *The Myth of the Micro* by Rodney Dale and Ian Williamson (Star paperback, £1.50.)

COMPUTER MARKET '81

Your local National Computer Exhibition

Your 'Local' National Computer Exhibition. Hundreds of exhibits, computers for large companies, small companies, departments, depots... Systems for accountants, shop keepers, estate agents, solicitors, manufacturers, importers, exporters, retailers, wholesalers, butchers, bakers, candle stick makers... Peripherals and software for mainframes, minis, micros... Ancillaries, software, services and supplies for existing and potential computer users.

Why should you go to Computermarket '81

"To be sure you know what you're talking about in this age of micro electronics and the silicon chip" -

"To investigate the closer control of your costs and resources" -

"To consider how a computer might reduce labour time in reproducing contracts and agreements" -

"To find out if anyone has a software package that will save writing your own" -

"To see just how little a computer can cost a small company like mine" -

"To see if you can get more accurate and up-to-date information to help you make better business decisions" -

"To improve your accounting procedures, streamline payroll and stimulate better cashflow situations" -

"To see how inexpensive it could be for a word processor to handle sales records and personalise proposals" -

"To see what computer controlled graphics can do for architects, engineers and designers" -

"To actually see the patient record handling systems that have been written about" -

"To keep you abreast of latest developments in data transfer and communications techniques" -

"To check out the most modern of computerised personnel file maintenance systems" -

"To evaluate new peripherals for the enhancement of existing hardware" -

"To compare the prices and quality of alternative supplies of paper, ribbons and magnetic media" -



COMPUTERMARKET '81 is open FREE OF CHARGE from 10 to 5 daily to businesspeople over the age of 18. Other admissions £2.50. In order to preserve the business-like nature of the exhibitions, student parties cannot be admitted and the Organisers reserve the right of admission. Organisers: Couchmead Ltd, 42 Gt Windmill St, London W1V 7PA.

For FREE admission, complete this coupon and present it on arrival at the exhibition - additional tickets will be available for your staff or colleagues at reception.

SCOTLAND 17th to 19th March
Albany Hotel, Douglas Street,
(off Bothwell Street), Glasgow.

NORTH WEST 24th to 26th March
New Century Hall, Corporation
Street, (opp Victoria Stn)
Manchester.

MIDLANDS 31st March to 2nd April
Albany Hotel, Smallbrook Queensway,
(nr New Street Stn)
Birmingham.

LONDON 7th to 9th April
West Centre Hotel,
Lillie Road,
(nr W. Brompton tube),
London SW6

COMPUTERMARKET '81 42 GREAT WINDMILL STREET LONDON W1V 7PA

NAME
JOB TITLE
ORGANISATION
ADDRESS
POSTCODE

MICRO MUSIC MAKING

Don Finlay analyses the music-making method used by the MTU Instrument Synthesis Software Package.

In principle, it is easy to turn a series of binary-encoded numbers into analogue voltages, which then drive loudspeakers to produce sound. The broadcasting and recording companies are using this process very successfully to achieve high quality and low noise, without the distortion of normal tape recording processes.

To synthesise sound, however, is not so easy if natural or interesting effects are wanted. The lack of repeated patterns means that either the digital samples must be calculated as needed, a job which is still beyond any computer at the rates necessary for high quality, or they must be calculated at lower rates and then stored on tape for playback at normal rates, a process which involves expensive buffer stores to smooth the rate of output of the taped samples. A tape store is needed because, as yet, no electronic memory is feasible for the size required. A small computer with 32k memory can give only one second of sound at a reasonable sampling rate of 32 kHz, needed for hi-fi.

So we are driven to using repeated patterns in our personal computers. I have described, in previous articles, how

to generate organ-like notes and play tunes with them in a Nascom 1 system (PCW Vols 2, 8 and 3, 5) and how a package by Micro Technology Unlimited uses similar principles but adds four waveforms to get four-part harmony in a PET (PCW Vol 4, 1). The method adopted in both systems is to set up a 256-byte waveform table and scan through it repeatedly, skipping samples as necessary to get the frequencies of the equal-tempered scale.

But why limit the table length to 256 bytes? Could there not be a compromise between this and 32k? In fact there can, and the methods of setting this up are the main advances offered in the 'Instrument Synthesis Software Package', again by MTU, written by Frank Covitz and Cliff Ashcroft, and made available for the 6502-based PET, KIM and AIM systems. Obtainable from IJJ Design Ltd, 37 London Road, Marlborough, Wilts SN8 2AA, it consists of a 55-page booklet and a cassette and costs £30 plus VAT. It is intended for use, initially, with a hardware board carrying a single digital-to-analogue converter and 500 mW audio amplifier,

which gives mono output and is sold with the simpler software at £57 plus VAT, as described in the January 1981 issue of PCW. However, stereo options are provided for in the new software, so that the four 'voices' could be distributed as required between two outputs if the hardware were available. Much more interesting sounds can be produced and many of the effects of an analogue synthesiser can be imitated.

Principles

In a musical instrument which is sounding a steady tone, such as an organ pipe, there is a fundamental frequency and a number of harmonics of this frequency which give a periodic waveform. This can be reproduced reasonably well by storing just one cycle of the waveform in a table, usually occupying one page of memory, and scanning it repeatedly.

However, it takes time to build up a steady tone in a pipe, and it also takes time for the tone to die away when the wind supply is stopped. If sudden

Illustration by George Snow




switch-on and release are allowed in a computer simulation, the imitation is not so good. It is far worse when simulating other musical instruments which do not have a steady tone at any time, such as plucked string types — guitars and harpsichords, for instance. So a first approach is to control the build-up and decay of amplitude of a waveform with a fixed harmonic content, allowing also for a steady portion ('sustain') if wanted. We could have a sequence of several cycles for the attack stored in a section of memory several pages long, then a repeatable sustain page and another sequence of several page/cycles for release.

However, even this technique occupies too much memory. Our 32k memory contains only 128 pages, so a 440 Hz waveform (concert pitch A) would scan through the whole memory in only 128/440, or about a third of a second. This is less than the decay time of many real instruments.

There is another aspect to consider. This is that, during the attack and decay cycles, the harmonic content of the waveform also changes. A simplified explanation is that, for example, in a plucked string, air friction is greater for higher harmonics, so these die down more rapidly. So any method of specifying attack and decay waveforms should allow for amplitude variations of each harmonic.

Figure 1 shows a simplified example with a fundamental and second harmonic only. The harmonic rises immediately to a value greater than the fundamental but dies away more rapidly. The waveform, and its analysis into fundamental and harmonic, are shown in (a) and (b) respectively.

To avoid having to use all our memory in reproducing this waveform, we approximate it into a number of steps — a form of quantisation. Figure 2(a) shows an eight-step approximation to the analysis of Figure 1(b). For each step, we can carry out a Fourier synthesis and create a waveform page containing the appropriate level of fundamental and harmonic, so this will occupy only eight pages of memory. Now, in playing through these waveforms, we should ideally use interpolation between the tables but this would again be too slow for real-time playing. Instead, we repeat each page as many times as needed before moving on to the next one, making the total time the



same as for the original waveform. Figure 2(b) shows the waveform produced by this 'stair-step' approximation. It is simplified, showing only three cycles for each waveform instead of 32; even so, to make the figures less complex, eight steps is rather a small number, and 20 is more typical for the steps to be inaudible.

Figure 2(a) is calibrated in 'tempo periods' rather than seconds. This is because the tempo setting in a piece will affect the timing but not the tempo periods. A tempo period is in fact equal to 'tempo setting' multiplied by 'sampling time' (118 microseconds). This time between samples is determined by the software loop which has to get samples from each of the four sets of waveforms (or four samples from one waveform, etc), add them, output them, and increment the pointers ready for the next samples. The 6502 is extremely efficient at this because of its 'zero-page indexed addressing' mode. Surprisingly, even a 4 MHz Z80A could not better it. Even so, the time taken limits the range of frequencies to a maximum of 3.5 kHz.

In the tempo period scale in Figure 2(a), for example, a tempo setting of 80 decimal gives 80 x 118 microseconds, ie, just under 10 ms per tempo period. The whole time axis then occupies about 2.5 seconds. Each tempo period corresponds to scanning one page, so each of the eight pages is scanned 32 times in succession.

Although setting up the waveform tables according to this diagram implies

decaying sound, scanning in reverse order can give a controlled attack. Varying numbers of repetitions of individual waveforms may be used to alter the rate of change, or to improve the resolution. Figure 3 shows two other sequences.


Two data tables per 'instrument'

In addition to the set of waveforms, we need instructions telling the computer which waveforms to use and how many times they are to be repeated. So we have a 'waveform set' and a 'waveform sequence table'. Any waveform set can have several sequence tables controlling it at different times. For convenience, a waveform sequence table is always allowed one page of memory, so occupies much less than the waveforms. In cases where the sound must decay to zero in a time less than provided for by the 256 tempo periods, the end table entries are made to scan a 'silent' waveform, consisting of a page of 80s (hex), since offset binary coding is used.

Software implementation

All the MTU software is carried out in machine code, as for the earlier version. There is just one line of Basic, which clears the screen and calls up the starting address of the machine code routine. Program execution is automatic after loading the PET from a cassette and it can be re-executed by the usual RUN command.

However, we are promised a 'human interface' with a graphical entry mode or alphanumeric mode for very large pieces and this should be available any time now. At present, all instructions and data have to be turned into hex-coded bytes and entered into appropriate memory locations. The codes have nothing to do with the 6502, but are interpreted by the MTU monitor software according to principles which are, on the whole, very well explained in the software book. Each command resembles an instruction to a micro-processor, in that it has a single byte operation code followed by one or more bytes of data or address operands. Execution follows the command string from an address SQSTRT (sequence start) whose location depends on the computer being used, but is 0E00H in the PET.



Constructing a waveform set

It would be very tedious for the programmer to have to work out the amplitudes of several harmonics in each of about 20 waveforms in a sequence, and then get the microprocessor to calculate each waveform in turn. Instead, it is assumed that each harmonic grows or decays in a linear manner between breakpoints specified by the user and the monitor interpolates between the breakpoints for the intermediate waveforms. The command consists of the operation code F5H, starting and end page numbers relative to a memory boundary LOWLIM (page 20 in the PET), and a series of x-y co-ordinates for each harmonic, where x gives the page number of a breakpoint and y the amplitude of the harmonic in that page. Terminators FFH are inserted after each harmonic, and 00H ends the command. The waveforms are then calculated and entered into the correct pages by this command; since this sometimes takes several seconds it is best done before a piece is played.

A noise component can also be specified by this command, using hex numbers 80 or more in the position of the harmonic number.

In creating this waveform set, amplitudes are not normalised, because the versatility of the system requires the user to retain control of amplitude. It is necessary, though, to guard against overflow and against too small an amplitude, which will give poor signal-to-noise ratio. Rule-of-thumb advice is given to aim at a total harmonic amplitude sum of about 350 for a large number of harmonics, or 300 for only a couple, on the basis that the theoretical maximum of 255 results in smaller waveforms because of cancellation effects between harmonics.

Constructing a waveform sequence table

The obvious way of telling the computer how to scan the waveform set is to type the waveform page numbers one at a time into the appropriate page of memory reserved for the waveform sequence table. For the simple example of Figure 2, the first page number would be typed 32 times, then the next 32 times, and so on, until the page is filled with eight sets of 32 repeated page numbers.

Rather than do this, we use the 'arbitrary waveform sequence table' command. In this, the op code, F8H, is followed by an instrument identity number (one nibble — allowing up to 15 instruments, since zero is reserved for a silent instrument; the other nibble of the byte is not used); then pairs of bytes, the first of which gives the relative waveform page and the second the number of repetitions; and finally, a terminator FFH. So the table for Figure 2 could be constructed using commands which occupy only 19 bytes instead of 256.

However, for many instruments a useful sequence can be constructed even more simply. For struck or plucked-string instruments, there is a sharp




Fig 3

attack and then a decay which decreases more slowly as time goes on, as in an exponential decay in an electric circuit. So a sequence which can generate a decreasing rate of decay automatically could be very useful.

This is done in the 'simple stretch' option of the 'build waveform sequence table' command, which needs only five bytes. The first one is the op code F6H, and in the second one are two nibbles which define the simple stretch option (using zero) and instrument identity number. The third byte specifies the degree of stretch to be used; its first nibble defines the length of the initial block in the table and its second defines how many times a block is to be repeated. The fourth and fifth bytes define the starting and end page numbers. For instance, if the initial block length is one and each block length is repeated once before incrementing the block length, we may get a table of this form: 05 06 07 07 08 08 09 09 09 0A 0A 0A . . . etc.

A little thought reveals that this would turn a linear fall of amplitude into a quadratic one or, to use MTU's description, it gives 'quadratic stretching'. The same sequence in reverse would give a rising waveform amplitude whose rate of rise decreases with time, giving an inverted quadratic. Since the sets of waveforms are built using linear interpolation, this is a very powerful pair of commands, on which the authors should be congratulated.

Generating attack, sustain and release (ASR) sequences

For sustained wind instrument sounds such as trumpet, clarinet, and horn, we need a more complex sequence table. The 'simple stretch' option nibble in the F6H command set is now changed so that it is an odd number, and used to determine the length of the sustain phase. This length is in fact made equal to $32 \times \text{INT}(X/2)$, where X is the nibble, and the last waveform of the attack phase is scanned this number of times for the sustain period. Three more bytes are added to the command to determine the release sequence.

ADSR envelopes, as used in some analogue synthesisers, are not mentioned

by MTU. The extra letter refers to decay before the sustain period and is sometimes wanted to simulate, for instance, the decay of a piano string vibration after the key is struck but before the key is released. Probably the arbitrary sequence command should be used here, as the stretch options do not allow for three sections.

As might be expected, an even value of X in the sustain-length nibble is made to do something different from when it is odd. In fact it is made to give a pseudo-tremolo effect which the authors describe, fairly, as 'warble'. In this mode, during the 16X table entries of the sustain period, the sequence cycles through the last three waveforms in the attack set, playing them twice each to and fro, so that they take eight table entries per cycle. For a typical tempo setting, this gives a rate of about 13 Hz.

Strumming sounds

One more command is provided for creation of a waveform sequence table. This one simply modifies an existing table by taking the first block of entries from it, and repeatedly copying them into the new table until the page is full. This uses the op code F7H, with two nibbles for source and destination instrument identities and one more byte for the block length to be copied. Uses include synthesis of strumming sounds for plucked or struck instruments.

Note coding

So far, I have summarised the methods of creating musical instruments within the computer. We now have to look at the way in which notes are coded. In the previous software (PCW Jan 81), each note of the scale was given a single byte which had to be entered into a song table. This byte was used to access an address where a two-byte code for the frequency (in fact, the skip needed in incrementing the sample pointer) was stored. This was a little trying to use, as the codes bore no resemblance to musical notation. In the latest version, it is even more trying, because each note has four possible identity codes!

The reason for this is that sometimes we need to change the computer specification for an instrument according to the note it is to sound. A natural

Last year we tested or reviewed 141 PET programs, evaluated 54 peripherals ranging from light pens to printers, and ran 27 major articles on PET programming. Our gossip columnist blew the gaffe on dozens of inside stories, receiving two death threats, five poison pen letters and a dead rat for his pains. We also published 53 letters from PET users, 88


listings, 105 programming hints, and 116 news stories about the CBM/PET.

THE TRUTH ABOUT THE PET

All this added up to more than 150,000 words of essential PET information. We are PRINTOUT, the independent

magazine about the CBM/PET. Shouldn't you subscribe?

£9.50 buys you the ten issues of Volume 2 (1981) or the complete set of Volume 1 (1980). Simply send us a cheque, postal or money order or the number of your Barclaycard/Visa, Access, Mastercharge or Eurocard. We also accept credit card orders by telephone on 0635-201131. Sample copies of the latest issue are available at £1. All prices include UK postage.



To PRINTOUT PO Box 48, Newbury, Berkshire RG16 0UJ, England. PCW381

My Name is

Address

Postcode

Please Enter my Subscription to : ☐ Volume 2 (1981) ☐ Send me the set of Vol 1 (1980)

☐ I enclose my cheque or Postal Order OR

☐ Debit my Access/Mastercharge/Eurocard/Barclaycard/Visa account No.

☐ UK £9.50 ☐ Eire £12.50 Punts ☐ Europe (surface) £14.50

☐ Europe Airmail £18 ☐ USA Airmail \$45 ☐ USA (surface) \$36

☐ Rest of World Air £25 ☐ Rest of World (surface) £14.50

Send me a sample copy ☐ UK £1 ☐ Europe Air £1.50 ☐ USA Air \$5

Send me ... binders @ ☐ UK £3.50 ☐ Eire £4.50 Punts ☐ Europe £5 ☐ Rest of World £7.50 ☐ USA \$19

musical instrument covering a wide range of notes has different characteristics of timbre, volume, attack and decay for different notes, so the requirements of good simulation must take account of this. In addition, aliasing can occur if there are too many harmonics in a computer-generated waveform, which can happen in high notes; but if we cut down on the harmonics in these high notes, the lower versions will sound impoverished. Ideally, we should have a waveform which is individually controlled for every note. As always, compromise is made, and in this system any particular note can use any of three instruments, created as already described.

A note code occupies one byte. Of this, the six least significant bits select 63 notes (zero is used for a rest) and the other two select the three instruments or a 'sustain' mode. The sustain mode is necessary to allow tied notes to carry on sounding when other parts are changing in a new musical event. This means that, usually, the programmer does not have to regard a break between repeated notes as an event, as in the previous software, since normal decay will take place, and sounding the note again by using the sustain code will have the required effect. In this sense, programming is easier. In another, looking at the printed page which shows 252 codes against an enlarged pair of musical staves, it is certainly not!

There has to be a command to specify which instruments are called up by the different modes for the four voices. This uses the op code F1H, and it is followed by bytes defining the mode table and the four instruments used by the four voices. I found this section of the software difficult to grasp as there isn't a clear example, but eventually worked out the following sequence of commands to provide one:

```
F1 01 45 67
F1 02 89 AB
F1 03 CDEF
```

In this, voice one uses instrument four for mode one; voice two uses instrument five for mode one; voice three uses instrument six for mode one; etc . . . and voice four uses instrument FH for mode three. The order of the four voices is implied by the position of the nibbles of the last two bytes in each line.

As before, the song table, which corresponds to a musical score, comprises a series of groups of bytes. If four parts are being used, each group starts with one byte for the duration of the event and the remaining four are the note codes for voices one to four in order. Where a voice is inactive, a zero is inserted. The principle to follow in coding for the three optional instruments is to use one of the modes one to three for the initial entry of any voice but if it is to carry on sounding without repeat then use the sustain code in the next event. Codes up to 3FH represent the sustain mode.

Transposition

The restriction of the note range to 63 may not always be acceptable, so two commands are provided to shift the notes by 'offsets'. One enables any or all of four voices to be shifted down one octave or up two octaves, and the other gives absolute offsets of -12 to +24 half-steps (semitones) or relative

offsets of -15 to +15. Absolute offsets cancel previous ones. My criticism of the previous software, that transposition was limited to an octave upwards, has been fully overcome.

Finally, in the set of commands, two more set the number of voices to be interpreted from the song table and the tempo, and there is, of course, one to locate the start of a song table sequence to be played.

User impressions

I received the cassette carrying the 'INMUS MONITOR' software with three demonstration programs some time before the 'Instrument Synthesis Software Package Release 1' arrived. The difference from the previous package was immediately apparent. The first program is a demonstration which can be run in an 8k system, although this is really inadequate for the package. This contains short note sequences of scales and arpeggii, and a chord sequence, to be played in one, two and four voices as appropriate, with changes of instruments giving different effects: plucked string instrument, trumpet-like instrument (using the three modes), weird metallic instrument, constructed with only fifth, seventh, tenth and fifteenth harmonics, oddball instrument using the warble effect, and a chiming instrument made by modifying the previous one. The software booklet contained the complete listing for this program in assembler language format with explanation column, so I was able to study it in detail. The instrument descriptions I have listed here are those given by MTU in this listing, and are apt.

As before, no knowledge of 6502 code is needed to use the package.

The sounds produced by the demonstration program show the versatility of the system in a very effective way. They are marred to some extent by noise, which is inevitable in an 8-bit system where sometimes only six bits are being used (one-voice note sequences). Slight clicks can be heard occasionally and there are long pauses between playings of the note tables while new waveforms are created. Truly, music is one of the most demanding applications for a computer!

Also on the cassette is a program based on Bach's *Sinfonia No 14*. This produces some good harpsichord sounds and some unconventional ones, and requires 16k of memory. Finally, there is Tchaikowsky's *Dance of the Reed Flutes* from the *Nutcracker Suite*, requiring 32k and giving a fair imitation of orchestral sounds. No listings are provided for these two programs, although they can be examined by entering machine code mode on the computer and looking at the memory. The command and note sequences for the Tchaikowsky occupy only locations 0E00H to 1B4EH in the PET, so it wouldn't be necessary to look at the whole 32k. However, the commands for some of the instruments used in these programs are listed in a very useful 'Library of Instrument Definitions' in the software book. Twenty instruments are specified, each defined by a pair of instructions to build the waveform set and the waveform sequence table, and some with extra sequence tables.

You don't really understand a system, though, until you have tried to program it yourself. I decided to write a short program to see if I could generate a number of instruments and use them in the three modes, as they had caused me trouble in the reading. There's a natural tendency to 'switch on Bach' when you have a twangy sound available, so I programmed the first few bars of his *Toccata in D major* (BWV-912) and entered the 'plucked catgut' instrument from the library, plus two softer versions of it which I invented for the other two modes, and used there for all four voices.

Memory allocation was the first problem. There is a lot about this in the software book, which seems overwhelming. Anyone working in machine code faces this — you have to specify where you are putting your codes as there is no high level language to do it for you. However, examining the default settings carefully showed that I had plenty of room. The playing sequence code starts at 0E00H and goes upwards through memory, being followed normally by the song table, which has to be called up from memory addresses specified in the playing sequence. There is a 'LOWLIM' boundary at 2000H; waveforms are constructed in pages counting up from here, but waveform sequence tables count down from it, so there is a danger of song table and waveform sequence tables colliding. Also, a silent waveform is entered into page 20H (all 80H) and its corresponding sequence table into page 1FH (all 20H). If you don't construct your own waveform, a sinewave is entered into page 21H and its sequence table into page 1EH (all 21H). This isn't written out in so many words in the booklet, so I checked it by examining memory.

I wanted to create three instruments, so their waveform sequence tables would occupy pages 1EH, 1DH and 1CH, over-writing the sinewave. This would leave pages 0EH to 1BH, available for the playing sequence table and song table — ample for this need.

The three sets of waveforms would use 11H pages each, so would occupy pages 21H to 53H. Even this simple program requires more than 16k of memory, which would give only up to page 3FH, so it's fortunate that my PET had 32k.

The command sequence code turned out to occupy memory from 0E00H to 0ECCH, so I started the song table at 1200H, leaving plenty of space for after-thoughts on instruments. If I eventually code the complete toccata — unlikely, as it is a very long work — I would have to move LOWLIM up, or possibly use the top of memory, for the song table. This is allowed for in the monitor.

I wrote out the command sequence on paper first, so that I could add memory locations and keep a check on where I had reached when entering it; it went in with only one major error, which took some time to find by studying sequence tables to see which had gone wrong. The song table was more difficult; I have already mentioned the problem of reading the four possible codes for each note, and when it goes in as sets of five bytes but has to be entered using the PET cursor on a block with lines of eight bytes of memory, the

GOTO page 146

GATEWAYS TO LOGIC

CHAPTER 8: PERIPHERALS

Derrick Daines continues his series on teaching microcomputing to others.

So far the microprocessor has been discussed almost entirely in connection with computing. Now is the time, however, to stress that although computing is an important application, it is only one among many. Hazarding a guess, I would estimate that less than ten percent of all micros in use today are in computers and that this eventually will level off at about three to five percent. The rest will go into an infinite variety of industrial, commercial and domestic appliances.

It is not that the actual numbers of computers will drop — on the contrary, they will increase as never before — but that there will be an explosive growth in the range of products using the micro. Where this process will end is anyone's guess and it is this very fact that endows the long-term future with its most exciting aspects.

Earlier in the series we stressed that microprocessors can be put to an amazing variety of uses simply by attaching different peripheral devices. A peripheral is any device that can be coupled to the micro, by means of which the micro is controlled or communicated with, and through which the micro can communicate with and/or manipulate the outside world. It can be extraordinarily simple as in the case of a switch, or fantastically complicated like an electronic typewriter keyboard. (Figure 7 in chapter 3 shows some peripherals.)

Switch inputs

Any on/off switch can communicate with a micro. Apart from switching the power supply on or off, or resetting all contents to zero, the switch can also be used to input information of one kind or another. An example would be a road pad to count the number of vehicles, or a light-operated switch to count the number of articles passing along a conveyor belt. A few years ago a switch of this type was used to count bees entering and leaving a hive.

The switch may also be used to program the micro. Impecunious souls with patience may easily rig up a set of switches that are used to input binary-coded information into memory; the Open University has for years used just such a device (called 'Opus') for teaching the rudiments of computing. One sets up the eight binary switches and then, when satisfied, presses a push-button to transfer the data into memory.

A slight extension of this idea

provides a restricted keyboard. The addition is a dedicated chip which turns hex to binary, so all that is needed are 16 simple pushbuttons labelled 0 to F. Such microcomputers are available for as little as £40 in kit form, with 256 bytes of memory, which would provide very useful computing facilities and enable the control of peripheral output devices.

Computer terminals

Ideally, a terminal should be in two halves to stress the fact that it comprises two separate units. One part is an extended keyboard (with its associated electronics) and the other is a Visual Display Unit (VDU), like a television set without the sound. Many installations will indeed use an unmodified television in the same way that TV games do.

Some of the mystery of the VDU will disappear if the student is encouraged to examine the display very closely, when it will be found that each character consists of a pattern of dots or very short dashes (see Figure 1.) The characters are coded by circuitry in the VDU in a manner similar to the ASCII system detailed below but working in reverse. Figure 2 is an example of a 7 x 5 matrix.

Computers with graphics capability use a variation of the technique in order to draw diagrams and pictures of all kinds. The screen is divided up into a very large number of cells, each one of which is accessed by one particular memory location within the computer.

By addressing the memory the cell can be turned on or off — white or black. The definition varies from one manufacturer's product to another and of course depends upon the number of cells on the screen. Other computers allow for different numbers to be loaded so that the circuitry can then decode it and display the cell in a choice of colours. Home computers boasting colour graphics are becoming very popular.

Newspaper photographs can be used to illustrate the basic idea, and no doubt many will have seen the type of computer photograph that prints the image in close typescript, wherein the shading is produced by different printed characters. What is important with all of these ideas is not the fine technical detail but the main outline of the technique involved.

Another offshoot of all this work is the enhancement of photographs by computer — a technique that was used on the pictures sent back by Mariner




Fig 1




Fig 2




Fig 3 To the micro, the PIA looks like just another block of memory.

from Mars, for example.

The typewriter keyboard is the principal method by which the human communicates with the computer. The basic principles have been taught already, with the dedicated chip turning the number input into binary code. With the introduction of a full keyboard, students will want to know how the computer deals with letters, spaces, brackets, etc. The answer lies with the ASCII code, which is given in Table 1. ASCII stands for American Standard Code for Information Interchange and was originally designed for the transmission of news reports, telegrams and the like over wire. Although other systems have been tried, the ASCII code remains the most popular, sometimes with local variations. (There is no £ sign, for example.)

ASCII code

To change a character to its hex equivalent, find the character on the chart, note the number of the column and then the number of the row. (MSB stands for Most Significant Bit.) Thus 'A' in hex is 41, while the lower-case 'a' is 61. To change from hex back into script is obvious — find the column, then the row. Thus 3F is?

In passing it might be noted that this adds a slight complication to computing since (eg) 3F can stand for a question mark, an instruction to stop or the numeric value 63 (decimal), depending entirely upon the context. As far as the micro is concerned, however, it is still either an instruction or data in the manner described in a previous chapter. When instructed to print, it sends the data to the printing device which decodes it back into characters.

The complication is more than offset by the advantage of having a binary code for script, making it easy to use the micro for text manipulation. Perhaps the most spectacular application of this is in programs for word processing, but all computer programs make use of it to a greater or lesser extent.

A very useful program for those with a 6800-based computer is contained in Table 2. Children of 8 years old and up will happily translate their name or other short message into ASCII-coded hex and then trot over to the terminal. The computer asks them to type in their list of hex numbers, automatically printing a space after each pair of input symbols. The child signals the end of his input by typing RETURN, which prompts the computer to translate the hex into a row of script. It then waits for the next inputs. This has been found to be a most successful program with a number of points to commend it. (1) It accustoms children to the ASCII code; (2) it restricts the child's use of the keyboard to the numeric keys and A-F; (3) the child learns of the computer's infinite patience; (4) the principles of coding generally are absorbed; (5) the lesson is self-correcting and (6) the child is highly motivated.

Need it be added that the program is also great fun? Somewhat deliberately, there is no way that a keying error can be corrected. With coding errors added, the printout frequently causes great hilarity plus, of course, great satisfaction when something is printed out correctly.

LSB	MSB							
	0	1	2	3	4	5	6	7
0	NUL	DLE	SP	0	@	P		p
1	SOH	DC1	!	1	A	Q	a	q
2	STX	DC2	"	2	B	R	b	r
3	ETX	DC3	#	3	C	S	c	s
4	EOT	DC4	\$	4	D	T	d	t
5	END	NAK	%	5	E	U	e	u
6	ACK	SYN	&	6	F	V	f	v
7	BEL	ETB	,	7	G	W	g	w
8	BS	CAN	(8	H	X	h	x
9	HT	EM)	9	I	Y	i	y
A	LF	SUB	*	:	J	Z	j	z
B	VT	ESC	†	;	K	[k	{
C	FF	FS	,	<	L	\	l	\
D	CR	GS	—	=	M]	m	}
E	SO	RS	.	>	N		n	~
F	SI	US	/	?	0	^	o	DEL

Notes: SP = space.
CR = Carriage Return
LF = Line Feed
BS = Back Space
BEL = Bell
DEL = Delete

The other signs need not concern the general reader.

Table 1 ASCII to hex conversion table.

This program accepts a series of Hex numbers and prints out their ASCII equivalent.

0100	CE 0200	LDX	Starting address of title text
0103	BD E07E	JSR	Print intro text
0106	CE 000	LDX	Routine start to clear all temp storage.
0109	4F	CLR (A)	
010A	A7 00	→STA, X	Store A, indexed.
010C	8C 00FF	CMP X	Has index reached 00FF?
010F	27 03	BEQ	
0111	08	INX	Increment index
0112	10 F6	→BRA	Branch always
0114	CE 021E	→LDX	Start of instruction text
0117	BD E07E	BSR	Print text
011A	CE 0000	LDX	Point to first empty store
011D	BD E1AC	BSR	Fetch 1st digit from keyboard, put in A
0120	81 0D	CMPA (A)	Is it C/R?
0122	27 1F	BEQ	If so, done with entries
0124	16	TAB	Copy in B
0125	BD E1AC	BSR	Fetch 2nd digit, put in A
0128	80 30	SUB (A)	Subtract ASCII bias
012A	81 09	CMP (A)	
012C	23 02	BLS	
012E	80 07	→SUB (A)	
0130	58	→ASL (B)	
0131	58	ASL (B)	
0132	58	ASL (B)	
0133	58	ASL (B)	
0134	1B	ABA	Add A to B. (Result is ready-to-print hex code in one memory)
0135	A7 00	STA (A), X	Store A, indexed
0137	BD E0CC	BSR	Print a space
013A	08		Increment X by 1
013B	8C 00B4	CMPX	Has index reached allowable limit?
013E	27 03	BEQ	
0140	7E 011D	JMP	to step 011D above; repeat input with ASCII code, "end of text"
0143	86 04	→LDA	
0145	A7 00	STA (A), X	
0147	CE 0238	LDX	Start address "Your code was"
014A	BD E07E	BSR	Print text
014D	CE 0000	LDX	Point to first
0150	BD E07E	BSR	Print to end of text
0152	7E 0100	JMP	To start; begin all over again
TEXTS			
0200	C/R, L/F,	NUMBER CODE 04	
021E	C/R, L/F,	Please type your code C/R, L/F, L/F, 04	
0238	C/R, L/F,	Your code was — 04	

Program begins at 0100.

Table 2 Decoding program.

the ABC's of CP/M®



NEW! CP/M HANDBOOK MAKES CP/M EASY AS ABC

CP/M—the industry standard in operating systems: now Sybex makes it easy as ABC with a new step-by-step guide: THE CP/M® HANDBOOK (with MP/M™).

Gain a clear understanding of CP/M's basic operation, learn how to use the editor and assembler, then explore all versions of CP/M, including CDOS and multi-user MP/M.

Numerous sample programs, practical operating hints and handy reference tables make the CP/M HANDBOOK a must for anyone—from beginner to experienced programmer.

For sophisticated editing or simple copying, the new CP/M HANDBOOK gives you a hand—and makes CP/M easy as ABC.

By Rodney Zaks, 250 pp., Ref. C300,

CP/M® and MP/M™ are trademarks of Digital Research

Get your copy of the CP/M Handbook from your local Computer store or Bookshop. In case of difficulty, send cheque/ P.O. for £8.95 + 70p post & packing to the SYBEX UK Distributor.

**The
Computer
Bookshop**



**Temple House,
43/48 New Street,
Birmingham B2 4LH**

Please send me a copy of the CP/M Handbook.

I enclose Cheque/P.O. for £9.65

Name

Address

.....

.....

PCW

KEEN COMPUTERS

NETWORKING SYSTEMS— FOR MICROCOMPUTER POWER ON TAP.



Miracle

Applications unlimited with database flexibility.

Add up to 72Mb of Corvus hard disc drive to a single-user microcomputer system – Apple, S-100, Superbrain, LSI-11 and many others – and you're half-way towards a Miracle. Add on more microcomputers, link them up with a Constellation shared data multiplexer – and you've arrived.

Miracle puts distributed data processing on tap – with each user station enjoying high-speed access and total flexibility. A Miracle system can be as big or as small as you want – as and when you want it. With a 4-micro Miracle system you can save £7,000 on a minicomputer system – and gain database flexibility.



Onyx C8000 Series

Your powerful new ally in applications technology.

Processor, memory, fixed 8-inch disc and cartridge tape come in a single compact powerhouse – and in two versions.

The powerful 16-bit C8002, which handles up to eight users, has a faster throughput than the PDP-11/45. With its UNIX 7 timesharing operating system, the C8002 gives you the power of a mainframe in a desk-top device. Extra user stations and storage capacity can be added in minutes; and C8002s can be connected together in a network.

The 8-bit C8001 is ideal for one or two users and can be easily upgraded to the C8002.


EXPAND YOUR NEEDS EXPAND WITH

AND YOU CAN START WITH

Miracle

A Miracle system has almost unlimited scope for accessing shared data via multiple terminals in accounting, word processing, financial planning, stock control, graphics, critical path analysis and database management applications – and at the same high-speed as with single-user systems.

In addition to his own dedicated computer and associated memory, each user has access to a central hard disc memory – without interference from other users. Miracle also makes it possible for like computers to



communicate with each other in the network and for peripherals to be shared.

Apple, Alpha, Altos, Superbrain, TRS-80 Models 1 and 11, DEC LSI-11 and all S-100 bus computers.

The system will interface with all these micros – in any combination. Traditional peripherals, such as printers and VDUs, plus interactive devices like speech output, voice recognition, colour graphics, light pens and digitisers can also be linked up to give a Miracle system unrivalled configurability.

A single-level Miracle network polls up to 8 computers; and a two-level network allows up to 64 computers to share the disc memory.


The Constellation shared data multiplexer is used to connect the computers in the system to 10Mb or 18Mb of Corvus hard disc drive. Using four disc drives the total capacity of a Miracle system can be extended by up to 72Mb. Corvus will work with your existing software and give disc accessing speed which is normally twenty times faster than with floppies.

Mirror back-up system

The unique Corvus Mirror provides an inexpensive back-up for the hard disc system. It interfaces the data signals on the disc with a 100Mb capacity video tape system; and the entire contents of a 10Mb disc can be archived in about 15 minutes.

Making use of a comprehensive range of languages, from BASIC, COBOL, and FORTRAN to PASCAL, ALGOL and APL, the applications of Miracle are flexible and almost limitless. Cost effectiveness is enormous – for the simple reason you never have to buy more system than you need.

Five-user scientific Miracle system



This system is suitable for R&D and computer aided design. Miracle systems can be configured for accounting, word processing, stock control, critical path analysis and database management applications.



NETWORK AS YOUR MIRACLE AND ONYX.

WITH A SINGLE-USER SYSTEM.


Onyx C8000 Series

In fields such as computer aided design, critical path analysis, finite element analysis, document production, phototypesetting, surveying, cartography, and internal electronic mail, the Onyx C8002 proves that microcomputer systems have not only caught up with minicomputers – but actually overtaken them!

Take, for example, the PDP-11/45* – a superb minicomputer system by any reckoning. Yet how does it compare with the C8002's compact and cost-effective package of 18Mb of Winchester hard disc drive, 12Mb of 3M cartridge tape drive, 512Kb of RAM and 16-bit Z8000* processor?

The plain fact is that all but one of the Z8000's instructions are faster than with the PDP-11/45 – and the C8002 costs a few thousand pounds less.

Both the C8002 and C8001 can be directly connected to almost any standard terminal, printer or modem. Disc



storage capacity can be increased by 'daisy-chaining' up to seven additional disc drives to the internal controller.

Eight-user system.

At the heart of the C8002's advanced systems architecture and powerful throughput is the UNIX 7* timesharing operating system. This enables up to eight users to share files (subject to security constraints) and to compile or execute programmes written in BASIC, COBOL, FORTRAN, UCSD PASCAL, C and MUMPS – concurrently and independently. Memory allocation and management uses techniques previously unavailable on microcomputers.

When more than eight terminals are required, C8002s can be linked together in a high-speed local network for construction of very large distributed databases – at less than half the price of a comparable minicomputer network.

One or two-user system.

The 8-bit C8001, available with either OASIS or CP/M* operating systems to tackle similar applications to the C8002, is a powerful one or two-user 4MHz Z80A-based microcomputer system with 10 or 18Mb 8-inch Winchester hard disc drives (also available for the C8002) and 64Kb of RAM. It uses the same cartridge tape drive as the C8002, thus enabling an entire 10Mb disc to be copied in less than 14 minutes. It can be quickly upgraded to the C8002 when more computing power or terminals are required.

Ambassador

User-definable terminal provides cost-effective flexibility.

This powerful and flexible terminal implements a major portion of the ANSI X3.64-1979 standard – with a comprehensive set of cursor, erasure, editing and transmission commands; and a full complement of graphics.

The Ambassador can be customised by selecting the required features, downloading command functions, setting up operating parameters and defining function key operations.

30/60 line display, selectable cursor display and user-selectable page, window and status areas are available on the 15-inch green phosphor screen. A 94-key detached keyboard is standard, including 13 programmable function keys, cursor movement and numeric pad, and system keys.

*Zilog is a trademark of Zilog Inc. CP/M is a trademark of Digital Research Inc. UNIX is a trademark of Bell Telephone Laboratories. PDP-11 is a trademark of Digital Equipment Corporation.

KEEN COMPUTERS BRING YOU SERVICE ALL ALONG THE LINE.



The Keenstar range of over 200 hardware and software products is backed up by a complete service – from consultancy to after sales.

Consultancy has been the cornerstone of Keen Computers' success. They will correctly identify a user's problems and requirements; then design, develop and commission a system which exactly fits the bill.

Software capability has an important role to play in providing cost-effective solutions. And this capability has enabled Keen Computers to assemble many of the software packages in the Keenstar range – as well as providing custom-built software, as required.



In addition to **staff training**, Keen Computers organise seminars for top management – so that they can fully appreciate a system's potential and derive maximum benefit from it.

Purchase and leasing terms – made available over 5 years through a leading finance company – are supported by full maintenance service.

Special **short-term hire** facilities are also available for customers who want to appraise equipment or test software and systems before committing themselves.

Trouble-free operation and prolonged life for Keen Computers' installations can be safeguarded with cost-effective maintenance agreements.

Microcover Guarantee is that extra bonus for all Miracle/Onyx systems – providing delivery, installation, commissioning and 90-day on-site parts and labour warranty in the quoted price.



5b the Poultry
Nottingham NG1 2HW
Tel: 0602 583254
Telex: 37297 (keenco)

Keen Computers



Please send me details and prices on:

- ☐ Miracle/Corvus Peripherals (please state) _____
☐ Onyx C8000 series micros _____
☐ S-100 ☐ Apple micros _____
☐ Ambassador VDU _____
 Please state other services or products in which you are interested _____

Name _____
 Position _____
 Company/Establishment _____
 Address _____

Tel: _____

Please post to Keen Computers, 5b the Poultry, Nottingham NG1 2HW.
 Offices in London and San Francisco

**ENQUIRIES FROM OEMs, DEALERS AND
OVERSEAS WELCOME**

Calculators

It may seem odd that hitherto I have made no mention of calculators. This is because we have been concerned with the mainstream of technological development and where that stream is likely to take us. Although fascinating and worthy of a study in itself, it is my view that the calculator stands a little aside from the mainstream, an end in itself without the potential for future development that the micro has.

The programmable calculator is a hybrid, standing between the calculator and the computer proper. Certainly the programmable calculator has considerable potential as a teaching aid with which to illustrate the stored program concept and give students sufficient practice at writing simple programs, but needless to say, such programs will be of the number-crunching variety.

It is one of the small ironies of history that up until about 15 years ago, all research and development went into designing computers that did considerably less than the average hand-held calculator of today. What was termed a computer then we now call a calculator. There is the blessing that now mathematicians have nearly all they ever wanted in the programmable calculator, the close identification of the computer with higher mathematics has been relaxed. It is also true that the manufacturing techniques that went initially into the calculator have been turned with benefit to the computer as we know it today.

Both the calculator and the computer use binary arithmetic but their internal structure or architecture — how the bits and pieces are fitted together — makes the calculator good at number-crunching and good at control. Certainly the computer can impress you or I with its speed and accuracy but, compared with the calculator, it is neither fast nor accurate. It is, in fact, extremely difficult to program a computer to do mathematics, as anyone who has studied such a program will tell you (I mean, of course, in machine code. When we use Basic, for example, it includes a floating-point arithmetic program in its structure).

The calculator chip therefore makes an excellent peripheral for the micro, especially in the computer. The micro takes care of all the control functions — switching gates on and off, shunting data about, running programs and generally being a busybody — and when it needs operations on numbers, it flings the details to the calculator. It's all rather like the boss of an international corporation having an accountant at his elbow — he could do it himself, but it is more efficient to let the other do it. Quick as a flash the calculator chip flings back the answers and the micro deals with them. Both chips are doing what they do best and obviously the installation of a calculator in a computer speeds up the operation of most programs.

Figure 3 gives a block diagram of the installation, based upon the National Semiconductor MM 57109 calculator chip. The PIA (Peripheral Interface Adaptor) is simply a device that allows the two chips to talk to each other, while the separate clock shown is for the use of the calculator only, allowing

it to run at its own speed once it has been given a job to do. Within the calculator chip itself, apart from the obvious calculating circuitry (see Figure 4), are a number of registers and a memory, which is rather like the accountant having his own scratchpad or jotter. It should be obvious that the user cannot access the memory directly, but must in effect say to the micro, 'Please ask the calculator what it has got in its memory, so that you can tell me.' Because of this, perhaps the hardest part of having such a calculator coupled to the micro is learning to trust it.

Since the chip has full trig functions, squares, roots and pi, can operate in degrees or radians as well as utilise its memory as a constant and deal with brackets embedded four deep, the calculator constitutes a very powerful adjunct to the computer.

Printers

A very wide variety of printers are available as peripherals. Perhaps the simplest would be the Morse ticker-tape printer that might make a suitable project for boys to make out of Meccano. Stepping up from that are 20-and 40-column printers that use rolls of adding-machine paper. These are very widely used for program development and for some types of accountancy work. In a more expensive bracket still are full-width printers mainly of two types. The first are dot printers employing a set of solenoid-driven needles which are driven forward in a matrix pattern on the lines of Figure 2. The other is based on the electric typewriter and is the most expensive of all.

The latest developments in this field do not rely on the impact of some




Fig 4 Calculator block diagram




Fig 5




Fig 6

Your search for the right price stops here.




Pet

Well known for making short work of accounting, word processing, mailing lists. A great buy from NSC.




Apple

You know what the Apple system will do but you don't know the deal we're offering. Come and see for yourself.



Rair

The exciting new 3/30 system offering 5 mb of fixed disc storage on brand new 5 1/4" Winchester drives. 64K Machine £4,313 incl. VAT. Full range of black box systems available. Rental terms available.



Cromemco


We can now supply the Cromix operating system for single and multi user working. The first big system operating system to be offered on a small system—the only system which offers up to 63K memory space per user.



Acorn Atom

Now available ex-stock. Special offer to ZX80 owners: We will take your ZX80 in part exchange for an Atom.


Used Bargain: Second hand ZX80's from £50.



North Star Horizon

A complete word processing system extendible from 32K-56K RAM, with up to four mini disc drives, 4MHz Z80A processor, serial and parallel I/O ports and extended BASIC. Full range of accounting packages available. You can lease this very popular system for as little as £25 per week.

Bargain Offers



South West Technical Products

56K 6809 based system, with twin 8" disc drives and Centronics 779 printer. From £3,163 incl. VAT, while stocks last. Keenest prices around on individual boards and peripherals.

48K Apple for £695

Buy a 16K Apple from NSC Computer Shops now and get 32K FREE.

After Sales Service

When you buy from NSC Computer Shops you have the opportunity to take advantage of a special service contract on favourable terms.

Order by post with confidence

Instead of calling personally at NSC Computer Shops you can send cash with order. Orders are despatched by carrier, please telephone for details of delivery charges.

BOOKS: Send s.a.e. for our full price list, or call in at our shop to see our wide range of publications.

All our prices are heavily discounted and therefore payment must accompany the order. Credit card payments will be accepted. Please quote credit card number and type of card.

WE WILL NOT BE KNOWINGLY UNDERSOLD.

NSC COMPUTER SHOPS

Computing to suit your size.

NSC Computer Shops, 29 Hanging Ditch, Manchester M4 3ES. Ring 061-832 2269 for further information.

gadget bashing its image through a ribbon, but upon the arcing of tiny sparks from electrodes to a microscopically-thin aluminium layer on black paper. The spark burns away the aluminium to reveal the black underneath. These printers are very much faster than the other types and, because there are few moving parts, are also cheaper, but of course the paper is more expensive.

However fast they appear to be, printers remain the slowest of peripherals and any computer confined to driving only a printer is grossly under-used. The problem of keeping the computer in step with the printer is solved by the latter having memory capability equal to one line-length. Some will remember whole pages. The computer is then able to execute other tasks until signalled by the printer that it is ready to accept more data.

Recording data

When the power is switched off, any program stored within most computers is lost. For this reason — as well as for those occasions when the program bombs — all computer users feel the need for some form of long-term storage of programs. Then again, data of all kinds must be stored when it is not actually used by the computer. Three methods are in current use — magnetic tape, paper tape and magnetic disk. All are easy to understand but it is probably best to introduce students to paper tape first as they can see and decode the information stored.

Samples of paper tape are easy to come by from firms using this form of storage, provided that the teacher is able to explain what he or she wants it for and the firm is satisfied that no breach of confidentiality is likely. About 6 — 9ft per pupil is sufficient. Now there are four ways to hold a strip of paper and Murphy's Law ensures that no-one will hold it the right way, so the first exercise must of necessity clear up this point. The sprocket holes are smaller than data holes and are in a continuous line to the right of centre, while the curl of paper will be away from the user. Some manufacturers provide tapes with broad blue arrows printed on them to show the direction of movement and some punches automatically cut the ends of the tape with a vee for the same purpose. Both systems help a great deal.

Have the student draw a pencil line under any selected row of holes and write it on scrap as a binary word. Usually there is no difficulty in getting them to understand that a hole represents a binary 1 and that the absence of a hole represents a binary 0.

Given previous experience of decoding binary to hex and hex to ASCII, most people will be able to decode a few rows before boredom sets in, but nothing more is required for them to have grasped the idea. The keen or fortunate may have come across something intelligible and will pursue it doggedly to the end.

Now that much earlier commercial computer equipment is being disposed of at give-away prices, it would be a good plan for schools to acquire paper-tape punches or readers. The first translate depressions of keys or computer-held data into holes in tape, while the readers accept punched tape

and translate it into a stream of data for transmission to the computer.

The cassette tape recorder is a very common piece of equipment nowadays — so common that, in any given class of children, half are likely to own their own. This is fortunate because the cassette is increasingly used for data storage. The system relies upon electronic circuitry that translates binary 1 and 0 into high- and low-pitched tones. The idea is quickly grasped and there is little that one need do to illustrate except put such a data tape into an ordinary machine and allow the class to hear the stream of tones, or if a computer is available, to have it echo onto the VDU screen the data being received from cassette.

One can discuss what is known as the baud rate — the number of binary bits per second that are transmitted. The children will be impressed to learn that the standard for magnetic tape is 300 baud, so that if the tape is travelling at its standard 17/8in per second, 1ft of tape holds 1920 bits of binary. This is impressive, although computer users frequently grumble about how slow it is. I know — I'm one of them. It also means that the average C-60 tape will store some 1,080,000 binary bits, or 135,000 computer words.

Just about the same order of storage is provided by the disk system. This too is familiar in concept but there are a number of important differences

between computer disks and the domestic LP. Firstly, it is magnetic, like the tape. Secondly, it spins very much faster and thirdly, it is not sequential. To put that another way, you do not have to play all the recording to get to a bit at the end.

The point can be illustrated by two simple cardboard models from the SMP books, *Man Uses the Computer* and *Computer Bits & Pieces*, (Blackie, 1967). A length of ticker tape is analogous to the cassette tape. Children write a lot of names on it and then feed it through two slits in a piece of card so that only one name can be read at a time. Now to find a particular name, the tape must be fed through from the beginning — perhaps in its entirety. The disk system can be modelled by a disk of card with the names arranged in segments, one name per segment. (See Figures 5 and 6.) The pick-up head is modelled by a small window of card free to slide up and down a fixed guide. To find a particular name with this system, one simply pushes the window up, looking at the first one or two letters of each name, until one finds the one wanted.

For computer users, the difference is one of up to half an hour with tape compared with milliseconds for disk. Not only that, but disk allows the computer to access program and information freely, jumping from one program to another without any human inter-




Fig 7




Fig 8




Fig 9

vention — a process known as chaining. A little thought, and you will see that this greatly multiplies the power of even the humblest computer.

In practice, up to four disks can be accessed at once. Moreover, disks are double-sided and/or double density as well, so that the information readily accessible attains astronomical proportions, with yet more available in no more time than it takes to change a disk. Such devices are expensive at the present time, although blank disks are themselves cheap. Since the advent of home computing, smaller devices known as mini-floppies have become available. The disks are flexible, as their name implies, and hold a little under half a million bits per side, although the same remarks about double density apply. The latest developments in this field include Winchester storage and stringy floppies. The Winchester is a more sophisticated disk system with a greater storage capacity and shorter access time, while the stringy floppy is a continuous tape.

ROM and his relations

Another device for the long-term storage of information is Read-Only Memory (ROM). It is an ordinary integrated circuit in appearance but locked within it is a stack of memory, each with its own address and each with its separate contents in binary. These are, of course, determined during manufacture.

Originally the ROM was developed for housekeeping duties within the computer — all those little chores connected with power-up, interrupts, print-out, reading from the keyboard and so on. These tasks are carried out so regularly that they are standard sequences and perfect meat for automation. With a ROM containing these programs, the user can access the appropriate address and forget about the details of the chore. Examples of this were the BD E1AC and BD E1D1 instructions of machine code, where E1AC is the address appropriate to the task of reading an input from the keyboard.

Slightly more expensive than ROM is PROM, or Programmable Read-only Memory, in which the purchaser may encode his own memories and is thereby not confined to those supplied by the manufacturer of the chip. To be sure, the manufacturer can and does supply ROMs to specification, but the lead-time can be quite long and the method is not viable unless thousands of identical ROMs are required. With the PROM, however, small batch quantities are possible since the customer programs them himself on a fairly simple device.

There are several other devices related to the ROM, but the last one I wish to mention here is the EPROM, which finds favour among amateur users and small businesses. EPROM stands for Erasable Programmable Read-Only Memory and, as its name implies, the user can program it, use it for as long as is desired as a ROM and then erase the program (under ultra-violet light) ready to program it again. Although the most expensive of the three devices, it obviously has a great appeal.

Currently, ROMs are used almost




Fig 10




Fig 11




Fig 12

exclusively for the storage of programs, but there is no technical reason why they should not also be used for the storage of data in small quantities. Some industrial environments would be totally unsuited to the storage of data on tape. Besides which, tape machines and disk readers are enormously bulky by comparison with the ROM and their costs disproportionate.

Some computer games and television games are already available as ROM and it seems certain that the scope will widen. The more versatile home computers are made with sockets for a plug-in ROM. Manufacturers are beginning to supply the simpler versions of Basic as ROM and it doesn't take much imagination to see that all written or printed matter is capable of being stored for eternity in ROM. I confidently expect a considerable amount of development in this field — perhaps beginning with statistical data. It is only the longer works that need disk or tape

storage, although this will become less true as the manufacturer packs more and more into his integrated circuits.

Between them, the three ROM-types cater for all the market requirements. The EPROM provides for one-off applications such as the average home-user might require, the PROM caters for the small business entrepreneur who hopes to sell a few hundred gadgets containing a micro and PROM, while if you are a large manufacturer or governmental agency, the ROM is very cheap.

Perhaps before we leave the ROM family, one further advantage over other forms of data storage ought to be stressed — the data is not degradable under normal storage conditions. Tape and disk-stored data are susceptible to degradation due to magnetic field and dust and indelicate handling. Paper tapes tear, magnetic tapes get fouled up or torn or creased, disks get scratched.

Output switching

The micro is great for switching things: the number of devices that it can switch directly is governed by the length of the computer word, but the practical limit is set by the bulk of the PIA's (Peripheral Interface Adaptors). The average home computer has room inside for about six or eight of these devices, each one addressing up to 16 or 32 separate lines with suitable multiplexing. However, this number can be greatly extended as I will show.

The simplest method is shown in Figure 7. '0' is an opto-isolator inserted to isolate the computer from the circuitry that follows — possibly high-energy circuits that could damage the micro. Figure 8 is a diagram of the working of the opto-isolator. A rise in voltage caused by the presence of a binary 1 causes the LED to glow. Encapsulated with it but electrically separate is a photo-resistor or (sometimes) a photo-transistor. Both are encouraged to operate when light falls upon them, so the output is an image of the input, but in the event of something going wrong with later parts of the circuit, no damage can accrue to the micro.

Following the opto-isolator of Figure 7 is a transistor used as a switch. For small-current applications, this is sufficient, but for heavier currents and perhaps alternating current, the transistor switches-in a relay to carry the heavier current. Relays of this type commonly carry a few amps but for even greater currents, the first relay can switch in another, really rugged. This application would be suitable for heavy duty motors or electric heaters. (Figure 9)

A model railway is a small-current application that is both an excellent demonstration piece and a first-class school project. There is no limit to the size and complexity of the layout as far as the computer is concerned, but for a discussion of the general principles involved, I will confine myself to the layout of Figure 10. At the most this would accommodate three locomotives at A, B and C. Three switchpoints at 1, 2 and 3 would energise whichever section of track was open. (See Beale, *Model Railway Encyclopaedia* and other works.) A rail gap at point 4 would isolate the section 3-4 and one or two other gaps might be needed, depending upon the working and number of locos involved. Initially, a loco would be energised (off to full on) by action of the pointswitches but see later for speed and other controls.

Normally, pointswitches are self-holding. That is to say, they remain in whatever condition they are placed without the need for further current applications. Therefore simple control of locos is gained by merely switching over the appropriate pointswitches through circuits as per Figure 7. Signals however are different, whether semaphore or lamp. They need a continual supply of current. It would be uneconomical and perhaps even impossible to devote the computer to the job of continually addressing the signal, so we have recourse to a self-latching circuit as per Figure 11. Here it will be noticed that action of the relay closes a pair of contacts A1 that bypass the energising device, thus the relay remains on after the initialising pulse. When we wish to switch it off, we actuate a

release switch that is normally closed, thus breaking the circuit to the relay coil. Spring action pulls it off. The release switch can be another relay or transistor switch, but the relay is better in this case and it could act in a similar capacity for several self-latching devices at once.

Suppose that we build on the system until we have neither the room nor the cash to accommodate enough interfaces and switching circuits? There are several ways out of the dilemma. Electronically, we could multiplex in the manner previously described and it could be made extremely compact and not too expensive. For school use however I recommend the uniselector. It can be obtained very cheaply on the surplus market, it is reliable and above all else, its action is visible to the students. The uniselector is a selective switch with

one way in and a choice of routes out. (See Figure 12). It was designed and built for the Post Office for the automatic switching of telephone lines, in which the actuating pulses were provided by the dialling mechanism. The number of pulses determined the route taken. The computer/small relay combination can handle this pulsing very easily from one address out of the PIA, while another signal from the PIA would then be routed as chosen to any one of 25 lines. The scheme is shown in Figure 13.

If that were not enough, there is no reason why, on a super-scale model railway, we could not emulate the Post Office and cascade uniselectors, allowing one to address hundreds of lines from the PIA board.

With the wide range of skills involv-

ed, building and running a model




Fig 13 Small relays needed on stepping + data (switching) lines.




Fig 14 Uniselector




Fig 15




Fig 16 Experimental rig



Record keeping problems? Our CCA Data Management System solves them easily.

Having information at your fingertips can make your job a whole lot easier. And that's what the CCA Data Management System is all about.

With this Personal Software™ package and an Apple II™ disk system, it will be far easier to keep inventories, customer lists, accounts receivable and payable records, patient histories and many more items.

In fact, you can use the CCA DMS for all of your data management needs, rather than buying (expensive) or writing (time consuming) separate programs for each application. That's because DMS lets you create your own filing systems, adapting itself to the types of records you keep. You specify the number and names of each data field—without any programming.

With DMS keeping all of your records, you only have to learn how to use one system. That's easier, too. It's menu driven, with plenty of prompts to help you create files and add, update, scan, inspect, delete, sort, condense and print data. Our comprehensive 130-page step-by-step instruction manual even provides complete "how to" inventory and mailing list applications so you can start processing immediately.

DMS is a very powerful system, with more file and record storage capacity than other data base programs on the market.

And it also gives you greater data handling flexibility. To customize DMS, write add-on BASIC programs that read or write DMS files and perform any kind of processing you want.

You can sort and print your data in nearly any form of report and mailing label you want. Sort data by up to 10 fields for zip code, balance due, geographic location or whatever. And print reports with subtotals and totals automatically calculated.


Apple DMS has two additional features. Its ISAM search method helps you find any item on a diskette within 10 seconds. And its Data Interchange Format Program allows you to move DMS files into our Apple VisiCalc™ program—the "electronic worksheet"—for powerful, flexible calculating.

Ask your dealer to show you how easy computerized record keeping is. To locate the nearest dealer, contact

ACT (Microsoft) Limited

£75 + VAT

ACT
Micro
Computer
Programs



For free details plus the address of your nearest ACT dealer send us your name and address:

Name:

Address:

Postcode: Tel:

ACT Microsoft Ltd.,
5/6 Vicarage Road, Edgbaston,
Birmingham B15 3ES
Tel: 021-454 5341

Telex: 339346

railway on the above lines would be a most admirable project for a Senior school and I am sure that many such projects will be undertaken, both by schools and solo enthusiasts. For the general reader, the point to be absorbed is that a single micro can and does switch a very large number of electronic and electrical circuits. What one does with the secondary circuits so switched is limited only by the imagination. They range from slot machines to control systems for giant oil tankers.

Every switchable item could be under the control of a micro or fully-fledged computer. Already some enthusiasts in the States have computer-operated lawn mowers, for example, while in this country the notion of computer-controlled central heating has become so commonplace that in computer circles it is a standing joke.

Digital to analogue

The title will not convey much to many readers, so it must be explained that the computer is termed digital because it deals with numbers. However many electronic applications are analogue, which is to say that instead of two states (on or off), there is a whole range of states. A good example familiar to all is the volume control knob. Turning the knob adjusts the output over a wide range and to within close limits. Now by combining voltage-adding and multiplex circuits, we are able to make a digital-to-analogue converter. The simplest modelling of the method is the numbering round the skirt of some control knobs; a numeric input is turned into a sliding scale of output.

If you imagine that users are going to be confined to audio, then your imagination is still in bottom gear. That model railway engine's speed can be controlled, for example, as can any electric motor. Electric heaters can be precisely controlled, as well as a host of other industrial devices. Nevertheless audio applications will probably intrude into our lives first. For example, electronic organs have over the last four or five years shown the most remarkable development, but there is a lot more to come. Synthesisers are prime targets for micro control and with the marriage of the micro-controlled synthesiser and electronic organ, I expect whole orchestras of super-realistic sound to be available to one-finger players within the next decade.

There is also a type of computer termed an analogue computer. We don't hear so much of it these days and its use seems to have been confined to the higher mathematical processes of integration and differentiation and the interaction of constantly-sliding states as in complex mathematical models of systems. Recently, there has been a move to combine digital and analogue computers, but the potential is not clear. It seems likely that the uses of the combination will remain in the sphere of higher mathematics, but, as yet, no one can tell.

Stage lighting has been under computer control for some time now and with the plummeting cost of control devices it is certain that even village hall companies will invest, while less ambitious lighting control devices will begin to creep into the home, with perhaps a dozen or so lamps under the

control of a single micro.

It is extremely simple to make an analogue output control physical movement by means of a stepping motor, for example, or some types of plunger — both of which give rise to a number of possibilities, particularly in hazardous industrial applications.

Analogue to digital

The opposite transformation is equally possible and maybe the most familiar application is the joystick control common to many TV games. Here it is worth noticing that a physical movement has been turned to digital data via analogue voltages; a situation ripe with potential. Any physical movement will suffice to feed information to the micro-movement of the head of a bed-ridden patient, for example, the movement of a steering wheel, the turn of a road wheel, the spin of a wind-speed indicator, the growth of a plant, the opening of a door or the movement of wind and tides.

It will be noted that the A/D converter is essentially an input device for the micro, while a D/A converter is essentially an output. When the two are used together some interesting possibilities arise, especially in the field of motor control. By use of a feed-back loop the motor can, as it were, keep the micro informed as to its current state of position (Figure 14). Perhaps the most spectacular application of this at the present time is the graphic plotter. At first sight this device looks somewhat like a printer, but instead of printing text, the plotter draws pictures. It does this by means of a pen head free to move in an East/West direction under the control of a stepping motor (a special kind of electric motor able to move in small increments.) Another stepping motor controls the movement of the paper in a North/South direction. Combining the two movements backwards and forwards, the result is an impressive drawing based on

data accessed by the computer. Currently such plotters are used in drawing weather maps and a wide variety of engineering drawings.

A very good model of the graphic plotter is the child's toy known as Etchasketch, which forms a good teaching aid in classrooms devoted to learning about the future. The Etchasketch control knobs are numbered round the skirt, lending themselves admirably to a written form of program to draw given pictures. If a child was given the task of writing such a program he would learn much — as would any other child that attempted to follow the program later.

A/D converters are, of course, capable of much more than this. By coupling them directly to dedicated micros and/or other circuitry, the retail cost of digital voltmeters and similar test equipment has shown a dramatic fall in recent years. Anyone with an A/D converter and the smallest of computers can, with a minimum of programming effort, provide himself with the facilities of a digital voltmeter, ammeter, ohmmeter, frequency meter, oscilloscope, transistor checker and curvetracer, plus a number of other things — surely a most telling argument for a micro in a school department, regardless of budget.

Sound generators

Manufacturers have produced sound generators by incorporating two or three simple amplifiers, a noise generator, envelope shapers and multiplex switching all within one little package. Waveform envelope shapers give a note to its characteristic timbre and make it possible to distinguish a violin from a shriek, although both may have the same pitch and duration.

A simple application is to couple a micro, a tone generator and some ROM and you have a whole range of noises suitable for fitting inside a child's

GOTO page 144


SOME TRANSDUCERS

Lamp, tungsten
Lamp, X-ray
Lamp, arc
Pressure gauge
Brake meter
Decibel meter
Laser beam
Human mouth
Heater, electric
Horn
Voltmeter
Electricity consumption meter
Frequency meter
Clock, electric
Light meter
Auto pilot (?)
Gas sensor
Human nose
Welding arc
Motor
Ammeter
Speedometer
Spectrometer
Barometer
Battery
Human tongue
— there are many, many more.

Aerial
Thermometer
Piezo-electric crystal
Ohmmeter
Milometer
Car ignition
Human muscles
Microphone
Depth gauge
Bell
Gas meter
Petrol gauge
Frequency generator
Detonator
Colour temperature gauge
Torch
Human eye
Human skin
Loudspeaker
TV screen
Weighing machine
Geiger counter
Altimeter
Human brain
Human ear
Joystick

MICRODIGITAL/MICRODIGITAL/MICRODIGIT

You thought we were conceited.



Now we're perfect!

With the addition of the HP/85 Personal Computer to our range.

the
**HEWLETT
PACKARD HP.85**
£1,750 +VAT

The HP85 is designed for personal use in business and industry, by professionals such as engineers, scientists, accountants and investment analysts.

The keyboard, video display, printer, cartridge type unit and operating system are all built into one desktop unit.

	Nett	VAT	Total
★ HP85A Computer with 16K RAM	1750.00	262.50	2012.50
★ 16K Memory Module (for a total 32K)	158.00	23.70	181.70
★ ROM Drawer (takes up to 6 ROMs)	25.00	3.75	28.75
ROMs			
★ Mass Storage	Each } 78.00	11.70	89.70
★ Plotter/Printer			
★ Matrix			
★ Assembler	} 159.00	23.85	182.85
★ Input/Output			
Interfaces			
★ HP-IB (IEEE 488)	213.00	31.95	244.95
★ Serial (RS232)	213.00	31.95	244.95
★ GP I/O (Parallel)	267.00	40.05	307.05
★ B.C.D.	267.00	40.05	307.05
Plotter —requires HP-IB interface and Plotter/Printer ROM			
★ 7225A Plotter	1208.00	181.20	1389.20
★ Personality Module for HP85	412.00	61.80	473.80
Disk Units —require HP-IB interface and Mass Storage ROM			
★ Dual Master Mini Floppys (540K)	1350.00	202.50	1552.50
★ Dual Add-On (540K)	1185.00	177.75	1362.75
★ Single Master Mini Floppy (270K)	810.00	121.50	931.50
★ Single Add-On (270K)	700.00	105.00	805.00
Application Packs			
★ Basic Training ★ General Stats	Each } 52.00	7.80	59.80
★ Finance ★ Math ★ Circuit			
★ Analysis ★ Games ★ Linear			
★ Programming ★ Text			
★ Editing ★ Wave Form Analysis			
★ Basic Stat and Data			
★ Regression Analysis	108.00	16.20	124.20
★ VisiCalc Plus			

Official Orders from bona fide commercial and government organisations welcome.


For further details ask and we will send you a 24 page colour brochure and full price list.

MICRODIGITAL


Retail Premises at:
25 BRUNSWICK STREET,
LIVERPOOL L2 0PJ.
Tel:- 051-227 2535/6/7

LAURENCE
COMPANY

Mail Orders to:
MICRODIGITAL LIMITED
FREEPOST
(No stamp required)
Liverpool L2 2AB



...when you need a dependable supplier, an authorised distributor with a comprehensive range of products at keen prices, backed by large stocks for fast delivery, with full after-sales support. We promise you a rapid response.



ANADEx DP8000

Exceptional value and high reliability. 84 lines per minute, 112 cps. Parallel and serial interfaces as standard. 96 ASCII set, 9 x 7 font. Variable tractor. Forms handling facilities. 1K buffer store. Options include 2K extra store IEEE interface.

from only **£494**



LEAR SIEGLER ADM-3A

The most popular visual display in the world. 1920 character screen capacity. Cursor addressing. Dual interface. Auxiliary port. Wide range of speed and word formats. Options include Tektronix 4010 compatible graphics.

from only **£450**



LEAR SIEGLER ADM-31

Low cost VDU with two page display and full editing features. Dual interface, 50-9600 baud data rates. Upper/lower case character set. Cursor addressing, editing, protected fields, dual intensity. Optional polling and addressing, printer port.

from only **£795**



LEAR SIEGLER ADM-42

Semi-intelligent VDU with up to 8 pages of display. Full editing features, blinking, blanking, cursor addressing, format transmission, protected fields, dual intensity, separate function keys, status display. Optional alternative character set, programmable function keys, synchronous interface, line drawing set.

from only **£1049**




TELETYPE 43

Versatile, economic and reliable. 30 cps, serial interface keyboard printer. 132 or 80 columns. 94 ASCII set, 9 x 7 font. Crisp, high quality printout. Microprocessor controlled. Portable versions. Character set options.

**SPECIAL
£625
OFFER**

LOW COST GRAPHICS TERMINAL



£1190

A low cost Tektronix 4010 software compatible option means that we can offer the well-known Lear-Siegler ADM 3A with powerful graphics capability. A Z-80A microprocessor and RAM sufficient to provide a 512 x 250 dot grid and automatic scaling from a 1024 x 780 dot grid enable point plotting, vector drawing and alphanumeric character display. Call today for a demonstration or more details.

PERIPHERAL HARDWARE LIMITED

Armfield Close West Molesey Surrey Telex 922175

SOUTH
01-941 4806

NORTH
Harrogate 501263/4

IRELAND
Dublin 952316

A member of the VOLLWOOD Organisation

When loading programs from cassette to microcomputer via the DIN socket on the cassette recorder, the signal level to the computer is a function of the volume control. As the input circuit of the microcomputer which converts the audio analogue signal to a digital signal has a certain threshold and perhaps built in hysteresis, it is necessary to set the audio level above a minimum for the circuit.

The cassette when playing back via the DIN socket also produces an audio signal via the loudspeaker. It is quite useful to hear the audio signal of the cassette recorder when loading programs but the required level for the microcomputer may make the audio level too loud for normal hearing. Another problem may arise when loading a program from a cassette which was recorded on a different machine, with a different audio level. The volume control will have to



If you're having tape troubles then this simple circuit from B Ward should help.

cell ΔG is wired in the feedback loop of the operational amplifier. The input signal to the ALC circuit goes to the operational amplifier and the rectifier circuit. When the average input signal

be controlled by resistor RX. Reducing the value of RX reduces the dynamic range. For this application, where the maximum dynamic range is used, an infinite value of RX is used — that is, no resistor at all. Figure 3 shows the response of the ALC circuit for maximum dynamic range. It can be seen that the output voltage remains relatively constant for an input variation of 10 millivolts to 3 V RMS, which is nearly a 50 dB variation of input signal.

ALC circuit

Figure 4 shows the proposed cassette recorder to microcomputer interface circuit. The NE570 wired up as an ALC circuit drives an operational amplifier buffer whose gain can be set to any amount from 0 to +5. The buffer amplifier also avoids overloading the output operational amplifier of the NE570.

As can be seen from the circuit diagram, only a 12V power supply is required. The components' values shown are those which I used, because they were available. The four 0.68 nF coupling capacitors could be any value between 0.47 nF and 1 nF. I used one quarter of an operational amplifier RC 4136, but any 741 type operation amplifier would be suitable.

Setting up and testing

I recommend that the circuit be wired




Fig 1 Block diagram of NE570

be adjusted to the optimum level for correct loading.

To overcome these problems, here's an automatic level control (ALC) circuit to fit between the cassette and the microcomputer interface. With this circuit, a constant output voltage is obtained over a wide variation of input voltage. The circuit consists of two dual inline (DIL) modules and several discrete components, the total cost being in the region of £5.

Principle of operation

The ALC circuit used is a Signetics NE570 Compandor. This circuit was originally designed for telephone network requirements where the audio signal is compressed before transmission over a telephone link and then expanded back to the original dynamic range at the other end. Figure 1 shows the basic block diagram of the NE 570. In fact there are two identical circuits within the module, hence two pin numbers are given for each of the signal lines. The circuit consists of:

- a full wave averaging rectifier, providing gain control current I_G ;
- a variable gain cell ΔG ;
- an operational amplifier.

The NE570, as previously stated, may be wired up as a compandor, expander or for our case an ALC circuit, as shown in Figure 2. The variable gain

varies, the gain control current I_G from the rectifier changes the gain of the variable gain circuit in the feedback loop of the operational amplifier. The net result of this is that for a large input variation one obtains a constant output level.

The dynamic range over which a constant output level is obtained can




Fig 2 NE570 connected as ALC circuit

15 good reasons for visiting Cambridge


- | | |
|--------------------------|---------------------|
| 1. Sharp Pocket Computer | 8. Acorn Atom |
| 2. TRS-80 Model I & II | 9. UK-101 |
| 3. Apple II & III | 10. X-Y Plotters |
| 4. CBM (PET) 3000 | 11. Qume |
| 5. North-Star Horizon | 12. Farm Systems |
| 6. Cromemco | 13. Word Processing |
| 7. Hewlett-Packard HP-85 | 14. Computer Books |

With a uniquely comprehensive selection like this — all generally on demonstration and available from stock with full support by our team of computer professionals — you'll have the ideal chance of finding precisely the right system for your application.

Looking for a microcomputer? — then visit us at:

Cambridge Computer Store

1 Emmanuel Street Cambridge CB1 1NE
Telephone: (0223) 65334/68155



L & J COMPUTERS

3 CRUNDALE AVENUE, KINGSBURY NW9 9PJ 01-204 7525

THE "PET" SPECIALISTS



NEW LOW, LOW 'PET' PRICES!!

AVAILABLE FROM STOCK

Pet 8K (large keys) £420 *
Pet 16K £499 *
Pet 32K £630 *

Ext. cassette decks (+ counter) £55 *
8032 (80 col. screen: new keyboard)

TRY US!
YOU WILL NOT BE
DISAPPOINTED

SUPERPETS NOW EX-STOCK!

Printers

PET 3023
PET 3022
Centronic 779
Spinwriter

Disc Drives

PET 3040
Compu 400K
Compu 800K
Interfaces

Sundries

Tool kits: library cases
Disks: C12 cassettes
Paper (roll & tractor feed)
Labels: Dust covers

Petmaster Superchips — upgrade your pet even more! £45

Toolkits — £29 for 4032 & 8032 £35

The 'MUPETS' are HERE!

3 to 8 PETs only need 1 DISK DRIVE

Daily demonstrations: Ring for details.



COMPLETE SYSTEMS
FROM £1700!!

THE ESTIMATES WE SUPPLY & INSTALL ARE COMPLETE
ESTIMATES GIVEN FREE WITH NO HIDDEN EXTRAS:
FULL BACK-UP: GUARANTEED EXPERTISE.

*PRICES DO NOT INCLUDE VAT

SOFTWARE

As well as a full range of Petsoft and Commodore Software, we have some highly reliable "Home-Brewed" programs available.

STOCK CONTROL & INVOICING £60
(Handles up to 500 items — 32k) (80 on 16K). Stock depleted on invoicing, search etc. Cassette, disk (& colour print option).

CASH BOOK £90
Enter daily/weekly amounts — printout and totals, weekly monthly analysis, totals and balances.

(4032, & 8032 Versions £110 & £120.

MACHINE HIRE Typewriter & Plant Hire £420

STOCK TAKING Cuts out all the hard work £230

OUTSIDE SERVICES (For Mini-Cabs etc.) £220

Sae for free software booklet

SPECIALISTS IN:

Commodore Business Programs: Superpay;
Bristol Trader, Item & Monitor: Word Processing

SPECIALISED SOFTWARE APPLICATIONS
UNDERTAKEN. RING FOR DETAILS

2 FOR JUST OVER THE PRICE OF 1!

We now have limited stock of new cassette decks with a built-in counter/soundbox for PETS!

At ONLY £65*

Orders dealt with in strict rotation.

PERSONAL SHOPPERS WELCOME
Phone & Mail Orders accepted.

ALL GOODS SENT SAME DAY WHEREVER POSSIBLE
LARGE S.A.E. FOR LISTS ETC.






Fig 3 Input/output characteristics of ALC circuit

up using either wire wrap or solder sockets for the two DIL modules.

If an oscilloscope is available, play a program cassette tape and measure the output wave from of the NE570 on pin 7; it should be 2 V peak to peak. Vary the volume control of the cassette recorder and the output of the ALC should remain constant. Note that at maximum volume control setting there is considerable signal distortion with the cheaper cassette tape recorder and hence this should be avoided.

Place the oscilloscope on the output of the capacitor from the operational amplifier and vary the potentiometer. The signal should vary from 0V to 10V

peak to peak. Connect the output of the circuit to the microcomputer; try loading a program and adjust the potentiometer until the correct output voltage is obtained so that the program is correctly read. It should now be possible to adjust the volume control over a wide range with satisfactory program loading.

Component list

- 1 x NE570
- 1 x RC4136
- 4 x 0.68 μ F > +15 V working
- 2 x 3.3 μ F > +15 V working
- 1 x 15 μ F > +15 V working

ON THE LEVEL




Fig 4 Cassette recorder to microcomputer interface

- 1 x 30pF capacitor
- 2 x 33k resistor 5 percent 1/4 W
- 3 x 10k resistor 5 percent 1/4 W
- 1 x 50k pot, 1/4W

BACK NUMBERS

PLEASE NOTE THAT THE FOLLOWING ISSUES ARE SOLD OUT
VOLUME 1 Nos. 4, 5, 6, 9, 10, 11, 12
VOLUME 2 Nos. 5, 6, 8
VOLUME 3 Nos. 1, 2, 3, 4
ALL OTHER ISSUES MAY BE ORDERED USING THIS FORM.

Volume 1 No. 1 May 1978
Mascom 1/77-68: The Mighty Micromite/A charity system

Volume 1 No. 2 June 1978
Research Machines 380Z/Computer in the classroom/The Europa Bus.

Volume 1 No. 3 July 1978
Buzzwords — A to Z of computer terms/Pattern recognition/Micro music

Volume 1 Number 7 Interfacing PET to X-Y Plotter/Structured Programming/Programming Decision Tables

Volume 1 No. 8 December 1978
Computers and Art/3-D Noughts and Crosses/Mickie — the interviewing micro.

Volume 2 No. 1 May 1979
Small computers for small organisations/Sorcerer graphics/Chess Programming Hints/Parkinsons Revas.

Volume 2 No. 2 June 1979
MSI 6800/Witbit — disassemble your programs/The Multilingual Machine/Polytechnical Processing.

Volume 2 No. 3 July 1979
Vision link: Interfacing and Software for the Superscam

VDU/Pet Preening/Extended cursor graphics for the TRS-80.

Volume 2 No. 4 August 1979
The North Star Horizon/High Speed Cassette Interface for the SWTP 6800/Garage Accounting program/Apple Medical Application.

Volume 2 No. 7 November 1979
PCW Show issue/6800 Bug/Hard disk security/ Detecting literary forgeries/ Benchtest — the Challenger C3

Volume 3 Number 5 May 1980
Benchtests — TI 99/4, Altos ACS-8000-2, HP-85/ West Coast Faire report.

Volume 3 Number 6 June 1980
Benchtests — TRS-80 Model II, Periflex 630/48/ Stringy Floppy Checkout/ Compucolor Case Study

Volume 3 Number 7 July 1980
Benchtests — Acorn Atom, DDE SPC-1/Animistics — Humanoid Micros/Sharp PC 1211 review

Volume 3 Number 8 August 1980
SuperBrain Benchtest/ Printer Survey/ROMPLUS+ Checkout

Volume 3 Number 9 September 1980
Benchtests — BASF 7120, CBM 8032/ Hi-Tech Colour Board Checkout/Portable Basic

Volume 3 Number 10 October 1980
Benchtests — DAI Personal Computer, Atari 400 and 800/Robotics/ 3D Graphics/Program 'Tuning'

Volume 3 Number 11 November 1980
Benchtest — SBS 8000/ComputerTown UK! — Community Computer Literacy Project/Apple Colour Graphics

Volume 3 Number 12 December 1980
Benchtest — Raannd SP1/Pascal Micro-Engine/Microwriter Checkout/Micro-based Toys Review

Volume 4 Number 1 January 1981.
Benchtest — Transam Tuscan/Printer Surrey Update/MTU PET Music Board Checkout.

Any one issue 95p; Any two issues £1.75; Any three issues £2.50; Any four issues £3.00. All additional issues @ 50p each. Binders @ £2.95. All prices include post and packing. Cheque or P.O. payable to (PCW) SportsScene Publishers Ltd., 14 Rathbone Place, London W1P 1DE. Please allow up to 3 weeks for delivery and don't forget to state clearly your name and full address with your order. Please send me the following copies of PCW. I enclose a cheque/P.O. for £

Volume 1	Volume 2
1 2 3 7 8	1 2 3 4 7
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Volume 3	Volume 4
5 6 7 8 9 10 11	1 2
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>

Name _____

Address _____

*Tick appropriate boxes

COMPETITION

Modern microcomputer technology has many applications, but one where it has so far had little impact is in reducing the problems of disability.

To mark the designation by the United Nations of 1981 as 'The International Year of Disabled People', *PCW*, in conjunction with the IYDP Technology Working Group, is holding a competition for the best article on the subject:

'The application of micro-computer technology to the problems of disability'.

There must be many possible applications for microtechnology in the fields of physical and sensory disabilities — remember, these include handicaps such as deafness, blindness, diabetes and epilepsy, as well as the more obvious physical impediments.

1st Prize

DAI PERSONAL COMPUTER

2nd Prize 3rd Prize

£100 £50

Articles of around 2500 words are invited, which can be either theoretical or a description of an actual application (with photographs, if possible), and which we will print in *PCW* later in the year. Entries will be judged by *PCW*'s Editor, David Tebbutt, Adrian V Stokes, Chairman of the IYDP Technology Working Group and Judith Hann, presenter of *Tomorrow's World* and science writer.

Please send your entry to IYDP Competition, 14 Rathbone Place, London W1P 1DE, to arrive not later than 30 April 1981, enclosing a suitable SAE if you would like it returned.

**Personal
Computer**
World



International Year of
Disabled People

Data Applications Ltd has kindly donated the first prize of a 48K personal computer worth £595. Plugging into the domestic TV, it provides sound, colour and high-resolution graphics. Sharp Electronics (UK) Ltd has kindly donated the third prize of £50.

WESTMINSTER NEEDS A COMPUTERTOWN

by Ian Lloyd, MP

The articles I have read recently on ComputerTown have encouraged me to think that this concept will be applied throughout the UK as rapidly as it deserves. In recent years I have come to the conclusion that the UK is most proficient at diagnosing the 'British disease' and much less effective at suggesting and taking the proposed action. This is a most heartening exception and I look forward to hearing that the examples of Sutton-in-Ashfield, Street and East-cote will be widely followed.

There have been several developments at Westminster in recent weeks, even if we do not have our own ComputerTown centre — yet. Perhaps the most significant is the belated appointment of an actual Minister of Information Technology, indicating that the Government has at last recognised the importance of this area. Kenneth Baker will bring energy and enthusiasm to this task, but he will have to be a fast learner and his success will be proportionate to his determination to ensure that Information Technology is appropriately and intensively developed in all government departments and not exclusively in or by the Department of Industry.

Within the House of Commons itself two developments deserve a mention. The first is the advent of the 'POLIS' system, which was formally inaugurated on December 15 by Philip Whitehead, Chairman of the Computer Sub-Committee of the Services Committee. This acronym reveals that Parliament has acquired a Parliamentary On-Line Information System. It was supplied by Scicon Computer Services, a BP subsidiary and is intended to meet a requirement by Members and their staff for: 'instant access to up-to-date information on parliamentary papers and proceedings, UK and EEC legislation, current affairs, and other items of specific interest to Parliamentarians.'

The hardware consists of six British-made Cifer 2632s with printers, three Cifer 2684 terminals with printers and magnetic diskettes in Norman Shaw (our annexe). The database, to which the system is linked by private lines with 9600 baud modems, is held on Univac 1100 computers in Milton-Keynes. There is also a 5D11-PDP-11 system with printer and disk storage in Norman Shaw. The software has also been developed by Scicon and is based on the use of a UNIDAS information retrieval system

on the mainframe and is transaction oriented, using TIP/CMS. Mr. Chris Baker, of SCICON, will supply either details or explanation on (0908) 565656.

But what does it all do and who can use it?

At present, the only input is Parliamentary Questions. Thousands of these are asked and answered every month that the House is in session and it is important to be able to discover quickly *who* has asked the question, *what* has been asked, *what answer* has been given and by which *minister*. Hitherto the Library and the Table Office (a small department which handles the questions and motions put down by members) have been completely dependant on a manual index. The advantages of rapid search and analysis by computer will need no advocacy, but I think that experience will demonstrate many unsuspected advantages.

The database will eventually be extended to include proceedings, papers, legislation, UK and EEC official publications, international and foreign official publications, press comment and miscellaneous Library material. Even when fully develop-

ed it will not be a system to which Members have direct access. But a request to the Library will produce information virtually immediately.

In due course Members (and other users) will be able to provide the Library with an information profile and thus receive a regular printout of any material which has been added to the database within this definition of their interest or interests.


The House of Commons Computer Sub-Committee decided at an early stage that there was likely to be a demand for outside access to this information and that, since most of it was in the public domain, the demand should be met wherever possible without prejudice to the primary objective of providing an improved service to Parliament itself. Organisations outside Westminster may apply to the Library of the House for access to the system on a subscription basis and may install their own terminals.

All this is very heartening, even if the initial system covers only a small segment of the wide spectrum of information which the House of Commons itself generates and requires. When, in due

course, answers as well as questions are included, immediate public access to what is undoubtedly one of the most comprehensive databases in the Kingdom — the daily input to Hansard — will be possible. All this information is already available today, unsorted, unclassified, virtually on a random basis. The country, as things are, does not really get value for the money which it spends on the large machines which Whitehall has created to deal with the innumerable questions which MPs ask on their constituents' behalf.

While all this was going on downstairs, a most interesting speech on microelectronics was being given upstairs by the Rt Hon James Prior, who was addressing that august body, the Parliamentary and Scientific Committee. Jim Prior, I am delighted to say, is a recent convert to the significance of microelectronics. As St Paul once said, the late Christian is always more welcome than the early Christian, though it is a sentiment which many find puzzling and paradoxical. The text of his speech deserves much wider circulation than it received, but there is one argument with which I disagree. The Secretary of State for Employment does not believe that the microelectronics revolution is, in fact, a 'revolution' at all. He believes it is similar to the revolution heralded by the discovery of steam, electricity and the internal combustion engine and that 'historical precedent gives us reason to expect that society will take it all slowly and quietly, in its stride.' I believe this to be a profound misjudgement of the difference between all previous technologies which have enhanced the power of human muscle and this unprecedented and novel technology which will enhance, exponentially and with dramatic effect, the power of the human brain.

I do not believe that the effects will be negative or damaging for society as a whole. No system which enables men to eliminate drudgery, danger or monotony from what has hitherto been defined as 'work' can be other than beneficial if wisely and intelligently harnessed to human need. But I have no doubt that the effects will be traumatic for some, difficult if not impossible, to anticipate, and catastrophic where there is mindless resistance and a total lack of imagination. I have written to Jim Prior about this and in my next article will discuss his reply.



COMPUTER GAMES OTHELLO

David Levy examines the underlying principles of the century-old game of Reversi.

This month we are going to take a look at the game of Reversi (which has recently become known as 'Othello'). This is a superb game simply because the rules can be learned in less than one minute, yet it can take years to master. It is more complex than draughts (checkers) but far less so than chess. And it is great fun to play.

Reversi was invented in England during the early 1880s, and so it should now be celebrating its centenary. The game is played on an 8 x 8 board with discs which are coloured black on one side and white on the other. The players move alternately until the board is full or until neither side may make a move, at which point the player with the most discs on the board is the winner. If a player reaches a position in which he has no moves at his disposal, he must pass, and the right to move is returned to his opponent.

In order to make a legal move, a player must put down a disc with his own colour uppermost, so that the disc being put down and another of his discs which is already on the board contain between them an unbroken line (horizontal, vertical or diagonal) of his opponent's pieces. These pieces showing the opponent's colour are then flipped over and now belong to the player who has just moved, but they may be flipped back later by a move made by the opponent. If the disc being put down forms more than one 'sandwich', all the sandwiched discs are flipped.

The first four moves must all be made in the four central squares of the board, d4, e4, d5 and e5, and herein lies the one and only difference between Reversi and 'Othello'. In Reversi, the two players may choose where they play within these four central squares. Thus, the player who moves second may either force his opponent to make the first two moves in a horizontal or vertical line or offer his opponent the choice between that and a diagonal line. Black moves first and if he decides to put a disc on (say) d4, White could force him to play in a horizontal or vertical line by himself playing on the only diagonal spot, e5. Or White could leave

the choice open by playing on e4 or d5.

In Othello, which was 'invented' in Japan during the early 1970s, Black starts the game with discs on d4 and e5, White with discs on e4 and d5. If this really is a new game then I have just invented a wonderful game called David Chess, in which the rules are exactly the same as in normal chess except that White must make his first move on the King's side. (Incidentally, Kevin O'Connell has invented another game, almost as interesting as my own, called Kevin Chess, in which White must make his first move on the Queen's side, and we are both going to patent our games and try to make as much money out of the licensing fee as did the man who 'invented' Othello).

Since the principles of playing Reversi and Othello are identical, we shall now refer to the games under the combined name of Reversi/Othello.

8								
7								
6								
5				W	B			
4				B	W			
3								
2								
1								
	a	b	c	d	e	f	g	h

Fig 1. Starting position

How to play a good game of Reversi/Othello

Having explained the rules of the game, we should now examine some of the more important principles or heuristics of good play. Figure 1 shows the initial

position of Othello, in which Black may play on d6, c5, d3 or f4. All of these moves are nothing more than reflections of each other, so the decision as to where Black should place his next disc is completely immaterial. I would suggest that your program choose between the four squares at random, so that the human player will be faced with a visually different board position more often.

The first principle of the game is that it is the end result that counts, not who has most discs on the board during the earlier parts of the game. In fact, it is very often the case, particularly in games between beginners and experts, that the beginner has the vast majority of discs until near the end of the game, and he finally loses by an absolutely enormous score. One reason for this is that until the very final stages of the game, material (ie, the relative number of white and black discs on the board) is much less important than structure (where your discs are situated) and mobility (how many moves you have at your disposal). If you have a lot more discs than your opponent, he will tend to have the greater mobility, so it is usually the case that a strong player will try to minimise the number of discs that he turns during the first part of the game. Of course, this strategy can be taken too far. One Othello program which is commercially available recently lost two games in a Pris tournament when it turned so few discs that its opponent scored a clean sweep during the first 20 moves. Such accidents are rare, but your program should prevent them.

Material and mobility are easy to measure, but structure is much more complex. Certain aspects of structure are obvious, and these help us to formulate a sensible strategy. For example, a disc on a corner square can never be captured, so it can form an ever growing base from which its owner can expand outwards unmolested. For this reason, the player who first captures a corner very often wins the game. Since a corner square is so desirable, it is very disadvantageous to place a disc on any of the squares b2, g2, b7 or g7, since this almost always leads to the loss of the adjacent corner, when the opponent gets one of his own men on the long diagonal for just long enough to make a sandwich that includes the b2/g2/b7/g7 square. Similarly, the squares b1, a2, g1, h2, b8, a7, g8 and h7 are undesirable, as they allow an opponent to creep along the edge and finally capture the adjacent corner. On the other hand, since a1 is such a good square and b1, b2 and a2 are so bad, it is obviously desirable to have discs on c1, c3 and a3, so that one day the opponent will be forced to capture these discs, putting his own disc on b1, b2 or a2, and you will be able to recapture, putting your disc on a1.

This analysis of structure can be continued, by placing greater value on the squares d3 and e3 than on c2, d2, e2 and f2, on the grounds that if a player occupies the third rank, when his opponent occupies the second rank, he will be able to make a capture on the edge of the board, and edge squares are worth having. In fact, the value of edge squares is an extremely complex subject, well beyond the scope of this

article, but suffice it to say that a lot of erroneous ideas have been expressed about edge squares. Certainly b1 and a2 are bad squares to occupy from the structural point of view, but in fact it is edge formations that are really important, and not individual edge squares.

How the game changes

The nature of the game changes as more and more discs are added to the board. In the early stages (the opening) and the middle-game, structure and mobility are all important, but in the final analysis it is the player with the most discs on the board who wins the game. It is therefore clear that up until a certain point in the game, structure and mobility should be the most heavily-weighted features in the evaluation function, while during the last few moves the evaluation should become more and more oriented towards the number of black and white discs actually on the board. One way in which this might be accomplished is to have an evaluation function of the form: $W_1 \times (\text{MOBILITY} + k \times \text{STRUCTURE}) + W_2 \times \text{MATERIAL}$

where $W_1 = e^{-nz}$ and $W_2 = (1 - e^{-nz})$
 n = number of discs on the board
 k and z are constants

When the number of discs on the board was low, ie during the early stages of the game, W_1 might be just below 1, while near the end of the game, when n approached 64, W_1 approached 0.

Quantifying the features

Mobility is easy to measure, being merely the number of moves available, but in a tree searching program the matter is not so simple. The reason for this is that after a white move, it is possible that White has a very low mobility because he has just made a number of captures (ie flipped a number of black discs), whereas after Black's reply move White might have a much higher mobility because Black has flipped a number of discs back. It is therefore rather meaningless to compare mobility evaluations at odd and even ply, so the tree should be searched to a uniform depth, or at least all terminal nodes should be either at odd or even ply. In this way the program can happily compare its mobility in different positions, whereas were it to compare the mobility after a White move with the mobility after a Black move, the answer would be meaningless.

Material is also easy to measure, being merely the count of how many White and Black discs are on the board. The most difficult problem is how to measure the structural aspects of the position. One obvious method, which has gained wide support, is to weigh the squares of the board in some way that reflects which ones are desirable and which ones should be avoided. A simple weighting map is shown in Figure 2.

All things being equal, which they never are, the above map represents an acceptable valuation of individual squares, but the problem is made more complex by the fact that occupation of one square may well change the desirability

8	16	-4	4	2	2	4	-4	16
7	-4	-12	-2	-2	-2	-2	-12	-4
6	4	-2	4	2	2	4	-2	4
5	2	-2	2	0	0	2	-2	2
4	2	-2	1	0	0	2	-2	2
3	4	-2	4	2	2	4	-2	4
2	-4	-12	-2	-2	-2	-2	-12	-4
1	16	-4	4	2	2	4	-4	16
	a	b	c	d	e	f	g	h

Fig 2. Possible square weightings to reflect good and bad squares.

ility of occupying some other square, and this change might have an effect of fatal proportions. A simple example is the question of the b2 square. It is very bad to occupy it, because occupation of b2 might lead to the loss of a1, but if you already occupy a1 then b2 can do you no harm. A map of square values must therefore change dynamically as the game progresses, and your program should be able to cater for these changes.

The openings

Reversi/Othello is not yet sufficiently well analysed for us to be able to tabulate the best and worst openings, but that is not to say that we cannot make some definite remarks about opening play. Indeed, it is quite possible for your program to build up its own openings library, given one or two elementary principles.

We have already discussed the subject of mobility. Another important aspect of opening play is the apparent undesirability of being the first player to place a disc outside the central 16 squares. The reason for this is rather obvious — if you are the first to place a disc one rank or file away from the edge, your opponent will probably be the first player to place a disc on the edge of the board, and edge squares are important. Therefore, if your program could analyse exhaustively the first 12 moves of the game (remember that there are 4 discs on the board at the start), it could determine which side was ahead in mobility in every variation, and it could also select the move or moves which gave itself the best chance of being the first player to place a disc on the edge of the board. This exhaustive 12-ply search might take a great deal of time, but it would only need to be done once, and the results could be printed so that you would be able to construct an openings book comprising optimal play (at least, optimal in the context of this strategy). Then, even though your program might only be able to perform a 3-ply or 4-ply search during the game, it could play the first few moves on the basis of the exhaustive 12-ply search.

I should perhaps add that it is not yet known the extent to which the 'Sweet 16' strategy is likely to be successful, but that, combined with a mobility feature, should enable your program to write a strong openings book.

The middle game

We have examined the form that a Reversi/Othello evaluation function might take, and it only remains for the reader to select his weightings, which he can perhaps do on a learning basis. The small number of independent parameters (W_1 , k and z) makes it relatively easy and quick to play a large number of test games in which one version of the program employs one set of parameters while its opponent uses another set. At the end of a series of such games, the programmer can select optimal weightings. (Once again, let me remind you to ensure that, in its quest for high mobility, your program does not give away all of its discs.)

The end game

Since the total number of discs on the board is the final and absolute criterion for determining the winner, it is clear that your program should, during the last few moves, search the game tree to its very end, and apply only material as its evaluation feature. How far from the end of the game an exhaustive search is possible will depend upon the speed of your processor and the efficiency of your program. For this reason, it is doubly important to have an efficient move generation routine. The advantage of being able to search the whole of the game tree from six or eight moves prior to the end of the game, are rather obvious.

Writing the program

This article contains all that you need to know to be able to devise a suitable evaluation system for the game. Your program will be a traditional tree-searching program, employing the alpha-beta algorithm and all the tricks associated with it (alpha-beta window; killer heuristic; iterative deepening; move sorting; etc). Some of you may have missed my earlier articles in which I went into great detail over these essential elements of game playing programming, and I would strongly urge you to beg, borrow or even buy the back numbers of the magazine so that you will be properly acquainted with all the principles of tree-searching, otherwise most of my articles will be lost on you.

Examples of computer play

Just how strong are the best Othello programs compared to the strongest human players? Since the game is quite complex, and humans have more difficulty envisaging board positions after a number of discs have changed colour and changed back again (and again and again), the relative difference between the best humans and the best programs should be much smaller than is the case in, for example, the game of chess. And that is exactly how things are. The world's strongest human players are not demonstrably better than the best Othello programs and I would guess that within a year or two there are programs which will never, ever lose a game to a human.

In order to test the world's best

human players against good Othello programs, Professor Peter Frey, of Northwestern University, Evanston, Illinois (home of the famed CHESS 4.n programs), organised a man v machine tournament on June 19 1980 at the Northwestern campus. Six Othello programs were pitted against the two top ranking human players in the world, Hiroshi Inoue of Japan (the current World Champion), and Jonathan Cerf of the USA (runner up in the previous World Championship but winner of the title in October 1980.) The result of the tournament was a win for Inoue, but he did lose one game, to a program written in London named The Moor*. Cerf also lost a game, to a program written by Dan and Kathe Spracklen of Sargon fame. Since June the programs have all been debugged to some extent, and I imagine that if the tournament were to be replayed the humans would have more difficulty finishing at the top.

To produce programs that can play this well, normally requires a substantial commitment in man hours. But there is no reason why the readers of this magazine cannot write a program to play at or near expert level. Mike Reeve, who programmed THE MOOR, didn't even know how the pieces moved when he began working on the game, so some advice from a strong player is very useful; you can achieve quite a lot with the information I have given you.

The following games show The Moor in action, and illustrate some of the finer points of Othello/Reversi.

**The Moor was written by Mike Reeve, a postgraduate student at Imperial College, University of London. Expert advice was provided by Michael Stean, a chess Grandmaster who is also a very strong Othello player. The program was written for Philidor Software, a company owned by myself and Kevin O'Connell, and will be available later in 1981 as part of the Scisys range of game playing computers.*

Game

8	B	B	B	B	B	B	
7	B	B	W	W	W	B	B
6	B	B	W	W	B	B	B
5	B	B	W	B	B	W	B
4	B	W	B	W	B	B	B
3	B	B	B	B	W	B	B
2			B	B	B	B	
1			B	B	B	B	W
	a	b	c	d	e	f	g

First a position, taken from a game in the third Othello/Reversi tournament for computers organised by the French magazine *L'Ordinateur Individuel*, in May 1980. In this game The Moor, searching to a depth of only 2-ply, had fallen foul of a program looking to 6-ply (The Moor was a development version, written in Pascal). Black, our opponent, had just made a mistake, and I give this position only to illustrate the point that having a large number of

discs on the board is not always a good idea, even near the end of the game. Look what happens now, from a position in which Black is 'winning' by 46 discs to 11, with only seven squares left to play on. We begin with White's play at move 58: (White moves are W, Black moves are B)

54 W b1 55 B PASS 56 W h8
57 B PASS 58 W h2 59 B PASS
60 W h1 61 B PASS 62 W b2
63 B a2

and now neither side may move again, so the game ends, with White 39 discs to Black's 24.

The previous episode shows just how easy it is to be deceived into thinking that having a big material advantage is decisive. In the next game, for which you will need an Othello set if you wish to follow it properly, Black gets into serious trouble from early on, and then makes a serious mistake which costs him the first corner. This game was played at the finals of the 1980 British Othello Championships in London, immediately after Neil Cogle won the Championship title. It illustrates my argument that a computer program can already play at the same level as top human players.

Game two

Black: Neil Cogle (1980 British Othello Champion — for humans!)

White: The Moor (4-ply look ahead)

1 B c5 2 W e6 3 B f5
4 W c4 5 B c3 6 W d3
7 B f4 8 W b3 9 B b4
10 W c6 11 B d6 12 W a4

So The Moor has gained the first disc on the edge of the board, and to redress the balance Black takes the dangerous square a2.

13 B a2 14 W f6 15 B e7
16 W f8 17 B b5 18 W e3
19 B f7 20 W a5 21 B a6

Black was already in a bad way, with a disc on a2 and a deficit in mobility, but this move is a fatal mistake which puts his position beyond repair. See if you can spot The Moor's killing reply.

8						W		
7					W	B		
6	B		W	W	B	B		
5	W	B	W	W	W	B		
4	W	W	B	W	W	B		
3		B	W	W	W			
2	B							
1								
	a	b	c	d	e	f	g	h

22 W a3

Now you can see the danger of playing on a2. Black must lose the a1 corner.

23 B d8 24 W b6 25 B c7
26 W a1

Now that The Moor has a corner, it uses it as an impregnable base from which to expand its control of the board.

27 B f3 28 W g3 29 B f2
30 W g4 31 B h5 32 W e2
33 B e1 34 W d2 35 B h4
36 W d7 37 B c8

White can afford to concede virtually every edge square at this stage of the game, in the knowledge that his corner anchor on a1 will eventually allow a clean sweep of the edges.

38 W g1 39 B d1 40 W g6
41 B h6 42 W g5 43 B c2
44 W b1 45 B b2

Now that a1 is already occupied, putting a disc on b2 is relatively unimportant.

46 W a7 47 B g2

There is no way that White can be kept out of h1. If Black plays on f1, White replies on c1 and then Black is forced to play on b7 and g2 within the next few moves.

48 W h1 49 B h2 50 W f1
51 B b7 52 W c1 53 B PASS

Black has no moves, and White continues its march around the edge of the board.

54 W h3 55 B PASS 56 W h7
57 B PASS 58 W g8 59 B g7

Black's problems are aggravated by the fact that by now The Moor is examining the whole of the game tree exhaustively, and is always making the very best move.

61 B PASS 62 W e8 63 B PASS
64 W b8

Neither side may move to a8, so the game comes to an end with The Moor winning by 61 discs to 2, which is rather like being several queens up at the end of a game of chess.

Finally, I shall give without comment the game won by The Moor against World Champion Hiroshi Inoue of Japan, on June 19 1980. The final score in this game was 36-28 in favour of the program, and not 34-30 as reported in the tournament bulletin.

Black: The Moor

White: Hiroshi Inoue

1 B d6 2 W c6 3 B c5
4 W c4 5 B b3 6 W e6
7 B c7 8 W b5 9 B a6
10 W c3 11 B c2 12 W b4
13 B f4 14 W f5 15 B f3
16 W e3 17 B a3 18 W d7
19 B d3 20 W g4 21 B f6
22 W a4 23 B d8 24 W b6
25 B a5 26 W e7 27 B h3
28 W e8 29 B f8 30 W f7
31 B c8 32 W g5 33 B h6
34 W h5 35 B h4 36 W g6
37 B h7 38 W c1 39 B d2
40 W b2 41 B d1 42 W e1
43 B e2 44 W f1 45 B f2
46 W b1 47 B g8 48 W g1
49 B b7 50 W a7 51 B g2
52 W g3 53 B h1 54 W h2
55 B a1 56 W h8 57 B g7
58 W b8 59 B a8 60 W a2

Black wins by 36-28.

To the best of my knowledge, this is the first time that a computer program has ever defeated a human World Champion in a game of pure skill.

SUN

NOW THE INTEGRAL SYSTEM WITH PERFORMANCE, QUALITY, EXPANDABILITY & RELIABILITY; ESSENTIAL FOR A BUSINESS SYSTEM.

**FULL 12 MONTHS
WARRANTY**



**ABC 24:— 620K BYTES ON
DUAL MINI FLOPPY DISKS**

ABC 26:— 2.3 MBYTES ON DUAL 8 INCH FLOPPY DISKS

LOOK AT THESE STANDARD A1 FEATURES, INCLUDED IN THE PRICE.

- | | |
|---------------------------|------------------------------|
| * DOSKET OPERATING SYSTEM | * BASIC INTERPRETER/COMPILER |
| * FORTRAN IV | * Z80 ASSEMBLER |
| * UTILITIES | * LIBRARY |
| * DIAGNOSTICS | * EDIT (& MORE) |

HARDWARE

- | | |
|---------------------------------------|-----------------------------------|
| * 64K BYTES RAM | * SEPARATE SCREEN BUFFER |
| * REAL-TIME CLOCK (INTERVAL TIMER) | * IEEE 488 INTERFACE BUS |
| * GREEN SCREEN | * LARGE GRAPHICS SET |
| * SEPARATE KEYBOARD | * 12 FULL RS232 PORTS |
| * SECURITY LOCK | * 16 SEPARATE USER DEFINABLE KEYS |
| * HARD DISK AVAILABLE | * DMA FOR HARD DISK ATTACHMENT |
| * MULTI USER HARD DISK AVAILABLE SOON | |

A1 ELECTRONICS ABC 26 £4750 A1 ELECTRONICS ABC 24 £3350

OPTIONAL SOFTWARE

- | | |
|-----------------------------|------|
| * CP/M | £150 |
| * SALES LEDGER | £200 |
| * PURCHASE LEDGER | £200 |
| * NOMINAL LEDGER | £200 |
| * STOCK CONTROL | £200 |
| * WAGES/SALARIES | £200 |
| * ABOVE INTEGRATED PACKAGES | £800 |
| * WORDSTAR & MAILMERGE | £350 |
| * ISR DATABASE | £400 |

ALL WITH SUPPORTING DOCUMENTATION AND LICENSING AGREEMENTS.

ALL PRICES EXCLUDE VAT

BY MARCH 31ST 1981, A NATIONAL DEALERSHIP NETWORK, WILL BE OPERATIVE FOR THIS POWERFUL MACHINE. IF YOU ARE AN ESTABLISHED & PROFESSIONAL DEALER, WISHING TO APPLY, PLEASE CONTACT:

SUN Computing Services Ltd
138 Chalmers Way
North Feltham Trading Estate
Feltham
Middlesex

TEL. 01-751 5044 TWX 8954428 SUNCOM 6

Why the Sinclair ZX80 is Britain's best selling

Built: £99.95

Including VAT, post and packing, free course in computing, free mains adaptor.

Kit: £79.95

Including VAT, post and packing, free course in computing.

This is the ZX80. A really powerful, full-facility computer, matching or surpassing other personal computers at several times the price. 'Personal Computer World' gave it 5 stars for 'excellent value'. Benchmark tests say it's faster than all previous personal computers.

Programmed in BASIC—the world's most popular language—the ZX80 is suitable for beginners and experts alike. And response from enthusiasts has been tremendous—over 20,000 ZX80s have been sold so far!

Powerful ROM and BASIC interpreter

The 4K BASIC

ROM offers remarkable programming advantages:

- * Unique 'one-touch' key word entry: the ZX80 eliminates a great deal of tiresome typing. Key words (RUN, PRINT, LIST, etc.) have their own single-key entry.
- * Unique syntax check. A cursor identifies errors immediately.
- * Excellent string-handling capability—takes up to 26 string variables of any length. All strings can undergo all relational tests (e.g. comparison).
- * Up to 26 single dimension arrays.
- * FOR/NEXT loops nested up to 26.
- * Variable names of any length.
- * BASIC language also handles full Boolean arithmetic, conditional expressions, etc.
- * Randomise function, useful for games and secret codes, as well as more serious applications.
- * Timer under program control.
- * PEEK and POKE enable entry of machine code instructions.
- * High-resolution graphics.
- * Lines of unlimited length.

Unique RAM

The ZX80's 1K-BYTE RAM is the equivalent of up to 4K BYTES in a conventional computer—typically storing 100 lines of BASIC.

No other personal computer offers this unique combination of high capability and low price.



The ZX80 as a family learning aid. Children of 10 years and upwards are quick to understand the principles of computing—and enjoy their personal computer.

The Sinclair teach-yourself BASIC manual

If the specifications of the Sinclair ZX80 mean little to you—don't worry. They're all explained in the specially-written 128-page book (free with every ZX80). The book makes learning easy, exciting and enjoyable, and represents a complete course in BASIC programming—from first principles to complex programs.

Kit or built—it's up to you

In kit form, the ZX80 is pleasantly easy to assemble, using a fine-tipped soldering iron. And you may already have a suitable mains adaptor—600 mA at 9V DC nominal unregulated. If not, see the coupon.

Both kit and built versions come complete with all necessary leads to connect to your TV (colour or black and white) and cassette recorder. Plug in and you're ready to go. (Built versions come with mains adaptor.)

personal computer.

Now available for the ZX80... New 16K-BYTE RAM pack



Massive add-on memory. Only £49.95.

The new 16K-BYTE RAM pack is a complete module designed to provide you – and your Sinclair ZX80 – with massive add-on memory. You can use it for those really long and complex programs – or as a personal database. (Yet it can cost as little as half the price of competitive add-on memory for other computers.)

For example, you could write an interactive or 'conversational' program to show people what your ZX80 can do. With 16K-BYTES of RAM, they could be talking to your computer for hours!

Or you can store a mass of data – perhaps in a fairly simple program – such as a name and address list, or a telephone directory.

And by linking a number of separate programs together into one giant, but modular, program, you can achieve the same effect as loading several programs at once.

We're also confident that it won't be long before you can buy cassette-based software using the full 16K-BYTE RAM. So keep an eye on the personal computer magazines – and brush up your chess perhaps!

The RAM pack simply plugs into the existing expansion port on the rear of the ZX80. No wires, no soldering. It's a matter of seconds and you don't need another power supply. You can only add one RAM pack to your ZX80 – but with 16K-BYTES who could want more!

How to order

Demand for the ZX80 exceeds all other personal computers put together! So use the coupon to order today for the earliest possible delivery. All orders will be despatched in strict rotation. We'll acknowledge each order by return, and tell you exactly when your ZX80 will be delivered. If you choose not to wait, you can cancel your order immediately, and your money will be refunded at once. Again, of course, you may return your ZX80 as received within 14 days for a full refund. We want you to be satisfied beyond all doubt – and we have no doubt that you will be.

To: Science of Cambridge, FREEPOST 7, Cambridge CB2 1YY.

Remember: all prices shown include VAT, postage and packing. No hidden extras. Please send me:

Qty	Item	Code	Item price £	Total £
	Sinclair ZX80 Personal Computer kit(s). Price includes ZX80 BASIC manual, excludes mains adaptor.	02	79.95	
	Ready-assembled Sinclair ZX80 Personal Computer(s). Price includes ZX80 BASIC manual and mains adaptor.	01	99.95	
	Mains Adaptor(s) (600 mA at 9V DC nominal unregulated).	03	8.95	
	16K-BYTE RAM pack(s).	18	49.95	
	Sinclair ZX80 Manual(s). (Free manual with every ZX80 kit or ready-made computer.)	06	5.00	

NB. Your Sinclair ZX80 may qualify as a business expense.

TOTAL: £

I enclose a cheque/postal order payable to Science of Cambridge Ltd for £ _____
Please print

Name: Mr/Mrs/Miss _____

Address _____

FREEPOST – no stamp needed.

PCW03


Sinclair ZX80

Science of Cambridge Ltd.

6 Kings Parade, Cambridge, Cambs.,
CB2 1SN. Tel: 0223 311488.

...put it in writing!

Use your TANDY, APPLE, PET or SORCERER with our Daisy Wheel Printer for typewriter quality printout.



The STARWRITER daisy wheel printer gives top quality printout for any computer with a Parallel or Centronics interface.

Features include

- ★ Standard Diablo Hytype II Print Mechanism
- ★ Proportional Spacing capability
- ★ Bi-directional printing (with suitable drivers)
- ★ Up to 15 inch paper width
- ★ Uses standard Diablo wheels and ribbons
- ★ Die-cast alloy case

Please send me further details of THE STARWRITER

Name _____

Address _____

Tel/No. _____


PCW.C

Only £1,200 Ex. VAT

Contact Geoff Wilkinson
for further information.
Telephone: (0736) 798157

LIVEPORT
DATA PRODUCTS

The Ivory Works, St. Ives, Cornwall TR26 2HF
Telephone: (0736) 798157



COMPUTER ANSWERS

Send your queries to: Sheridan Williams, 35 St Julians Road, St Albans, Herts.

Revas request

Can you tell me where I can get a complete listing of Parkinson's Revas (1.5k Z80 Reverse Assembler)?

One other thing that may be of interest to users of the RML 380Z and an Anadex DP9501 doing HRG hard copy: if you are using a two-wire serial link at highest baud rate and are having extra dots printed, go down to 1200 baud or, better still, parallel mode. This occurred on the program that I have written for Anadex driving and not RML's driver program. If anyone would like further details they may contact me directly.

C J Pink, 14 Cowbeck Close, Parkwood, Rainham, Kent.

Thank you for a most useful tip, I know lots of people are working on high resolution graphics hard copy. The information that you want on Parkinson's Revas can be found in PCW vol 2 nos 1, 2, 3, 4, 7, 8 and vol 3 no 1.

There was also an offer in vol 2 no 1 which read as follows: 'REVAS on cassette in relocatable form £4, listing of a suitable loader included. You tell the loader where to load REVAS, the REVAS program origin, REVAS workspace origin, the loader does the rest. State CUTS or NASCOM standard. From D W Parkinson, Well Cottage, The Street, Tuddenham, Ipswich IP6 9BT. SW

Atari answer

I was very interested in your review of the Atari 400 and would like to know whether you recommend it compared with other systems. How much is it going to cost? Are there any drawbacks with the keyboard? What is the actual memory configuration? Will the graphics plot off the screen? Can I use other software than that developed for the Atari 400? A K Timms

As I had no inside information on the Atari, I sent your letter direct to Ingersoll Electronics, 202 New North Road, London N1 7BL, who kindly replied most promptly

with this answer:

'We expect that the suggested retail price of the Atari 400 with 16k RAM will be £395 inc VAT. With the full colour range capability, on-screen editing and all the features described in your excellent original write-up (PCW, Oct 80), coupled with consumer end-users' requirements for ease of operation and reliability, the Atari represents a significant advance.

'There are no particular drawbacks with the monopanor keyboard and it is capable of all the functions of a standard typewriter Qwerty keyboard. It also has the advantage that if liquids are spilt over it, it will not immediately blow up the electronics.

'The Atari 400 has 10k ROM plus 16k RAM plus a ROM cartridge slot, which can hold up to 16k depending on the size of the ROM cartridge pack being used. You will therefore be able to write programs of up to 16 kbytes long. The graphics do plot off the screen. The Atari 410 cassette recorder will not accept any other brand of software as they are not written in the same Basic. Steve Bernard, Ingersoll Electronics Ltd.

It is very hard for me to comment on the above statements as the machine has yet to be released. On paper it certainly looks good value for money, especially at under £400. SW

Numerical nasty

I have unearthed a peculiar fault in the Nascom Microsoft Basic (8k version 4.7). The following results appear: PRINT 26.53-26 yields the result .529999. On further investigation, I noticed a large number of similar results, and the program 10 A=A+0.01 : PRINT A: GOTO 10 seems okay up to .83 but the next value given is .839999. Is there a problem confined to version 4.7 of Microsoft Basic? Does it appear on all Nascom 2 machines? What is the precise mechanism for the failure? Is there a cure for it? M D Heden, Ampthill, Bedfordshire

The problem that you have found exists on any system that uses 'pure binary' for its representation of decimal numbers. Certain numbers can be represented exactly in both denary and binary;

examples are 0.5 = 0.1 0.25 = 0.01 0.75 = 0.11, etc; however, the majority cannot, eg, 0.2 = 0.0011001100110011 recurring.

Computers have limited storage and therefore numbers have to be represented by a fixed number of bits (binary digits); a common number might be 32 bits of which 24 would be the mantissa and eight the exponent (there are many good books dealing with this and a good one is *Computer Science* by C S French, DP Publications). Using 24 bits, 0.2 is held as 0.199999999881; now as long as the version of Basic only prints six or seven decimal places, the error will not appear until this number has been added up many times, but as soon as this erroneous value has been added up enough times, it will soon appear. This weird effect can also be observed by trying the following program:

```
10 A = 10000001
20 B = 10000000
30 C = 0.0000001
40 PRINT A/C-B/C; (A-B)/C
```

This has serious implications when developing programs, especially in the scientific field, and should always be borne in mind. The cure for it in some applications, such as finance is to work always in pence and not in pounds, dividing by 100 when necessary for display purposes. It is not confined to Nascom or, for that matter, any particular machine, as it is not the fault of the machine but rather of the version of the language implemented. SW

Text troubles

Soon I will have totted up 50 years of writing. I am getting more and more frustrated with the time taken to type a 'clean' copy so I would like a word processor. I have set a budget of around £1000 and would like your advice. I realise that disk drives are out, but I would like a nice keyboard, a reasonable printer (Centronics 737 or Epson MX80 will do), use of my own TV, display of 'long' lines, plenty of RAM (would 16k suffice?); and a 'ready-to-go' system. J H Miskin, London

I am sorry to disappoint you, but I don't really think that you will be able to put a system together for under £1000 that will satisfy a professional such as yourself. I will explain why. Firstly, the printer will cost you

around £400 of your budget, leaving £600 for computer and cassette. Although this will enable you to buy a computer, it will inevitably have 16k or perhaps 32k of RAM; if you are going to do without disks then you will need as much memory as you can possibly get.

Assuming each page has 36 lines, and 55 characters per line, that makes approx 2000 ch/page or 2k/page. Therefore ten pages need 20k RAM. You will also have to have a program to perform the word processing which may take anywhere from 8-20k depending on sophistication, making perhaps 30k in all. I don't think it would be practical to type and edit fewer than 20 pages at a time.

Another point is that it will take around four minutes to load 20k of text from cassette; this may not worry you, but you ought really to make regular back-ups of your text each time you edit it. With a disk system I do this about every ten minutes.

You also want a 'turn-key' system, and I know of none for under £1000.

To be more optimistic, there are hopes, for example, the Nascom II with Naspen, which is certainly cheap and good value for money. Look at a stringy floppy system, too, and get a quote for a maintenance contract. An alternative is the PET with a ROM-based word processor, but unfortunately the new 80-column PET is outside your price range at about £825 plus VAT for a 32k system; you would be wisest to try and save up for this version, but I wouldn't be talked into getting anything less than 32k; again, look for a stringy floppy for that. SW

ZXpansion?

I am considering buying a ZX80. What is the availability of peripherals like. Is it possible to expand it cheaply?

D Bloodworth (and many other users throughout Britain!)

You may find that you obtain better, more up-to-date answers by writing directly to the National ZX80 user group. The address is: Tim Hartnell, ZX80 Users Group, 44-46 Earls Court Road, London W8 6EJ.

It is essential that you enclose an SAE. You can obtain monthly copies of their newsletter called

'Apple means business'

— who says so?

Mobil

Oil Company Ltd.

says so . . .

'Just one 48K Apple, VisiCalc, disc-drive and printer enabled us to save over £13,000 p.a. in outside computer bureau costs' states Mobil's Manager, Financial Analysis, Mr E.A.F. Peach. 'With this sort of saving it is hardly surprising that our use of Apples has grown from one Apple to five in under six months. Our trolley-mounted Apples bring the analytical powers of VisiCalc direct to the user's desk; and the simplicity and robustness of the system make it as easy to use as a desk calculator. Apples are now producing virtually all our analytical work, profit plans, forecasts etc., promptly and cost-efficiently.'

RANK XEROX says so . . .

'If small businesses are to continue trading successfully during the next 10 years they cannot afford to let the business equipment revolution pass them by' observed Mr B.H. Nicholson, International Director of Rank Xerox Ltd., at the recent opening of the Xerox Store, Piccadilly, London.

'This store carries almost everything the small business needs, and that has to include Apple microcomputers, and the software programs that go with them. Our research has identified 500,000 small businesses in the UK: Apple will feature strongly in our service to this mass market.'

CROWN JOINERY and LAMINATING says so . . .

'Faced with a 100% increase in turnover in our factories in Chesham and Aylesbury, we recently installed an Apple microcomputer in our Accounts Department' comments Mr R.F. Alderton, Partner of the Company. 'The results have been a revelation to us. Apple gives us prompt management information on sales and bought ledgers, our cash flow situation is much improved because of our debt analysis control, and my P.A. accountant has really enjoyed the transition to computerised accounting with Apple.'

If you direct, manage or control a company or department then the Apple Computer can help you.

Apple means...business software

which is available and in everyday use now. Below is listed just a small selection of business management programs available for users of the Apple Computer System:

- Apple Cashier
- Apple Desk Top/Plan
- Apple Plot
- Mailing List
- Job Costing System
- Stock Control
- Time and Cost Recording
- Accounting Programs for Apple Users:
- Apple Business Controller
- Fixed Asset and Plant Package
- Incomplete Records
- Invoicing System
- Sales Accounting and Invoicing System
- Sales and Purchase Ledgers
- Specific professions can benefit too:
- Agriculture and Business Group Package
- Architecture
- Contract Costing
- Estate Agents
- Matching Vehicle Service Records
- Personnel Matching
- AND IN ADDITION—most companies can use:
- Payroll and Salaries
- Apple Writer (Word Processing)

*This is just a small selection of the hundreds of programs available for the Apple business user.

APPLE MEANS . . . that you can have immediate access to vital, accurate business information, keep that same information up-to-date more easily and have printed copies instantly, thus giving your company or department a competitive and efficient edge.

Apple means . . . solving problems not creating them! Executives can make valuable use of their Apple System within only a few hours of delivery, administrative staff lose any fear of computers and are soon planning and printing their data at the touch of a button.

Apple means . . . reliability and service. To assure the Apple user that there are no unanticipated service costs and that their System is fully maintained, Apple offer an optional, renewable Extended Warranty

Apple means . . . you are not alone. Over 200,000 Apple Systems have been sold throughout the world. At £2,400 (smaller starter systems available) the Apple Business System is capable of running any of the programs listed here and many more besides.

Sole UK Distributor

microsense computers limited

Finway Road, Hemel Hempstead, Herts HP2 7PS.
Hemel Hempstead (0442) 41191 and 48151. Telex: 825554 DATEFF G.

Apple means . . . educationalists, scientists, engineers and computer professionals have a choice. Apple grows — with many useful accessories including sound, music and colour graphics. In addition to the BASIC language, Apple have their own UCSD Pascal, and more recently PILOT for the courseware author, and FORTRAN for the scientist.

Apple means . . . a problem shared is a problem solved when you share it with an Apple Dealer. For details of your nearest dealer please contact us at the address below.



*Prices exclusive of VAT and correct at time of going to press.

*Apple is a trademark of Apple Computer Inc, Cupertino, California, USA.

COMPUTER ANSWERS

Interface by sending £7.50 (UK) £9.50 (Europe) or £13.50 (elsewhere) to: National ZX80 Users Club, Unit 3, Woodthorpe Road, Ashford, Middx. TW15 2RP. SW

Words wanted

Can you tell me where I may get a book on the subject of word processing? Also the following books: *Electronic Logic Circuits* by J R Gibson, published by Arnold and *Systems Design with Micro-processors* by Zissos published by Academic Press? Name and address supplied

I wonder why you requested to remain anonymous?

You should be able to order the two books mentioned above from any good bookshop — after all, this is their job.

As for books on word processors there is *Word-processors Report and Supplement* by Lamsac 1978 at around £4 if you can still get it; also, *Word Processing in the Modern Office* by Paula Cecil, published by Addison Wesley in 1980 for £7 and there is also a magazine called *Which Word Processor?* available from some stationers. SW

Mathematical micro

Can you give me any problems to work on using my micro. They are best kept to something mathematical, but I would prefer to try something that no-one else has yet solved; are there any such problems?

T Hutchinson, Weybridge, Surrey

Try these:

Has $x^4 + y^4 + z^4 = N$ got any whole number solutions?
Has $x^4 + x^4 + z^4 = N$ got any whole number solutions, where N is an exact fourth power?

Let's hope they don't keep you awake all night. SW

Data difficulty

I have an Apple II and recently bought a 6502 manual and assembler with a view to writing subroutines for Basic programs. I cannot see how to pass data and variables (strings in particular) between Basic and assembler.

Miss H Prince, Harrow, Middx

You have hit on one area that is lacking in many micros, the Apple being no exception. However, all is not lost, as page 137 in the Applesoft manual explains all.

Let us consider variables only. Whichever variable is

defined first in the program can be accessed via locations hex 69 and 6A. However, only the first one can be located in this way. Let us assume that line 0 of our Basic program is 0 MDS = "Mike Dennis". At locations 69 and 6A will be found two bytes that, together, make up an address where MD\$ can be found. This address depends on the size of the program but whatever value this address is, it can be found from these two locations. Let us assume that location 69 holds 9E and 6A holds 35. At address 359E will be found the following data, ASCII M then ASCII D at location 359F. The \$ isn't stored. At location 35A0 will be found a byte whose decimal equivalent is the current length of the string (in this instance it will be 11) which explains why strings have a maximum length of 255. The next two bytes hold the address of where the string will actually be found, say 8E98. This address will dynamically change every time A\$ is referenced by the program but we can always find this address via 69/A. Try writing simple programs and then looking at the various memory locations either from Basic or alternatively via the monitor.

The next two bytes are set to zero; this is to leave room to store real variables. Other variables can then be found on seven byte increments from the address given at 69/6A but you do have to know in what order your variables appear in the program. Mike Dennis

APL available

I have just read the letter from L Davies of Cheshunt on the subject of APL on a Tandy TRS-80. You may be pleased to know that there is an APL subset for the TRS-80 called APL80 and this is available in both disk and cassette form from:

Micro Computer Applications, 11 Riverside Court, Caversham, Reading, Berks.

I have a copy of the tape version and am well pleased with it. P G Hughes, Bracknell, Berks.

This letter needs no answer from me but it does illustrate a good point — that interaction from readers will help make these pages more up-to-date and readable. Thank you Mr Hughes. SW

TVtips

I am considering buying either a Superboard II or an Ohio Challenger. PCW's review stated that the computer was built for use with a domestic television — does

this mean that I will not be able to use a standard monitor with it?
P Beauchamp, Hinckley, Leics

The main difference between a domestic TV and a monitor lies in the manner in which the signal is transferred from the computer to it. The domestic TV expects the signal to be a radio-frequency (or rf) modulated signal. In other words, it expects to see a signal similar to that which crawls out of the end of your TV aerial lead. To this end, many single board computers (including the Superboard and UK101) are fitted with modulators that 'prepare' the computer video signal into a suitable form for the domestic TV, ie they have UHF modulators fitted. A TV monitor, on the other hand, expects a standard unmodulated video signal and this is also provided on the UK 101 at pin 12 on J2, the earth being on pin 11. You should connect your monitor to this point. You may need to adjust contrast and brightness to achieve a decent picture.

Mike Dennis


Speedier shapes

I have a 32k ITT 2020. It is a bit slow, especially when drawing shape tables. Is it possible to speed it up to 2 MHz? Also I am thinking of buying a disk drive from the US. Will it run on my present power supply? Terence Wong, London

I'm surprised that you think the ITT 2020 slow, particularly as it is virtually identical to the Apple II which has always been considered to have quite respectable Bench-

mark timings, although I appreciate the fact that they don't test shape tables. Normally, the solution that I would suggest would be to incorporate some assembler subroutines but, as these are extensively used already, there is very little to be gained in that area. If you knew exactly what shapes you wanted and exactly where they were destined to go (and not to move around) then you could POKE directly into the screen memory using machine code for speed. However since this defeats the object of 'drawing' shapes, it's not of much practical use. You can't run the ITT at 2 MHz for many reasons, such as the fact that the screen display is tied into the clock-rate, and so I am afraid that you will have to learn to live with the status quo — after all there are a heck of a lot of dots being plotted which must take some time to plot!

In answer to your second question, there is no problem with buying a disk drive from the States as far as power supplies are concerned since it runs off the DC supplied and not the mains. You may have some difficulty with the slight difference between the clock speeds of the Apple and ITT. They are marginally different and can cause difficulty when, for instance, trying to read on an ITT a disk recorded on an Apple. It all depends on the tolerances of the respective disk drives. If you have access to a disk-speed test disk then one answer (if you are experiencing this problem) is to set the speed to run slightly fast for one machine but slow for the other and so achieve a compromise. Mike Dennis



"It's amazing — with these microcomputers we only need one filing cabinet instead of five!"

PASCAL

READERS WRITE

Chris Sadler presents a selection of reader's letters resulting from the recently proposed Pascal Benchmarks.

As promised, here are the collected timings of the Pascal Benchmarks as sent in by PCW readers. Some of the letters we received appear below. First, however, the misprints (p61, PCW Dec) — five in all, starting with program VECTOR where the second for-loop should read:

```
for j:=1 to 10 do
```

The second error is in program UNEQUALIF where the 'else' line should terminate with a semi-colon. The third is in program VALUE, procedure VALUES, the body of which should read:

```
i:= 1
```

Program MATHS was a bit of a mess so I've listed it — see Listing 1. Now for the letters.

```
program maths;
var k: integer;
    x,y: real;
begin
  writeln('s');
  for k:= 1 to 1000 do
  begin
    x:= sin(k);
    y:= exp(x);
  end;
  writeln('e')
end.
```

Listing 1

I have just tried out your Pascal Benchmarks on our Apple II Pascal system but I have made two amendments to the programs. For convenience, I replaced all WRITELN('S') by READLN and all WRITELN('E') by WRITELN(CHR(7)). This meant that programs did not start running until I pressed RETURN and gave an audible bleep at the end, resulting in easier timing. The second — essential — change was in PROGRAM MATHS where you try to take the EXP of K from 1 to 1000. This will, of course, result in a floating point error when you try to calculate EXP(1000)! I also wrote a couple of other test programs which time an iterative and a recursive calculation, as in Listings 2 and 3.

Dr John Rostron, Dept of Biology, NELP

We adopted the 's' and 'e' scheme to conform to the Basic Benchmarks (and because not every computer produces a

tone on CHR(7) but the tactile start and audible finish is a good idea which certainly makes timings more convenient. Iteration and recursion are interesting to compare but since both use the same procedure-calling mechanism — although for a different number of calls — they don't distinguish different aspects of the compiler.

```
program iteration;
var i,k: integer;
function ifac (n: integer);
var i,f: integer;
begin
  f:= 1
  if n > 1 then
    for i:= 2 to n do f:=f*i;
  ifac:=f
end;
begin
  readln;
  for k:= 1 to 1000 do
    i:= ifac(10)
    writeln(chr(7))
  end
```

Listing 2

```
program recursion;
var i,k: integer;
function rfac (n: integer);
begin
  if n > 1 then rfac:= n*rfac(n-1)
  else rfac:= 1
end;
begin
  readln;
  for k:= 1 to 1000 do
    i:= rfac(10)
    writeln(chr(7))
  end
```

Listing 3

I have just read the Pascal Benchmarks article and found it most helpful. I had been looking for some way of comparing my own Pascal system with others and have now run all the relevant Benchmarks (my system does not yet support REAL arithmetic or reference parameters).

The Pascal system in question is one which I developed myself for the TRS-80 Model I and which is now available from A J Harding (Molimerx). It compiles first into a form of p-code and then translates the p-code into Z80 machine code, hence the rather fast

times.

I should like to take this opportunity of thanking you for your coverage of Pascal in PCW. Please carry on the good work!

Tim Bourne, Hemel Hempstead

Congratulations on writing your own compiler and I hope you don't mind my naming it as such in the timings table. Please press on with the REAL arithmetic.

You may be interested in the enclosed timings which I ran on our departmental PDP11/04. The system comprises a Unibus PDP11/04 processor, 64k MOS memory, two RK05 disk drives and a bunch of exotic lab peripherals which are irrelevant in the present context.

The Benchmarks were compiled with the OMSI Pascal 1.2 compiler running under RT11 V3B. This compiles Pascal source code into MACRO (PDP11 assembler language) which is then assembled and linked. All Benchmarks were self timing, using the system clock which runs at line frequency (although these times should probably only be considered accurate to 0.1 sec.

As you can see, the execution times are an order of magnitude faster (with the exception of the floating point routines) than the Benchmarks run on the H11A which you reported in December. The slow floating point execution is a consequence of the 11/04 system having no EIS or FPP installed. However, as the 11/04 and LSI 11/2 are roughly comparable in terms of performance, this OMSI Pascal compiler may be of interest since the differences in performance seem to be largely a function of the software, which can be run on any RT11 system with sufficient memory.

Dr J B Brooke, Department of Applied Psychology, UWIST

The OMSI Pascal timings make an interesting comparison with those of our H11A. We seem to benefit from the EIS chip and suffer for the p-machine.

I enclose the Benchmark timings achieved by Pascal-Z version 3.2 on my Midas 3 system, which comprises an S100 system with 4 MHz Z80 and 64k RAM running under CP/M 2.1.

The Pascal-Z times are quite favour-

able except in those areas requiring calculation, as in REALARITHMETIC and REALALGEBRA. The relatively bad timings for calculations are undoubtedly due to some extent to the maths chip used in the H11A, but in view of the low precision used by Pascal-Z (seven to eight decimal digits, with all REAL numbers held as binary in a 32-bit two's complement field where the first eight digits are exponent), I feel that the results are significant.

Mr C J Neville, Welling, Kent

Thank you for your Pascal-Z timings — your floating point software certainly does seem a bit slow.

Enclosed are timings run on a Commodore PET with the TCL Pascal Chip, using the resident compiler. Due to lack of disk space I could only test a few of the Benchmarks with the disk compiler but they came out approximately five percent faster than with the resident compiler.

Mr C Cook, Middlesbrough

It's a pity that the one major Pascal compiler produced in Britain is so slow, even when compared with the Apple II Pascal which uses the same processor and also goes through pseudo-code.

The prospect of the Pascal Benchmarks being used in all future PCW Benchtests of Pascal systems is so appalling that I must point out the glaring shortcomings of the Benchmarks published before they become any more widely used:

1. Probably the most important problem is that the short tests, such as memoryaccess, have an inner x10 loop as well as the outer x10,000 loop in order to give a reasonable runtime for stopwatch timing. This means that memoryaccess, for example, executes 110,000 for statements and only 10,000 assignments in its run; thus the time for the statement supposedly being tested is quite swamped and quite misleading times result. Useful results can be extracted by doing the right arithmetic, but what is really required is a set of figures which can be compared directly, which could be achieved if ten assignment statements were written out explicitly, and similarly for most of the other tests.

2. No test is made of operations on character type data; why not?

3. It certainly is worth noting that no account has been taken of the speed of compilation. Again, one can only ask, why not? In practical program development, this factor is at least as important as the execution speed.

4. Some figures on memory usage really should be provided. The size of the compiler at least should be easy to find out. The size of the object code generated could be tested by compiling some standard program of reasonable size, say a standard sort of algorithm, and this would also give a useful test of compilation time, execution speed of a typical mix of statements and show up quirks in the system. Pascal standards are much more widely adhered to than Basic standards, so development of a reasonably large Benchmark program should not present serious problems.

5. Finally, the programs printed contain several errors. As well as the traditional 'misprints', the program statements should be of the form program benchmark(output), to be accepted by a standard compiler.

In conclusion, yes it is a nice idea to have some standard Benchmarks for Pascal but only if they are thorough and informative.

PS — Whatever happened to case statements and function subroutines?

Paul Farrell, Birmingham

To tackle the points in order:

1. I have always claimed that one of Pascal's strengths is its readability. My apologies — we now have positive proof that it cannot be as readable as we thought. How else can one explain the following? Program MEMORYACCESS (and all of the other 'short' tests) has a 10,000 step loop, within which is a ten step loop, contained within which is the assignment statement which we are trying to time. Simple arithmetic dictates therefore that the assignment statement will execute $10 \times 10,000 = 100,000$ times, once for every iteration of each for-loop. If there were a semicolon between the last 'do' and the '1 := j' (and this is where the readability comes in) then the quoted figures would be correct; but there isn't, so they aren't.

2. This is a good point. Most character handling routines in our PCW series performed using library string-handling routines and indeed we published our own emulation of the UCSD string-handling routines in our PCW series 'The Complete Pascal' (which is soon to be published as a book entitled Pascal for Programmers published by Springer-

Verlag). Since these vary considerably both in form and in scope, there didn't seem any way of comparing them and it never occurred to us to descend to character-handling per se. I accept, however, that some types of programming deal almost exclusively in characters (imagine trying to write an editor?) and we would be pleased to hear from Pascal programmers with this type of experience who can suggest a brief, effective test of these facilities.

3&4. I feel that Sue and I were frank enough about the limitations inherent in the ideas behind our Benchmarks when we wrote the original Benchmark article. These remarks are simply Mr Farrell's own ideas for a different type of Benchmark with a different set of limitations.

5. There are five Pascal compilers (commercially) available for 8-bit micro-computers in this country. At least one of these will flag a compile-time error if the 'standard' syntax is used and the rest will certainly ignore it.

PS The CASE statement is structurally similar to the IF- THEN-ELSE statement and the function-calling mechanism is similar to the standard call-by-reference. It seems unlikely, therefore, that a compiler-writer would be able to find any shortcuts in implementing these and so we could see no point in Benchmarking them.

Finally, we would like to thank everyone who wrote in to us. There are still some gaps in our table which I would be grateful if readers would help us to fill; we need: Pascal/M, Pascal/MT, TCL Pascal under CP/M or resident, Whitesmiths Pascal, UCSD Pascal on a Z80A processor.


PASCAL BENCHMARKS SUMMARY

Benchmark	System/Software H11A/ USCD	Pascal Micro- engine/USCD	Apple II/ USCD	Onyx C8002/ USCD	Midas S/ Pascal -Z	PDP 11/04/ OMSI	Tandy TRS-80 Bourne	CBM PET/ Resident TCL
magnifier	3.9	0.8	6.4	0.5	2.4	0.3	2.2	9.5
forloop	42.8	9.5	74.3	6.1	29.3	3.3	26.6	119.0
whileloop	40.1	9.3	70.0	5.9	29.9	2.5	28.6	158.0
repeatloop	35.0	9.1	63.3	5.4	29.3	2.2	26.4	168.0
literalassign	49.9	11.0	88.5	6.7	30.3	3.92	29.5	149.0
memoryaccess	52.0	11.4	91.0	6.9	31.4	4.3	31.2	155.0
realarithmetic	61.7	8.7	93.0	—	192.9	58.0	—	164.0
realalgebra	40.6	6.8	83.4	—	127.9	53.3	—	156.0
vector	102.9	26.4	203.3	22.7	51.6	9.4	72.2	332.0
equalif	66.8	16.0	116.7	9.9	33.9	5.3	46.1	240.0
unequalif	65.8	15.8	115.3	9.9	33.4	5.2	45.9	231.0
noparameters	26.4	4.5	50.2	7.4	13.7	3.0	21.4	66.6
value	29.3	5.0	54.4	8.0	14.2	3.9	21.7	75.0
reference	29.7	5.0	55.3	7.9	15.0	3.9	—	77
maths	25.3	7.0	66.0	—	—	—	—	—

Table 1 Pascal Benchmarks summary. Timings are in seconds, rounded to nearest 0.1 sec

If you have a contribution for Pascal Benchmarks, send it to Chris Sadler, c/o PCW, 14 Rathbone Place, London W1P 1DE.

'TUSCAN' FROM TRANSAM



Take a step up to your next Computer!

THE CONCEPT

How many ways are there to build an S100 system? Not many, and all expensive. TUSCAN changes all that.

Five S100 boards on one single board—just for starters. Plus five extra slots for future expansion.

What a combination! Z80 and S100 with the TRANSAM total package of system and applications software.

How do we do it? Our prices start at £195 and you can build up in easy stages to a fully CP/M compatible disc based system. Something to think about!

THE HARDWARE

The first Z80 single board computer with integral S100 expansion. British designed to the new IEEE (8 BIT) S100 specification, the TUSCAN offers total system flexibility. A flexibility available now.

The board holds the equivalent of a Z80 cpu card, 8k ram, 8k rom video and I/O cards with 5 spare S100 expansion slots and offers a price/performance ratio which is hard to beat.

Just compare our price with a commercial S100 ten slot motherboard with this specification.

THE SOFTWARE

TUSCAN offers the user the choice of system monitor, editor, resident 8k basic, resident Pascal compiler or full CP/M disk operating system. All options are upwards

compatible and fully supported with applications software. Both 5¼" and 8" drives are supported in double density.

THE PACKAGE

TUSCAN is available in kit form or assembled. With several hardware and software options to suit your requirements and budget. Attractive desk top case also available holds 2 x 5¼" Drives.

TRANSAM

NOBODY DOES IT BETTER!

Send to Transam Components Ltd., 59/61 Theobald's Road, London WC1.

I am interested in the TUSCAN Z80 based single board computer with S100 expansion and enclose a S.A.E. for further details.

Name _____

Address _____

Telephone _____

TRANSAM COMPONENTS LTD., 59/61 THEOBALD'S ROAD, LONDON WC1. TEL: 01-405 5240/2113

CALCULATOR CORNER

Dick Pountain tests Hewlett Packard's problem solver.

Introduced to the UK in November 1979, the HP 34C is Hewlett Packard's latest programmable calculator, though inevitably it has been somewhat overshadowed by the remarkable alphanumeric 41C. While the HP 34C is an altogether more modest (and much cheaper) machine, it has some features which will endear it to the mathematically-involved user.

As one would expect, the 34C is very well-made and finished, in a strong ABS case and large, positive, 'click' keys with sloping lower surfaces which bear a second function symbol.

Power is supplied by a battery pack which can be recharged without removal by plugging in the supplied AC adapter. The calculator may be used on AC while recharging. A fully-charged pack allows about three hours of continuous operation.

The suffix C denotes that the 34C has continuous memory, ie, memory contents are retained when switched off. No bulk storage by cassette tape or magnetic card is provided so attention must be given to the state of battery charge, as it must to good documentation of programs. Programs in the calculator are safe for around one month without recharging.

The display, surprisingly, is a traditional red LED 10-digit affair with no frills; a pity that an LCD unit, as on 41C, could not have been adopted to prolong battery life.

Memory

The 34C has its memory allocated as follows: 70 lines of program and 20 data storage registers, plus four stack registers, a 'last x' register and the 'I' register for indirect operations. Program data and I registers are continuous; the others are lost on power off.

More than 70 lines of program memory may be used by repartitioning the memory; this task is handled automatically in a very straightforward fashion. As the seventy-first program line is entered, a data register (R.9 the highest numbered) is converted into seven extra program registers. Data registers are converted as required, from the top, until a maximum of 210 program lines are accommodated, leaving only the I register for data storage.

To check how many data registers are left at any point, one presses the MEM command which displays the highest program line number and highest memory free. Simple, effective and much less confusing than messing around with partitions.

Functions

The 34C has a useful set of scientific functions including trig and their inverses (but no hyperbolics), exponentials, roots, reciprocals, factorials, rectangular to polar, degrees to radians, sexagesimal conversions, FRAC, INT and ABS. In addition to these usual functions are some useful statistical ones; $\Sigma+$, $\Sigma-$, standard deviation, mean, linear estimate and correlation coefficient, and linear regression. The

two final *tours de force* are SOLVE and integrate, about which more later.

These functions are accessed by a deceptively simple-looking 30-key board, by making almost all the keys serve no less than four functions. To this end, three shift keys labelled f, g and h are provided.

The display formats are fixed point, scientific and engineering and the display status is in continuous memory.

As expected from HP, the 34C operates in Reverse Polish Notation and the excellent 300 page manual lays heavy stress on the full use of the stack, including the stack-fill technique and Horner's method for reducing polynomials to nested first order expressions.

Programming

All the necessary instructions for full programmability are provided; that is to say, conditional and unconditional branching, register arithmetic (including multiply and divide), six levels of subroutine, loop control and flags and indirect operations. In true HP style, no less than eight conditionals are available: $x \leq y$, $x > y$, $x \neq y$, $x = y$, $x < 0$, $x > 0$, $x \neq 0$, $x = 0$. Four flags with set and test are provided.

The destination of jumps is either a numeric label 0-9, or to an absolute address stored in the I register. In addition, two user-defined keys A and B can be used as labels to execute programs from the keyboard. If more than two programs are stored, the remainder are executed by GSB and the numeric label of the start. GTO.nnn sends control to line nnn without executing the program and is useful in editing.

The loop control functions ISG and DSE are of the sophisticated multi argument variety, with start value, test value and increment value, as on the 41C. They work only on the contents of the I register, as do the indirect commands which include STO, RCL, STO + etc., GOTO, and GSB.

Program editing is straightforward with automatic insertion and manual delete. The only gripe here is that both back and forward step are shifted functions requiring two keystrokes. Program steps are well displayed with a three digit line number separated from the instruction code. When keying in, the step just entered is displayed and all instructions are fully merged to occupy one line.

In short, the 34C has features to allow program structures as sophisticated as those of the TI-59, Casio 502 or the HP 41C. The only criticism in this area is the slow speed of execution. For my Benchmark I, the 34C took 67 secs, as opposed to 36 sec for the TI 59 and 7 sec for the Casio.

Solve and integrate

These two special features of the 34C have been widely advertised by Hewlett-Packard and will recommend the machine to mathematicians and engineers.

They are hard wired routines, executable by a single keystroke. SOLVE finds zeros of a function defined in a users subroutine. 'Integrate' evaluates definite integrals of the function by a rather sophisticated numerical method.

To use SOLVE you first write a subroutine which evaluates $f(x)$. Then enter two estimates of x between which you wish to find a root of $f(x)=0$. Then on pressing f SOLVE, the calculator will search for and evaluate the desired root. If no such root exists in the range, the routine may find a minimum or an asymptote if such exist. In this case, an Error message results and values are left in the X, Y and Z registers, which enable further analysis. SOLVE may be used in a program, in which case it acts as a conditional test causing a branch if x is not a root.

$\int y$ or integrate is used in a similar way, entering the upper and lower limits of integration and pressing $\int x$. The value of the integral is displayed and its range of uncertainty is stored in the Y-register. This latter is a nice touch which put this routine a cut above the Simpson's Rule programs which are available for other calculators. You can specify the level of accuracy of your function by using FIX n to limit the number of decimal places computed. Integrate will then calculate the integral to this degree of uncertainty, choose its own number of iterations. Obviously a less certain result is more quickly calculated, often remarkably so. Integrate can be used in programs and in a subroutine used by SOLVE, but cannot be used recursively to calculate multiple integrals.

Both these routines are more sophisticated than the usual ones found in calculator program libraries. They are rather slow in operation, often taking several minutes to evaluate an integral to high accuracy. Nevertheless, having them permanently on tap should be attractive to the right sort of user. At around £83, the HP 34C is competing with the TI-38C and the Casio fx-502p, both of which have continuous memory and more of it.

However, particularly among the scientific community, the Hewlett Packard name and quality reputation exact a price premium which overrides such strict value-for-money considerations. With the undoubtedly useful SOLVE and 'integrate' facilities, it will find many users in the laboratory and lecture theatre. I found it a pleasant machine to use, well documented and presented, but rather slow.

Benchmark No.	HP 34C	HP 41C	TI-59	Casio 502
I (store and recall)	67	31	36	7
II (multiply)	98	32	54	13
III (cos)	170	49	76	53
IV (log)	105	34	51	32

The Benchmarks consist of 100 loops of the function indicated. Times are in seconds

Epson MX 70

- The budget version of the MX80 that must be what everybody has been waiting for. A quality printer from the world's largest print head manufacturer.

- * 80 characters per second (Uni-directional)
- * 9 x 7 matrix (63 dots maximum per character)
- * 80 or 40 characters per line * LF and FF (other details as MX80 (see below) except no VT.

AN UNBELIEVABLE £279 + VAT



NEW

NEW
80 COLUMN 32k

Pet

ONLY £825 + VAT
Standard Large Keyboard
16k - £499 + VAT
32k - £559 + VAT




Very popular for home & business, using 8k Microsoft Basic in ROM. Both models are with new improved keyboard and all with green screen. Extra Cassette Deck £55 + VAT

Compukit UK101 DISC DRIVES

with up to 32k RAM expansion


free
games
disc

* 9 Digit extended Basic
* Plugs straight into 8k Compukit requires no hardware mods. (5v.5A required for 610)
610 Expansion (8k) ONLY £159 + VAT
Disc Drive with DOS ONLY £285 + VAT



Seikosha GP80

- IDEAL FOR HOBBYIST & EDUCATION
Complete range of Interfaces available



- * Tractor Feed * 80 column
- * One needle dot matrix * 5x7 matrix
- * 128 Characters * ASCII * 30 chs second
- * 80 chs or extended per line * 12 lines per inch * 6 lines per inch (9 for graphics)
- * 5 lines per sec. (7.5 for graphics) * Pin Feed * Up to 8" plain paper * 3 copies


Model GP80 ONLY £250 + VAT

NEC Spinwriter

- for the professional word processing system

£1390 + VAT

Model 5510 - RS232, Model 5530 Centronics 8 bit par. NEC's high quality printer uses a print "thimble" that has less diam. and inertia than a daisy wheel. (128 ASCII chrs.) * 5 copies * Friction or Tractor fed * 55 chrs. per second.



TVI Terminal

FULLY INTELLIGENT TERMINAL

* 24 x 80 display with dual intensity, blinking, reversed,

underline and protected fields * 96 ASCII characters (upper and lower case)

* Separate numeric keypad * Auto repeat

TVI 912C ONLY £475 + VAT



Olympia ESW 100

NEW - LOW COST DAISY WHEEL PRINTER

At last a quality daisy wheel printer at matrix prices.

* 96 character set * 10, 12, 15 pitch and proportional spacing * Up to 13" paper width * Centronics Interface

ONLY £836 + VAT




Epson MX 80 - COMPLETE RANGE OF INTERFACES TANDY, SHARP, PET, APPLE, etc.

- with true descenders, tractor feed & optional friction feed

- * 9x9 dot matrix * Logic Seeking * Bi-directional
- * 96 ASCII Characters * 64 Graphics and 8 International Characters * Centronics I/P with optional RS232 and IEEE 488 * Four print densities 40, 80, 66 or 132 columns * Multiple type fonts * Self Test * Self Diagnostics
- * Buzzer for end of paper and bell code error

Tractor Version £359 + VAT

Tractor and Friction £399 + VAT



NOW WITH FRICTION OPTION

Base 2

MODEL 850B with 2k Fifo Buffer

80 col. High Performance Impact Printer - Suitable for most Micro's

Features inc:

- * Friction & Tractor
- * RS232, 20mA, IEEE 488 & Centronics I/O * 15 Baud rates to 9600 * 100 chs per sec - bidirectional

Model 850B ONLY £399 + VAT



Oki Microline 80

Small, light, quiet matrix printer.


40, 80 or 132 cols.

6 or 8 lines per inch.

96 ASCII + 64 graphics character set with Centronics compatible interface

ONLY £329 + VAT

RS232 version available.



Centronics 737

LETTER QUALITY PRINTER

- * Dot Matrix: 7 x 9 * Paper Handling: 3 way
- * Pitch: 5, 10 or 16 characters per inch
- * Speed: 80 characters per second proportional / 50 characters per second monospaced
- * Line Length: 40, 80 or 132 characters
- * Standard Interface: Parallel

ONLY £349 + VAT



Micro Peripherals
(MITRECREST LIMITED)

SALES HOTLINE
0256 56468

FULL SERVICE BACKUP - FULL DETAILS ON REQUEST INCLUDING PRINTOUT
Please add VAT @ 15%. Carriage extra, will advise at time of order. Official orders welcome

61 NEW MARKET SQUARE, BASINGSTOKE, HAMPSHIRE

Telephone: Basingstoke (0256) 56468 (4 lines) Telex: 858757

Buy in confidence. If on receipt of your order the goods do not meet with your satisfaction, return within 7 days for full refund. Credit facilities arranged.

DISCOUNTS: Attractive quantity discounts for OEM, Educational & Dealers

also in association with O.S.I. COMPUTERS, ESHER, SURREY. Telephone: 0372 62071








Alan Sutcliffe examines the underlying patterns in mathematical pastimes relating to the knight's move.

The procedure for calculating all the values on a board for a given starting point is straightforward. The first step is to mark with value 1 all those cells which can be reached in one move from the start square, which is marked 0.

2	3	2	3	4
3	2	3	2	3
2	1	4	3	2
3	4	1	2	3
0	3	2	3	2

1. Selecting the squares in the generation just produced as the starting points for the next generation. Visually, it is not necessary to inspect each square to

There are no best solutions, however.



121 PCW

PATTERNS

It all depends on what resource you are most keen to save: programming effort, storage space or running time. And usually there are trade-offs as less use of one resource entails more use of another.




Fig 3 Data structure for program A during the second generation.

In program A I have concentrated on simplicity of coding, with liberal use of memory and reasonable but somewhat wasteful effect on run time. The approaches to the three problems stated above are:

A1 For each generation of starting squares, the whole 5 x 5 board is scanned for cells with the right value. Inefficient, but simple to code;

A2 For the knight's moves from a given square, a table of eight pairs of relative coordinates is used. These are added in turn to the position of the base cell to give all those that can be reached from it in one move;

A3 The 5 x 5 board is embedded in a 9 x 9 board so that there is a border of two squares all round. These border squares are initially set to a different value to those in the inner board: this is the simplest way of testing for moves that go off the board.




Fig 4 Data structure for program B at the same point.

How this works out in detail can be seen by looking through program A.

In program B the following methods are used for the three problems:

B1 Instead of scanning the 5 x 5 array for cells with the current value, a list is kept of cells in the order in which values are allocated to them and grouped by value. There is a pointer to the first cell

with each value;

B2 To generate the knight's moves from a given square, code replaces the list of relative coordinates;

B3 Similarly, to test whether a square is off the board, logic is used rather than the border of squares.

These different approaches can be adopted independently. However, having an array of cells to scan as in A1 works naturally with having border cells as in A3. A mixed method, with a list of cells as in B1 and an array corresponding to the same cells as in A1 but without the border squares, is quite workable. The method of generating the knight's moves does not affect the way the other problems are solved.

Now let us turn to some possible refinements. First there is the possibility already mentioned of switching the method of scanning for the last generation or two. This is not relevant to method B1 because the cells to be used are already listed and in any case there is no representation in this method of the cells which have still to be allocated values: they are simply the ones that are not yet on the list.

The point at which it is advantageous to switch to the alternative scan is when there are fewer cells left to be given values than there are in the generation just completed. This is easy enough to test for. A new counter is needed for the number of cells in the current generation while the number of cells remaining is 25-M. These should be compared at the end of each generation, that is after statement 440 in program A. A piece of code is then needed, modelled on statements 320 to 440. The statement corresponding to 340 is altered to test for equality with -1, indicating a square not yet allocated a value. The statement corresponding to 380 is altered to test for equality with N-1, indicating a cell in the last generation. The saving is small, even if a larger

board were being dealt with, but it serves to illustrate the kind of refinement possible.

Programs A and B are almost the same length. The main loop in A is only half the length of that in B, including the subroutine but not the print statements. The code in A is easy to follow. In B the code to generate the knight's moves is more opaque — it just happens to work. The main difference between the programs is the way the data is organised — an array in A and a list in B. This is illustrated in Figures 3 and 4 which shows the state of the data at the same point part way through the second generation of cells.

Symmetries

There is another kind of saving that a human might make in solving this problem, by taking advantage of different kinds of symmetry. The 5 x 5 arrays contain two sorts of redundant information. First, some of the arrays have an axis of symmetry. Figure 5 shows these for the six cases of Figures 1 and 2. The array in Figure 1, for example, is symmetrical about the diagonal through the start cell. It is only necessary to compute the values for the cells along the diagonal and on one side of it: those on the other side can simply be copied. They are all needed because a path to a cell on one side of the axis of symmetry may go to a cell on the other side. In Figure 1, for example, the cell value 2 in the middle of the bottom row can only be reached in two moves via the 1 cell in the other half of the array.

In the six arrays there are four different kinds of symmetry, including none in the second array. This is reduced to three kinds as it will be shown in the next section that the sixth array need not be computed. This still leaves code to be written to distinguish the cases, and further code for the

100 DIM A(9,9), B(8), C(8)	A is main board, B & C are relative coordinates
110 A = -2	Set all cells to value for border
120 B(1) = 1	Set 1st four relative X coordinates
130 B(2) = 2	
140 B(3) = 2	
150 B(4) = 1	
160 C(1) = 2	Set 1st four relative Y coordinates
170 C(2) = 1	
180 C(3) = -1	
190 C(4) = -2	
200 FOR I = 1 TO 4	Copy the 2nd four from the 1st
210 B(I+4) = -B(I)	for the X coordinates and
220 C(I+4) = -C(I)	for the Y coordinates
230 NEXT I	
240 FOR I = 3 TO 7	Set all cells in the 5 x 5 board to -1
250 FOR J = 3 TO 7	leaving the border cells at -2
260 A(I,J) = -1	
270 NEXT J	
280 NEXT I	
290 A(3,3) = 0	Set the start cell to zero
300 M = 1	Initialise the number of cells set
310 N = 1	Set the value for the current generation
320 FOR I = 3 TO 7	Search the 5 x 5 board for cells
330 FOR J = 3 TO 7	with the value of the last generation
340 IF A(I,J) <> N-1 THEN 430	Jump if not correct value
350 FOR K = 1 TO 8	Loop for 8 possible Knight's moves
360 X = B(K) + I	Set absolute X
370 Y = C(K) + J	and Y coordinates
380 IF A(X,Y) <> -1 THEN 420	Is this cell within the 5 x 5 board & not yet set
390 A(X,Y) = N	Set it to the value for this generation
400 M = M + 1	Increment the count of cells set
410 IF M = 25 THEN 470	Test if all cells are set
420 NEXT K	End of loop for 8 Knight's moves
430 NEXT J	End of loops for search
440 NEXT I	of 5 x 5 board
450 N = N + 1	Increment generation value
460 GOTO 320	Return for next generation
470 PRINT "MAX VAL = "; N	Print maximum trip length for this start point
480 PRINT A	Print all the final values
490 END	

Program A


```

500 DIM R(25), S(25), T(10)
510 L=1
520 N=1
530 R(1)=1
540 S(1)=1
550 T(1)=1
560 T(2)=2
570 FOR I=T(L)/TOT(L+1)-1
580 P=1
590 Q=2
600 U=R(I)
610 V=S(I)
620 FOR J=0 TO 3
630 X=U+P
640 Y=V+Q
650 GOSUB 800
660 X=U-P
670 Y=V-Q
680 GOSUB 800
690 P=P+J-2
700 Q=Q-J
710 NEXT J
720 NEXT I
730 L=L+1
740 T(L+1)=N+1

```

```

750 GOTO 570
800 IF X<1 THEN 920
810 IF X>5 THEN 920
820 IF Y<1 THEN 920
830 IF Y>5 THEN 920
840 FOR K=1 TO N
850 IF R(K) <> X THEN 870
860 IF S(K) = Y THEN 920
870 NEXT K
880 N=N+1
890 R(N)=X
900 S(N)=Y
910 IF N=25 THEN 930
920 RETURN
930 PRINT "MAX VAL = "; L
940 PRINT R,S,T
950 END

```

Program B

diagonal and vertical symmetries. A lot of effort for rather small return. On larger boards there will be relatively fewer arrays with symmetry, so that even here the saving will not be great. The second kind of symmetry arises from the fact that in the set of cases for all six starting points, most paths appear twice: once for each end, if the end cells are of different sorts. For example, in Figure 1, to get from a corner square to the centre takes four moves. In Figure 2(e) it takes four moves to get from




Fig 5 Axes of symmetry for the six arrays of Fig 1 and 2.

the centre of a corner square. The only routes which are not duplicated are those which begin and end on the same kind of square. In Figure 1 again, the route from corner to opposite corner is not repeated elsewhere. To take advantage of this kind of symmetry would

R & S list cells, T is pointers to R & S
Set pointer to current position in T
Index of last entry made in R & S
X and
Y coordinates of start point
Pointer to 1st item in R & S
Pointer to start of 1st generation in R & S
Main loop for a generation: only 1 item 1st time
Start values for relative X and
Y coordinates
Copy X and
Y coordinates and base cell
Loop to generate relative coordinates
Set absolute X and
Y coordinates
Test if this cell is on the board & not yet set
Set 2nd set of
absolute coordinates
Test these
Increment relative X and
Y coordinates
End of loop for coordinates
End of main loop
Increment L for next generation
Enter pointer for start of next generation in
R & S
Return for next generation
Subroutine to test cell coordinates
Is X coordinate on the board
Same test for the
Y coordinate
Loop to test if this cell has already been set
If X coordinate is different, next entry
If Y coordinate is the same, cell already set
Next item in list
Cell not yet set: increment pointer
Put new X and
Y coordinates in the list
If all cells set go to print results.
Return to main program




Fig 6 Start points already used set as being off the board.

also need a lot of code, more than the saving would justify unless a very large board is being solved. There is one small easy saving to be made. On the 5 x 5 board, all the routes to the centre square shown in Figure 2(e) have already appeared in earlier arrays. Except, strictly, for the path from the centre square to itself, a route of zero length, requiring 0 moves. Thus there is no need to compute the values for this sixth array.

To implement this saving more generally, the following method might be tried. Each square of a kind that has already been used as a starting cell for an array should be blanked out. In terms of Program A this is achieved simply by setting these cells with value -2 so that they are considered to be off the board. This is shown in Figure 6 for the array corresponding to Figure 2(b). However this method does not work, for a reason similar to that mentioned for the first kind of symmetry. The squares that have been blanked out will be needed as intermediate points on the paths to other squares. It is only when the array is complete that the values in these squares can be discarded. Not much saving in that, but it is the

PATTERNS

kind of improvement that should be considered even if it is rejected.

Generalisation

It has already been suggested that these programs can be generalised to deal with larger boards. But before that we should put in a loop to set up the different start squares automatically.




Fig 7 Central squares on a 6x6 board.

This could be done just by setting the coordinates explicitly. In terms of program A this is done in statement 290 A(3,3)=0 then A(4,3)=0, A(5,3)=0 A(4,4)=0 and A(5,4)=0. But since we want to extend this to the general case it is better to generate these values by program:

```

290 FOR G=3 TO 4
292 FOR H=G TO 5
294 A(G,H)=0

```

```

482 NEXT H
484 NEXT G

```

This leaves one last awkwardness in generalising to any size of square board. Odd and even sizes differ slightly. With an even-sided board there is no centre square but a set of four central squares, as shown in Figure 7 for a 6 x 6 board. It is not possible to omit the array starting at one of these squares without a bit more thought. Not all the paths from such a square will have been dealt with in earlier arrays. But the only cases not covered are trips from one central square to another. The moves needed are also shown in Figure 7. Let us, for the sake of discussion, not rely on this always being the case. The outer loop for the 6 x 6 board would then be

```

290 FOR G=3 TO 5
292 FOR H=G TO 5

```

To generalise this further to cope with both odd and even boards, the following code is needed:

```

290 INPUT D      Board size
292 E=INT(D/2)+2 Half board size
                    rounded down +2
294 F=INT(D/2+0.5)+2 Half board size
                    rounded up +2
296 FOR G=3 TO E  The 2 loops
298 FOR H=G TO F  as before.

```

Various statements throughout the program would need to be changed to use D, the length of the side of the board. For example, the test for completion of the array would become

```

410 IF M=D*D THEN 470

```

The dimensions of A would have to be increased to allow for the largest board that was to be solved. Similar amendments would be needed in program B.

GOTO page 146

PACK IT IN

by Roger Morgan, Joan Rosell and John McMullan

Most microcomputers are able to store large volumes of data on magnetic media such as cassettes or floppy disks. Nevertheless, when used for automatic data collection, even the largest cassettes or disks can be too small. This article describes a method for improving the storage capacity for numerical data. The specific examples are intended for the PET but it is easy to adapt them for any Basic-speaking microcomputer.

Numbers are usually stored as strings of numeric characters, which can include the numbers 0 to 9, the sign, the decimal point and the exponent E, and they are terminated by a terminator character, such as a new line. Such storage is provided very simply by the Basic interpreter by means of a statement such as `10 PRINT 1, X`. In mathematical terms this is known as counting in base ten.

It is possible to represent numbers by counting in bases other than ten. Computers count in binary or base two, using symbols 0 and 1. Assembler code usually counts in hexadecimal, using 0 to 9 and A to F. In fact, any integer base is permissible provided that one has enough distinctive symbols. The advantage of using a higher base than ten is that it allows one to represent a bigger range of numbers with a given number of characters. To make this clearer, let us consider the problem of representing positive whole numbers. In decimal counting, a two-character number has a maximum value of 99. In binary characters, the maximum is 3 (11). If one goes to a higher base, such as 16, the maximum rises to 255. Generally, the maximum integer which can be represented by C characters when counting in base B is $B^C - 1$.

For the present purpose, the advantage of counting in bases higher than ten is that it allows one to use fewer characters to store numbers of a given range. Once again, let us make this clearer by studying the problem of storing positive whole numbers. Let us imagine that an experiment produces results over the range 0 to 4095, as might result from a 12-bit A/D converter. In decimal notation, this can require up to four characters, plus a terminator character. If instead one chooses to count in base 64, one needs only two characters plus a terminator. Thus the number of characters is reduced from five to three. Indeed, if one decides to insist that all numbers should be two characters long, one can do without the terminator altogether, reducing the character count to two. This last step is almost always beneficial because, though it apparently 'wastes' a character for numbers from 0 to 63, this wasting is not really a waste because one would have needed two characters anyway, the number and the terminator.

As an example of the benefits of such an approach to storing large volumes of data, consider Program 1.

A random whole number is generated, with value between 0 and 4095, by line 20. It is then divided up into two parts, the first representing 'sixty-fours' and

```
1 LET Q=32
10 DIM M(1000),C$(1000)
20 LET R=INT(RND(1)*64*64)
30 LET R1=INT(R/64)
40 LET R2=R-(64*R1)
50 PRINT R,R1,R2
60 LET M(C)=R
100 LET A$=CHR$(R1+Q)
110 LET B$=CHR$(R2+Q)
120 PRINT A$;B$;" "
130 LET C$(C)=A$+B$
140 PRINT C$(C)
200 LET C=C+1
220 IF C=1000 GOTO 290
250 GOTO 20
290 PRINT
300 OPEN 1,1,1
310 FOR C=0 TO 999
320 PRINT#1,M(C)
330 PRINT M(C),
340 NEXT C
350 CLOSE 1
355 PRINT
360 OPEN 1,1,1
370 FOR C=0 TO 999
380 PRINT#1,C$(C);
390 PRINT C$(C),
400 LET A$=LEFT$(C$(C),1)
410 LET B$=RIGHT$(C$(C),1)
420 PRINT A$;B$;
430 LET R1=ASC(A$)-Q
440 LET R2=ASC(B$)-Q
450 LET R=(R1*64)+R2
460 PRINT R
470 NEXT C
500 CLOSE 1
600 STOP
```

Program 1

the second representing 'units', by lines 30 and 40, and then for interest and illustration, the original number and its two divided parts are printed out in ordinary decimal notation by line 50. The two parts are now given a character representation and the obvious ones to use are 64 characters of the ASCII set, starting at 0. Unfortunately the characters 0 to 31 are unprintable in the sense that they are control characters rather than screen symbols, so they are somewhat difficult to follow; it makes better sense to use the 64 characters starting at 32 (space) and ending at 96 (backward arrow). All these characters are printable, so it becomes easy to display them for interest and illustration; this is done by line 120. Next comes one of the useful features of Basic character facilities, the ability to add strings to form longer ones. This is done in line 130, forming a string which when printed by line 140, should look identical to the pair of characters printed by line 120.

The above has accomplished the essential encoding of the numbers, and has also stored the results of encoding in the arrays M(C) and C\$(C). Lines 300 to 350 record the 1000 numbers on to cassette tape using the conventional decimal system with a newline as the terminator, also displaying the numbers to ensure correct operation. Lines 360 to 500 record the numbers in their encoded two-character form, without a terminator, and also display the two-character string, the two separate single-character parts, and the

decimal number equivalent, again to satisfy oneself that the system really is working.

When this program was run on a PET, the recording of the first batch of data, from line 300 to line 350, was found to take 4 min 25 sec, while the second batch in its encoded form, including the time taken to decode for display on the screen, took only 2m 45s. Thus there is an appreciable saving of time in recording. More significantly, when the two batches of data were replayed through an ordinary audio tape recorder, the decimal batch took up 3m 57s of tape, while the encoded batch took only 1m 20s, almost exactly one third of the tape.

```
1 DIM A(1000),D(1000)
2 LET Q=32
10 OPEN 1,1,0
15 PRINT "FOUND DATA"
20 FOR C=0 TO 999
30 INPUT#1,A(C)
40 PRINT A(C),
50 NEXT C
60 CLOSE 1
100 PRINT "TO GO ON PRESS KEY AND RET"
105 INPUT Z$
110 OPEN 1,1,0
115 PRINT "FOUND DATA"
120 FOR C=0 TO 999
130 GET#1,A$
140 GET#1,B$
160 LET R1=ASC(A$)-Q
170 LET R2=ASC(B$)-Q
180 LET D(C)=(R1*64)+R2
190 PRINT D(C),
200 NEXT C
210 CLOSE 1
220 PRINT "TO VERIFY PRESS KEY AND RET"
225 INPUT Z$
230 FOR C=0 TO 999
240 IF A(C)<>D(C) THEN PRINT "ERROR ";C
245 IF A(C)=D(C) THEN PRINT C;" OK"
250 NEXT C
260 PRINT "DONE"
300 STOP
```

Program 2

Having recorded the data, it is necessary to write a decoding program for recalling it — see Program 2, which also checks that the system has worked. Lines 10 to 60 recall the decimal-recorded numbers and put them into array A(C). Lines 110 to 210 recall the encoded numbers, decode them and put the results into array D(C). Finally lines 230 to 260 compare the two arrays and notify any mistakes. When this program was run, the recall of the first batch took 4m 30s, the second batch took 2m 15s and there were no errors. Thus the system saves recalling time as well.

Having succeeded in our initial aim, it is tempting to push the idea as far as it will go, by counting in the highest base available to us. With the PET and most other microcomputers, the maximum number of different characters is 256, so it should be possible to count with this as base. This makes a very useful facility for 8-bit A/D converters, which have a range of positive integer outputs from 0 to 255, allowing each measurement to be stored with only a single character. As mentioned earlier, some of the characters are unprintable, but this does not prevent their use on tape. The program might then be very


```

10 DIM M(1000)
20 LET R=INT(RND(1)*254)
30 PRINT R
40 LET M(C)=R
50 LET C=C+1
60 IF C=1000 GOTO 90
70 GOTO 20
90 PRINT
100 OPEN 1,1,1,"DATA254"
110 FOR C=0 TO 999
120 PRINT#1,M(C)
130 PRINT M(C)
140 NEXT C
150 CLOSE 1
155 PRINT
160 OPEN 1,1,1,"DATA254"
170 FOR C=0 TO 999
172 IF M(C)<9 THEN J=1
174 IF M(C)>9 THEN J=2
180 LET A#=CHR$(M(C)+J)
190 PRINT#1,A#
200 PRINT M(C)
210 NEXT C
220 CLOSE 1
230 STOP

```

Program 3

simple; the main job of encoding would be done by a line such as

10 LET A\$ = CHR\$(X)

Attempts to use such an approach met with some unexpected faults. The symbol corresponding to CHR\$(0), the ASCII character NUL, caused the program to crash during recall, for reasons which are by no means clear. Fortunately, it is easy to avoid the problem by changing the program line to

10 LET A\$ = CHR\$(X+1)

This allows the program to store and recall the number 0 without crashing, but also restricts the largest number to 254 instead of 255, an acceptable limitation. A further problem produced the rather bizarre effect of missing a

number whenever it had the value 9 (corresponding to CHR\$(10), the ASCII character LF or line feed). This could have been avoided by adding 10 to every number, but since this would restrict the maximum number to 245 it was felt to be extravagant. Instead, the inelegant procedure was adopted of adding 1 to the number if it was less than 9, and 2 to the number otherwise. This restricts the maximum to 253.

Program 3 generates random numbers from 0 to 253, records them in the usual decimal notation, and then records them again in coded form. When tested on a PET, the recording of the first batch of data took 3m 40s, and the second took 1m 50s. Playing back through an audio tape recorder, the first batch occupied 3m 20 s and the second batch 50s, representing a tape saving of a factor of four. Recalling the numbers using Program 4 took 3m 50s for the first batch and 1m 40s for the second batch, with no errors. Thus this is a very satisfactory system.

Up to now we have dealt with whole numbers only. Some types of data recording systems can produce decimal fractions and it would be useful to devise ways of handling them. The simplest way is probably to multiply them up to a whole number, possibly rounding or truncating where appropriate. Alternatively, it would be possible to encode the figures before the decimal point and after the decimal point as separate entities, imitating what is already done in ordinary decimal

```

10 DIM A(1000),B(1000)
20 OPEN 1,1,0,"DATA254"
30 FOR C=0 TO 999
40 INPUT#1,A(C)
50 PRINT A(C)
60 NEXT C
70 PRINT
90 CLOSE 1
100 PRINT
110 OPEN 1,1,0,"DATA254"
130 FOR C=0 TO 999
140 GET#1,A#
150 LET Z=ASC(A#)
152 IF Z<10 THEN J=1
154 IF Z>10 THEN J=2
156 LET B(C)=Z-J
160 PRINT B(C)
170 NEXT C
180 PRINT
190 CLOSE 1
200 PRINT
210 FOR C=0 TO 999
220 IF A(C)<>B(C) THEN PRINT "ERROR".C
230 IF A(C)=B(C) THEN PRINT C,"OK"
250 NEXT C
260 PRINT "DONE"
300 STOP

```

Program 4

counting. Indeed, the system can be made as simple or as complicated as the user needs it to be.

The operation has been described entirely in terms of cassette recording. Obviously, however, the system can be adapted to suit floppy disks. In this case, the object is not to save time, since disks are so quick anyway, but rather to improve the storage capacity. The factor of improvement should be roughly in the same proportion as the saving in tape consumption. It is worth remarking, however, that we have not actually tested the system with disks.

Personal Computer World

FEATURE INDEX

Index to current volume. (Previous volumes were indexed in March and April 1980 and January 1981.)

Benchtest

Transam Tuscan 4-1
Vector Graphics VIP 4-2

Series

Secrets of Systems Analysis 4-1,2
Gateways to Logic 4-1,2
Computer Games 4-1
Face to Face 4-1
Printer Interfacing 4-1
Microchess 4-1
Multi-user Systems 4-1
Sub Set 4-1
Patterns 4-2

Evaluations

MTU PET Music Board 4-1

Calculator Corner

Casio Routines 4-1
More Casio Quirks 4-2

Indexes

1980 Complete Volume 4-1

Hardware Projects

ZX80 Printer 4-2

Special Features

Printer Survey Update 4-1
MAVIS — Aid for Handicapped 4-1
Model Train Control System 4-1,2
Data Tape Recovery 4-1
The Last One (Program-writing system) 4-2
Punter's PET 4-2

Programs


TRS-80 Four in a Row 4-1
TRS-80 Target Practice 4-1
PET Convoy 4-1
PET Wire 4-1
PET Maze Chase 4-1
PET Android Attack 4-1
PET Anagram 4-1
PET Obstacle Course 4-1
PET Greenfingers 4-2
ZX80 Bumper Bundle (3 programs) 4-2
PET Brick Stop 4-2

MICRO BYTE

We bring you the lowest prices-first!

Compare our prices before you buy elsewhere! All devices are brand new, factory prime, full spec. and fully guaranteed!

NEW



Introducing the incredible BIGBOARD Single Board Computer Kit

Z-80 CPU! 64K RAM! FLOPPY DISK CONTROLLER! 24x80VDU! BASIC I/O! PFM 3.0 2K SYSTEM MONITOR!

NEW 6809 S-100 SINGLE BOARD COMPUTER

- Meets IEEE S-100 Standard!
- Uses Motorola's Powerful MC6809 CPU!
- 4K, 8K, 16K ROM!
- 2K RAM!
- ACIA, PIA, 8080 Simulated I/O!
- Bareboard only £49! (plus £1 p&p), CPU (6809) £19.00! AD5MON; Monitor (2716) £25! COMPLETE BOARD ASSEMBLED AND TESTED, ONLY £250! (plus £2 p&p).
- RS - 232 Handshake!
- Selectable BAUD Rates!
- Manual includes: 11" x 7" Schematic, Parts List, User Notes, Software Listings and MORE.

THE NEW GI COMPUTER SOUND CHIP

The amazing AY-3-8910 is a fantastically powerful sound and music generator, perfect for use with any 8-bit micro processor. Contains 3 tone channels, noise generator 3 channels of amplitude controls 16 bit envelope period control 2 parallel I/O. 3D/A converters plus much more. All in 40 pin DIP Super easy to interface to the S 100 or other Busses.

ONLY £8.50 + VAT, including FREE reprint of BYTE 79 article! Also, add £2.25 for 60 page data manual. "Perhaps the next famous composer will not direct a 150 piece orchestra but rather a trio of microcomputers controlling a bank of AY-3-8910s. BYTE July '79.

NEW EXCITING, ENTERTAINING SOFTWARE FOR THE APPLE II and APPLE II PLUS!! ASTEROIDS IN SPACE!!!

If you liked Invaders you'll love ASTEROIDS IN SPACE by Bruce Wallace! Your spaceship is travelling in the middle of a shower of asteroids. Blast the asteroids with lasers, but beware - BIG ASTEROIDS FRAGMENT INTO SMALL ASTEROIDS! The apple game paddles allow you to rotate your spaceship, fire it's laser gun, and give it thrust to propel it through endless space. From time to time, too, you'll encounter an alien spaceship whose mission is to DESTROY YOU, so you'd better destroy it first! High resolution graphics and sound effects add to the arcade-like excitement this program generates. RUNS ON ANY APPLE II WITH AT LEAST 32K AND ONE DISK DRIVE!

ON DISKETTE ONLY £14.95

NEW! SPECIAL OFFER! 4K CMOS RAM (1K x 4) 450 NS ONLY £5.50.

The TIC 5514P from Toshiba, CMOS equivalent of the 2114!

- * Lower Power Dissipation .10pW/BIT (TYP) at 3.0V (STANDBY) .10uW/BIT (TYP) at 5.0V (OPERATING)
- * Data Retention Voltage 2V to 5.5V
- * Single 5V Power Supply
- * 18 PIN Plastic Package
- * Full Static Operation
- * Three State Output
- * Input/Output TTL Compatible
- * Fast Access Time 450NS

Toshiba's TC5514P (industry type 6514) is a full static read write memory organised as 1024 words by 4 bits using CMOS technology. Ultra low power dissipation means it can be used as battery-operated portable memory system and also as a non-volatile memory with battery back-up. Operates from a single 5V power supply with static operation, hence no refresh periods and a much simplified power supply circuit design. Three state outputs simplify memory expansion for minimum data retention voltage is 2V, the battery back-up system needs only simple circuit. Toshiba's original C2MOS technology also means wide operating and noise margins. The TC 5514P is moulded in a dual-in-line 18 pin plastic package 0.3 inch in width.

NEW, LOW, LOW PRICES ON MEMORIES!!!

Compare our prices before you buy elsewhere! All devices are brand new, factory prime, full spec. and fully guaranteed! All prices exclude p&p and VAT. Please refer to Ordering Information before ordering. DON'T DELAY - BUY TODAY - SUCH LOW PRICES DON'T LAST FOR EVER!!

STATIC RAMS	1 +	50 +	100 +	CMOS RAMS			
2114L 450 NS	195p	175p	160p	5101 1K (256 x 4)			
2114L 300 NS	250p	225p	195p	450 NS	350p	325p	295p
2114L 200 NS	275p	250p	225p	4315 4K (4K x 1) 450 NS	995p		
4118 250 NS 8K				TC5514P 4K (1K x 4)			
NEW!!	995p	895p	795p	450 NS	550p	525p	495p
HM6 116 16K (2K x 8)				HM6116 16K (2K x 8)			
150 NS 24pin NEW!!	2 60p	£23 95p	£19 95p	150 NS 24-pin NEW!!	£26	£23 95p	£19 95p
DYNAMIC RAMS				E P R O M S			
4116 200 NS Ceramic	225p	195p	175p	2708 450 NS	375p	350p	325p
4116 150 NS	375p	350p	325p	2716 Single 5V 450 NS	495p	450p	425p
MB8264 64K				2532 Single 5V 450 NS	1895p	1595p	1395p
(65K x 1) 200 NS				2732 Intel-type 450 NS	1895p	1595p	1395p
Single + 5V supply				2564 64K (8K x 8) 450			
16-pin NEW!!	£40	£35	£30	NS 28-pin	£99	£95	£90

NEW SUPER MUSIC MACHINE KIT!

AT LAST - an affordable kit that can be PROGRAMMED TO PLAY ANY SONG OR GROUP OF SONGS! Instead of a nightmare of numerous ICs and special expensive Bipolar ROMs the SUPER MUSIC MACHINE uses a SPECIAL MASK PROGRAMMED COMPUTER CHIP one CMOS gate and the most popular erasable EPROM, the 2708/2716 series. BASIC KIT includes drilled, plated and screened PC board and ALL components except the EPROM and 12V transformer. The basic kit will play short renditions of 25 tunes through its 7 WATT AMPLIFIER SECTION. Add an optional ROM and any tune

programmed will be played. If you have the equipment to program 2708 EPROMs, we supply full information on programming your own music!

FEATURES

- * Basic kit contains 25 short tunes in the main IC.
- * Will address external ROM for up to 1,000 MORE NOTES per ROM (ROM is not included).
- * Operates on 12V AC or 12V DC at 500mA. (Using unit on 12V DC and with optional ROM requires 9V bias battery, not included).
- * 7 watts of audio power will drive 8 or 16 ohm speakers or horn speakers (not included).
- * DIP switches not included.
- * 'NEXT TUNE' provision steps sequentially through all tunes.
- * Tune address can be wire jumper

selected or board is designed to take DIP switches.

- * PITCH VOLUME and TEMPO are all adjustable.
- * SPECIAL 'CHIME' SEQUENCES can be activated regardless of tune address to provide for multiple doorbell applications.
- * All tunes consist of electronic musical notes played one at a time. There are no chords or harmony sound to the music.
- * STEP-BY-STEP ASSEMBLY INSTRUCTIONS provided.
- * Large number of PREPROGRAMMED ROMs with popular and classical tunes readily available. Send SAE for list and prices.

ONLY £16.75 for basic kit (plus p&p 60p).

COMPLETE KIT only £395! (plus £5 p&p)

BAREBOARD & 64K RAM (32 x 4116 ROM SETS only £150! 200NS) only £64! (plus £3 p&p) (plus £1 p&p)

It's taken three whole years to produce the BigBoard, designed from scratch to run the latest version of 'CP/M, so just imagine what software you could run WITH NO MODS NEEDED! In fact, add a couple of 8" Disk Drives, Power Supply and an enclosure and you'll have a Total Business System for about ONE THIRD the cost! That's what you call BigBoard flexibility, power - and sheer operating value. Send for your BigBoard today!

Size 8 1/2 x 13 3/4 inches. Requires + 5V @ 3 Amps +/- 12V @ 0.5 Amps.

PLUS THESE OPTIONS

Serial I/O	Full 2 channels using the Z-80 SIO and the SMC 8116 Baud Rate Generator. You get FULL RS232C! For synchronous or asynchronous communication, and clocks can be transmitted or received by a modem in the former. Both channels can be set up for either data communication or data terminals. Supports mode 2 Int. PRICE JUST £60 !
Four Port Parallel I/O	Uses Z-80 P10 to give full 16 bits, fully buffered and bi-directional. User can select hand-shake polarity, and set of all parts and connectors for parallel I/O ONLY £25 !
Real Time Clock	Uses Z-80 CTC and can be configured as a counter on Real Time Clock. Set of all parts ONLY £12 !
CP/M 2.2	The popular CP/M D.O.S. as modified by Micronix Systems for use on the BigBoard is just £99

Microchips at micro prices!

INTERFACE LINEAR		SUPPORT DEVICES		CPU'S	
MC1488	90p	6520	325p	6502	625p
MC1489	90p	6522	625p	8504	795p
DM8123	125p	6532	825p	8505	795p
75150	125p	6551	825p	6800	695p
75154	125p	6810	350p	6802	995p
75182	195p	6820	425p	6809	£19
75322	250p	6821	425p	8080A	525p
75324	325p	6850	425p	8085A	£10.95
75325	325p	6852	425p		
75361	350p	8212	395p		
75365	295p	8214	450p	EPROMs	
75451	50p	8216	395p	2708 450 NS	375p
75491/2	75p	8224	395p	2716 5V 450 NS	495p
8726	175p	8228	395p	2532 32K 450 NS	£18.95
8728	175p	8251	495p	2732 Intel-type 450 NS	£18.95
8795	175p	8253	£11.25	2564 64K (8K x 8)	
8797	175p	8255	495p	450 NS 28-pin NEW!	£99
		8257	£10.50		
		8259	£13.25		
KEYBOARD ENCODER		MC144 12V	797p	BIPOLAR PROMS	
AY-5-2376	795p	Z80 P10	595p	93448 518 x 840 NS	p.o.a.
		Z80 CTC	595p	93453 1k x 440 NS	p.o.a.
		Z80A P10	695p	93451 1k x 845 NS	p.o.a.
		Z80A CTC	695p	93511 2k x 850 NS	p.o.a.
		Z80 DMA	£19.95		
		Z80A DMA	£24.95		
DEVELOPMENT MODULE		Z80 S100	£29.95	FLOPPY DISK CONTROLLERS	
Z8000 DM	£1099	Z80A S100	£34.95	FD1771 B-01 S/D Inverted Bus	£29.95
		Z80 S101	£29.95	FD1791 B-01 D/D Inverted Bus	£39.95
		Z80A S101	£34.95	FD1792 B-01 S/D Inverted Bus	£34.95
		Z80 S102	£29.95	FD1793 B-01 D/D True Bus	£34.95
		Z80A S102	£34.95	FD1794 B-01 S/D True Bus	£34.95
DISPLAYS				FD1795 B D/D Inverted Bus,	
FND500	80p			Side Select	£59.95
FND510	80p			FD1797 B D/D True Bus,	
FND567	125p			Side Select	£59.95
DL704	85p	AY-5-1013A	325p		
DL707	85p	AY-3-1015D	395p		
MV57164	225p	IM6402IPL	325p		

Ordering information. Unless otherwise stated, for orders under £50 add 50p p&p. Add 15% VAT to total (no VAT on books). All devices are brand new, factory prime and full spec. and subject to prior sales and availability. Prices subject to change without notice. Minimum telephone order using ACCESS is £10. If ordering by post with ACCESS, include name, address and card no.

written clearly. Please allow 4/6 weeks delivery on books.

**MICRO
BYTE**

Microbyte,
Dept. PCV7 Unit 9/10,
1st Floor, E Block,
38 Mount Pleasant,
London WC1X 0AP.
Telephone: 01-278 7369
Telex: 895 3084

MICROCHESS

by Kevin O'Connell

JAWS MK II

Last month I promised to let you know how the Chess Champion Mark V* fared in the Islington tournament. Although it somewhat disappointed its programmer, it still achieved a better performance rating than, to my knowledge, any other chess micro has yet achieved.

In 1979 Sargon 2.5 (as it then was) played in a human tournament in the United States and obtained a rating of 1640. In Islington every one of the Chess Champion's opponents was rated 1700 or over and by scoring 2½ points out of 6 it achieved a rating for itself of 1700, thus proving itself to be a stronger player than 80 percent of all serious human chess players and stronger than more than 99 percent of humans who play chess. It might have done even better but for a bug that caused it to lose its last round game without a real fight.

Chess Champion's best game of the tournament was played in the 4th round, its human opponent having a rating of 1760, placing him comfortably among the top 1% of humans. The game developed as follows:


White: A Bice

Black: Chess Champion Mk V

- | | |
|----------------|--------------|
| 1 d2-d4 | d7-d5 2 |
| 2 e2-e3 | Ng8-f6 |
| 3 Bf1-d3 | e7-e6 |
| 4 f2-f4 | Bc8-d7 |
| 5 Ng1-f3 | Bf8-b4+ |
| 6 c2-c3 | Bb4-e7 |
| 7 Nb1-d2 | 0-0 (Ke8-g8) |
| 8 0-0 (Ke1-g1) | Be7-d6 |
| 9 Nf3-e5 | b7-b6 |
| 10 a2-a4 | Nb8-c6 |
| 11 Qd1-f3 | h7-h5? |

A weak and rather curious move that surprised the programmer and the onlookers.

- | | |
|-----------|--------|
| 12 Qf3-h3 | Qd8-e7 |
| 13 g2-g4 | h5xg4 |
| 14 Ne5xg4 | g7-g6 |
| 15 Ng4-e5 | a7-a5 |
| 16 Qh3-h6 | Ra8-c8 |



Although Black has developed all of its pieces, White's position is much better. Black has no active plan to use as a counter to the slow build-up of a king-side attack by White. However, computers do not relax, while humans do...

- | | |
|------------|---------|
| 17 Rf1-f2? | Bd6xe5! |
|------------|---------|

This wins at least an exchange (rook for knight or bishop). If 18 f4xe5 Nf6-g4 followed by 19... Ng4xf2

18 Rf2-g2

White thought that he had a very strong attack after this move and it was the best practical chance.

18 ... Be5-d6

19 Bd3xg6 f7xg6

20 Rg2xg6+

At this point some of the spectators began to laugh at the program's poor play: snatching at material and allowing a mating attack — little did they know...

20 ... Kg8-f7

21 Rg6-g7+ Kf7-e8

22 Rg7xe7+ Ke8xe7

23 Kg1-f1

Otherwise the black rooks would immediately start an invasion along the open g-file.

23 ... Rf8-g8

24 Nd2-f3 Rc8-f8!

Building up irresistible pressure against the white king.

25 Nf3-g5 Bd7-c8

26 Qh6-h3?

This hastens the end, but White was already lost.

26 ... e6-e5

27 Qh3-g3 Nf6-e4

28 Ng5xe4

White's best chance was 28 Qg3-h4, hoping that Black would get lost in the complications after 28... Ne4xg5. But White was now feeling rather demoralised.

28 ... Rg8xg3

29 Ne4xd6 Bc8-h3+!

There is no rush to recapture the material — that can wait while Black further improves its position.

30 Kf1-e1 Rg3-g1+


31 Ke1-f2 Rg1-g2+

32 Kf2-e1 c7xd6

33 d4xe5 d6xe5

34 b2-b3 Rg2xh2

25 Bc1-a3+



This was White's very last hope, but it was completely crushed by

35 ... Nc6-b4!!

A beautiful move. If 36 c3xb4 Rf8-g8 37 b4xa5+ Ke7-f7 (or any other white square) and then 38... Rg8-g1 will be mate.

36 Ra1-d1 Rf8-g8


37 White resigned

It is mate in two (at most).

This game was impressive not so much because the machine beat the human, even though I believe this is the strongest human any micro has ever beaten in open competition, but because of the manner of the program's victory. White made a serious mistake and was then ground relentlessly (and rapidly) into the dust.

If you have a chess program that can play anything like as well as the Chess Champion Mark V then please let me know (send me some games it has played) and I will be delighted to mention it in this column, as well as booking it a place in the next World Micro-computer Chess Championship.

*The Chess Champion Mk V is not commercially available at present.



TRANSACTION FILE

The classified service that's free to non-commercial readers. Advertisements (50 words max) to:
PCW Transaction File, 14 Rathbone Place, London W1P 1DE.

For sale

Grandstand/Fairchild . . . prog TV game in good cond & fully working, c/w box instructions, PSU, 1 cartridge, £35 ono. Also, 3 cartridges (Spitfire, Breakout, Baseball) £7 each or all 3 for £15. Tel Barry after 4.30 or weekends, 01-501 1661.

ZX80 . . . fully ass, working, in inc mains adaptor, manual & all leads. Inverse video switch fitted (black on white/white on black) plus tape with many progs, sub to Users Club, 3 months old, good cond, £90. Tel 021-351 1730.

Nascom 1 . . . with S100 bus, 16k static RAM, switchable NasSys/T4, CUTS & Nascom tape ints (variable baud to 1200), port status indicators, many extras, all documented, fully cased, remote kbd, £200 software (not games), reliable in daily use, must upgrade, £450. Tel Langport (0458) 350834.

PET 32k . . . large keyboard, green screen, new ROMs, firmware inc Toolkit, Rabbit — Supermon & Computhink dual disk DOS, Computhink dual disk controller, documentation, tons of software etc, sensible offers please. Tel 0905 813558.

UK101 . . . 8k, Microtype 3 case, AY-8910 sound board, complete with leads, tapes & documentation, ready to run, £300. Tel 041-956 1768.

Ex IBM/360 . . . golfball console, converted for office golfballs, parallel interface, complete with manuals, connector & details of how to interface to a parallel port, many extras available if req. Comp Shop asks £650 + VAT, I'll settle for £499. Tel Tony Aylward, 0634 56830.

KB756 keyboard . . . £35. 211-A RAMs, new, £2.50 or £40 lot (20). Superboard PIA £15. Light pen, £8. ETI March 77 to April 79, offers. P Mistry, 75 St Margaret's Rd, Bradford BD7 2BY.

Apple II + 48k . . . with disk & controller, 4 months old. Tel 01-450 5049.

TRS-80 L2 16k . . . little used, VDU, cassette, P/S, ref manual, some games tapes, £380. Tel Medway 31757 after 7.

TI58 . . . good cond, in box with manuals, charger, module etc, inc a few progs, £40. Tel Tim, Burnham-on-Sea (0278) 785845.

ZX80 . . . boxed as new, Sinclair built with leads & PSU, £75. Also £43 of commercial software, £20 or both for £90. Tel Menai Bridge 712177.

TRS-80 L2 16k . . . with monitor & software, editor/assembler, Bug, monitor 3, Sysdmp, 6 months old, perfect & boxed as new, worth £600, accept £395. Tel 0954 80437, eves.

UK101 . . . prof built, tested, cased, assembler/editor, plus own software, 4k RAM, manuals etc, £230 ono. Tel 01-300 5987.

ZX80 . . . Sinclair built, never use used, genuine reason for sale, offered complete with all leads, manual, Sinc PSU, expansion board with additional 1k memory, cost £136, accept £86. Tel Byfleet 40712.

PET 32k . . . disk system, comprising 8k PET, 24k Expandamem, new ROMs, Computhink 400k disk drive, Toolkit, external keyboard, over 250 progs, £1150, will split. Tel 01-894 7149.

UK101 . . . 8k, 2 MHz, cased, progs, Basic & m/c code, cass int, illust, training manual, loads of info, prof assemb, lightly used, improved PSU, £260. 140 London Road, Nantwich, Cheshire, Tel 0270 64403.

HP67 . . . mag card prog calc, in very good cond, with standard pac, £90. Tel 021-421 5372.

TRS-80 L2 16k . . . 16k, latest ROM (needs no debouncing), numeric keypad, CTR-80 cass recorder, ext speaker, all manuals & sample tapes, TV mod, etc £350. Software: renum, adventure, typing tutor, flight simulator, duel'n'droids, etc, & 1/2 doz books, £100. Going to Hong Kong. Tel Theo, 01-274 4403.

PET 8k . . . new ROM, built-in cassette; progs: business development, games & manuals, all for £350. Tel 01-330 2233 days or Worplesdon 234474 eves or w/ends.

PET 16k . . . new ROM, large keyboard, green screen, cass deck, Toolkit, all as new, documentation, many games, progs & assembler, £600. Tel 0475 81413 (Greenock).

Data Dynamics . . . 390 RO printer, ASCII, plain paper, teleprinter 110 baud (ideal for UK101/micros), £250. Tel 01-959 1844, eves.

Acorn Atom . . . 4k RAM, integer Basic & assembler in 8k ROM, PSU & manuals, built by Acorn, 3 months old, buyer collects. Tel Hemel Hempstead 50500 eves.

Keyboard . . . serial printer, 180 cps, Dacoll LX180, standard V24/RS232 int, monodirectional with stand, form feed control, etc, £20 £200. Tel Iver (0753) 652389.

UK101 . . . 8k, cased (Microtype), 2k Cegmon monitor ROM & 2 others, sound board fitted, fully switched & socketted for TV, cassette, etc, all leads, cass player, tapes & documentation, £285. Tel Bill, 041-956 1132 (eves) or 041-204 2737 ext 34 (day).

UK101 . . . 8k Microsoft Basic, 2k monitor, 4k RAM, prof built with case, fully working, TV set & cass deck inc, PSU, manuals & many games on tape, delivery possible, £210. Tel 0245 469370 eves or w/ends.

S100 . . . bits & pieces, 8k SRAM card, 16k SRAM (inc 4k chips), 8-slot motherboard in rack mount chassis with 12.5 A/2 A/2 A PSU, other bits, MPU & TTL chips available. Tel Max, Southampton (0703) 553660 & ask for prices.

Colour Micrographics . . . & modulator & interface for 16k old ROM PET, instruction & demo cassette, £70. Tel 01-840 3610.

Sorcerer II 48k . . . Microsoft Basic, 22 months warranty remaining, with Hitachi TRQ299 cass, 12 unopened Microdigital cassettes, manuals, cables, Adventure cass, £650 or with Hitachi VM910 9" prof monitor, only £700. All private owner 2 months. (Retail was £1130). Tel Steve, Kings Lynn 61538, weekdays 6am-8pm.

Fairchild Grandstand . . . video entertainment computer, 4 cartridges (Tanks, Codebreaker, Robot Wars, Tie Tac Toe) with many other games & variations, hardly used & in good cond, £90 the lot. Tel Farnborough 54344.

Sharp PC1211 . . . pocket comp, owner now a computer science student, moving to mainframe, £90 ono. Tel A Scobie, 031-667 6557 after 6.

Nascom 1 . . . 16k RAM, 8 A PSU, TV monitor, Verocased, Basic & Zeap, etc, £350. Tel Paignton (0803) 521237.

HP41C . . . 41C prog calc with alphanumeric display & permanent memory, complete with manuals, keyboard overlays, case, warranty card & box, made redundant by 32k micro, offers around £140. David Morgan, 5 Ashmole Close, Lichfield, Staffs WS14 9RS, tel Lichfield (05432) 51300.

ZX80 . . . guaranteed as new, complete inc leads, mains adaptor, manual, extra 1k memory etc, cost £137, accept £100. Mr C England, Headlands, Whitley, Dewsbury, W Yorks.

System 68 . . . home built computer, as ETI magazine, in Verocase, inc b/w TV & 2 systems manuals, £300 ono. Also Petsoft soundbox with demo tape & instructions sheet for use on 2nd cass port, £10 ono. Tel Stevenage (0438) 55807 eves.

PET serial interface . . . drives any V24 serial device, eg Qume Sprint 5 printer. Baud rates 110-9600, brand new, complete with manuals, maker's price £147.50, sell for £95. Tel 0353 3205 eves.

Triton . . . with L7 monitor & Basic (Basic not fitted, no montherboard), full doc & plenty of software, full on-board RAM, accept £300 ono the lot. Also 2 Teleprinters type 7, one working, one for spares, with service data, reperfector & tape reader (5 holes), £30 the lot. Geoffrey Hillier, 5a Gregory St, Lenton, Nottingham, tel 0602 783938.

Apple II+ 48k . . . 2 disk drives & controller, 12" monitor, Silentype printer, DOS 3.3, database & w/p software, full doc, as new, £2000 ono (list over £2500). Tel 01-876 4613 eves.

Apple II 48k . . . & twin disk drives, DOS 3.2.1, little used since May, many games & useful s/ware routines, games paddles, manuals & orig packing, £1100. Tel Norwich 810675.

TI59 . . . brand new, complete, bargain at £110 ono. T Lawler, Brywater, Ripple Tewkesbury, tel Upton 2995 eves.

Printer . . . super fast 180 lpm, serial int, £300 ono. Keyboard TASA solid state, parallel ASCII, £30 ono. Tel Tring 4797 or St Albans 64077.

Sharp TV . . . 4.5" screen with radio & clock, ideal for use as small monitor for micro (RF in only), £50 ono. Tel Robert, Derby (0332) 701964 after 6.

ZX80 . . . with Sinclair mains adaptor, leads & manual, £60. Tel Terry Hoare, Birmingham, 021-444 7320 eves.

PET 2001 16k . . . new keyboard & ROMs, ext cass, lots of s/ware inc 3D Star Trek, Space Invaders, Micro Chess, Breakout, Dissembler, Assembler, several Microsoft progs, also manuals & books inc PET Revealed, Zaks 6502, £600. Tel 01-807 8249 anytime.

ZX80 . . . as new, Sinclair built, with adaptor, leads & manual. £70. Tel Horndean (Hants) 593827.

Teletype . . . terminal, cheap hard copy, £150. Tel Hitchin (0462) 7 730809.

MZ-80K . . . 20k RAM, in maker's box, as new, bought August last year, inc m/c code tape, Crystal Basic tape & manuals, plus Space Invaders, delivery not possible, £500 ono. M Davies, 12 Bishops Ave, Llandaff, Cardiff CF5 2HJ.

Superboard II . . . 4k RAM, 8k Basic, RS232, video & cass int, properly cased & assembled, PSU, UHF modulator, ready to go with all cables, 4 manuals & sample cassettes, £210. Tel Windsor 61258 most days, all eves.

PET 8k . . . as new with large number progs, £350. PET cass machine with built-in Soundbox, £40. Tel High Wycombe 33164.

Complete set . . . PCW mags, May 78-Jan 81 (33 issues), £5; Computing Today complete set Mar 79-Jan 81 (23 issues), £3.50; Practical Computing complete except Sept 78, Oct 78, Dec 79, Nov 80, Nov 78, Jan 81 (24 issues), £3.50; Creative Computing Nov 77-Dec 78 plus June 79, also Byte Dec 79, £2. As sets or £12 the lot, buyer collects. Tel R Wilmot, Horsham (0403) 69835.

Tangerine Micron . . . 8k RAM, 1/case, chunky graphics & ASCII keyboard, some games inc Space Invaders, £320. Tel 01-690 6676.

PET 8k . . . int cass, old ROMs, calc keyboard, upgraded to 32k, £250 no offers. To see & test tel 01-582 7766 any time.

Nascom 1 32k . . . Stuart colour board, NasSys & Nasbug monitors, Verocase, 8k Basic & Zeap assembler on tape, 10 books, loads of progs, good cond, reliable, £240. Tel Fareham 280829, 9am-5pm.

ZX80 . . . fully built inc all leads, manuals & memory exp board with additional 1k RAM, £80. Tel Medway, Kent, 0634 30329 after 7.

HP25C . . . continuous memory, 8 registers, 49 steps, 10-digit accuracy, charger, separate charging cradle, spare batt pack, 2 yrs old but little used & still with orig packing & manuals, owner has bought micro, £50 plus postage. H G Shaw, 2 Cambridge Terrace, Douglas, IoM.

Expandamem . . . board, converts 8k PET to 32k, complete with manual & test tape, £160 ono. Tel 061-654 8983 after 7.

Sorcerer 32k . . . Basic (Microsoft 8k), s/ware manual, h/ware manual, cass recorder, many progs inc 1 Adventure game, £500. Tel Kim Wood, Eris 2399 or 2rite 8 Ash Close, Lakenheath Camp, Brandon, Suffolk.

TRS-80 L2 . . . 4k with VDU, PSU, manual, instruction tapes, 6 month old, £225 ono. Tel Alsager (09363) 3365.

12" monitor . . . new ICL, uncased, boxed with documentation, giveaway at £50 for quick sale as surplus to req, tel 01-950 6936 after 7.

Wanted

Apple II+ . . . with single disk drive, PET, MZ-80K, 32k for preference, cash waiting. Tel Ken, 0632 678828 anytime.

Constructed ZX80 . . . will pay around £60-£70. Contact James Corby, tel Sevenoaks 62620.

Back issues . . . of Microcomputing, March, April, May, August & September. Tel Nottingham (0602) 206573.

HP97 . . . prog printing calc or similar, 21 Leicester Rd, Poole, or tel 0202 761936.

PCW Vol 3 No 1 . . . moderately good cond, tel Whitstable (0227) 72148.

Helping Hand . . . say an hour a week for 2 months, to get going with a ZX80. Location 2 mins Baker St tube. Please tel 01-723 2557 (pm).

ZX80 . . . must be in good working cond, tel Chelmsford (0245) 57350 eves or w/ends.

8" Shugart 800 . . . series disk drives, also VDU Hazeltine type, also Centronics 100 series, also S100 dynamic memory boards. Harold Easton, 7 Ingrebourne House, Broadley St, London NW8, tel 01-723 5822 anytime.

PCW Vol 3 nos 1,4 . . . willing to pay £2.50 for both. Tel Alexander Holt, Plymtree (08847) 423.

SC/MP MK14 . . . any reasonable cond, Mk 5 PCB & RAM I/O if poss, spare parts &/or upgrade per PCW articles to PROM programmer or intelligent int for TRS-80. Tel Derby (0332) 550408 eves or w/ends.

Large keyboard PET . . . must have intact expansion port & 4116 sockets. Can collect (50 miles). Tel Sandiway 883436 after 5.

Eight 6550 . . . RAM chips req to help old PET recover its memory. Please send details to Mr D Johnston, 12 Balgillo Rd, Broughty Ferry, Dundee DD5 3L 3LU.

PACKAGES

**DIRECT
ACCESS**

PCW's 'Packages' section is produced bi-monthly, alternating with our 'In Store' hardware guide. We have confined coverage to business packages which are available and supported at national level and which have been in use for at least six months in a minimum of five sites. Producers of packages which fall within these constraints should send details or updates to: Packages, PCW, 14 Rathbone Place, London W1P 1DE.

The layout has been designed to allow you to discover which packages are available for the application you have in mind and to show you which packages are available for your computer if you already have a machine. In either case the code enables you to look up the supplier's name and telephone number in the table below.

Code	Company	Telephone
A1	ACT/Petsoft	021-454 5348
A2	Arden Data Processing	0533 22255
B1	B + B Computer Ltd.	0204 26644
B2	Beam Business Centre	01-636 1392
B3	Benchmark Computer Systems	0726 61000
B4	Bristol Software Factory	0272 23430
C1	CAP-CPP Products Ltd.	01-404 0911
C2	Commodore	01-388 5702
C3	Compsort	0483 39665
C4	Comput-a-crop	01-499 6987
C5	Computastore Ltd.	01-499 6987
C6	Computech	01-794 0202
D1	Data Bank	0509 217671
G1	Graffcom Systems Ltd.	01-734 8862
G2	Grama (Winter) Ltd.	01-636 8210
G3	Great Northern	0532 450667
H1	A.J. Harding	0424 220391
H2	Hartford Software	0606 76265
H3	H.B. Computers	0536 83922

H4	Hipposoft	0332 23127
I1	Intereurope Software Design	0734 786644
I2	Intex Datalog Ltd	0642 781193
J1	T.V. Johnson	0276 62506
K1	Katanna Management Services	0245 76127
K2	Keen Computers	0602 583254
L1	Lifeboat Associates	01-836 4663
L2	Liveport (Exidy Sorcerer Firmware)	0736 798157
L3	Ludhouse (Computing) Ltd.	01-679 4321
M1	Micro Computer Applications Ltd.	0734 470425
P1	Padmede Computer Services	025671 2434
P2	Personal Computers Ltd.	01-626 8121
R1	Rockcliff	051-521 5830
S1	SMG Micro Computers	0474 55813
S2	The Softwarehouse	01-637 2108
S3	Stage One Software	0202 23570
S4	Systematics International	0268 284601
S5	Sumlock Bondain	01-250 0505
T1	Tridata Micros Ltd.	021 622 1754
V1	Vlasak Electronics Ltd.	062-84 74789

Applications

Application	Machine	Price	Code
Appointments planner	Commodore/Computhink	£100	S3
Assembler dev	PET/CBM	£50	L2
Bank accounts	Apple II Commodore/Computhink ITT 2020 PET	£10 £100 £10 £10	D1 S3 D1 D1
Bonds/pension quotations	Commodore/Computhink	£100	S3
Budgeting package	MCZ Zilog	£500 +	I1
Bureau de change	CBM	£8	H3
Cash flow	Apple II Apple II CP/M PET	£75 £80 £250 £8	P2 V1 L3 A1
Cash register	Apple II ITT 2020 PET	£10 £10 £10	D1 D1 D1
CBasic	Tandy Model II	£70	M1
Company secretary	CP/M	£450	C4
Conference organiser	MCZ Zilog	£500 +	I1
Contract costing	CP/M	£2000	L3
CP/M & utilities	Tandy Model II	£150	M1
Credit control	Apple II PET	£98 £650	P2 B4
Database management/Information retrieval	ACT800 Apple Apple Apple Apple Apple II Apple II/ITT 2020 Commodore/Computhink CP/M Cromemco North Star Horizon PET PET PET PET/CBM PET/CBM PET/CBM PET/CBM Tandy Model I TRS-80 TRS-80 TRS-80 8000 Series	£225 £150 £150 £60-140 £150 £98 £100 £45-250 £150-750 £250 £250 £170 £325 £225 £75 £50/150 £150 £150 £25-80 £60 £150 £32.50 POR	H4 A2 K2 S2 S5 P2 S4 S3 C4 B3 B3 C3 A1 H4 B1 C2 J1 G2 M1 S2 J1 H1 C2
Disk operating system	PET/CBM	£150	B1
Estate agent	Apple Apple Apple Apple II Apple II/ITT 2020 CBM Commodore/Computhink CP/M PCC 2000 Simpelec Triton 3 PET	£850 £850 £850 £175 £750 £30 £250 £750 £350 £25	A2 S5 K2 P2 S4 H3 S3 C4 B3 A1
Equipment lease/rent/HP	CP/M	£400	G1
Financial modelling	CP/M	£400	G1

Application	Machine	Price	Code
Financial planning	Apple II/ITT2020	£250	S4
General ledger/NL	Apple Apple Apple Apple II Apple II Apple II CBM Commodore/Computhink CP/M CP/M CP/M CP/M CP/M Cromemco ITT 2020 ITT 2020/Apple II North Star Horizon PCC 2000 Simpelec Triton 3 PET/CBM Tandy Model I Tandy Model II TRS-80 TRS-80 I TRS-80 I TRS-80 II Vector 8080/Z80 8080/Z80	£300 £300 £300 £295 £225 £295 £200 POR £500 £500 £375 £500 £400 £250 £295 £250P £250 £250 £350 £200 £90 £90 £225 £225/325 £325 £425 £400 £357 £275	A2 S5 K2 P2 V1 C6 H3 S3 L3 K1 L1 C4 G1 B3 C6 S4 B3 B2 C2 M1 M1 H1 T1 K1 T1 C5 L1 G3
Hire purchase	Cromemco	£400 +	B3
Incomplete records	Apple Apple Apple II Commodore/Computhink Tandy Model I TRS-80	£250 POR £125 £750 £40 £40	S2 K2 P2 S3 M1 H1
Individual designed programs	TRS-80 I	£100 +	K1
Integrated Accts	Altos (CP/M, MP/M) Apple II Apple II Apple II Commodore/Computhink CP/M CP/M CP/M Cromemco ITT 2020 MZ-80K North Star Horizon PET/CBM PET/CBM PET/CBM PET/CBM Tandy Model I Tandy Model II TRS-80 Vector 8000 Series 8080/Z80 8080/Z80	£300 £450 £340 £855 POR £950 £1500 £1100 £950 £450 £150 £950 £300 £300 £650 £650 £350 £350 £75 £1000 POR £950 £955	B1 P1 P2 V1 S3 L1 C4 G1 B3 P1 P2 B3 B1 C2 J1 G2 M1 M1 J1 C5 C2 L1 G3
Investment portfolio	TRS-80	£20	S2
Invoicing	Apple Apple II Apple II Apple II Commodore/Computhink CP/M CP/M	£295 £300 £125 £140 POR £500 £325	S2 P1 P2 V1 S3 K1 L1

Application	Machine	Price	Code
	CP/M Cromemco North Star Horizon PET PET/CBM PET/CBM Tandy Model I Tandy Model II TRS-80 TRS-80 TRS-80 TRS-80 8080/Z80 ITT 2020	£150-350 £100 £100 £350 £25-50 POR £90 £90 £25 £75 £75 £125 £325 £300	C4 B3 B3 A1 B1 J1 M1 M1 H1 T1 K1 T1 L1 P1
Job costing	Apple II Apple II CP/M ITT 2020 Tandy Model I Tandy Model II	£125 £300 £700 £300 POR POR	P2 P1 C4 P1 M1 M1
Job order control	8080/Z80	£275	G3
Leasing	Cromemco	£400 +	B3
Legal precedents	CP/M	£1100	C4
Letter writer	Apple II	£80	V1
Lisp	PET/CBM	£75	C2
Lotteries	PET	£45	H2
Mailing list	Altos (CP/M, MP/M) Apple Apple Apple Apple Apple II Apple II Apple II/ITT 2020 CBM Commodore/Computhink CP/M CP/M ITT 2020 PET PET PET PET/CBM PET/8032 Tandy Model I Tandy Model II TRS-80 TRS-80	£75 £300 £50-150 £300 £300 £40 £50 £100 £35 £100 £50-150 £250 £50 £45 £50 £15 £75 £75/150 £40 £75 £50-150 £25/38/55	B1 A2 S2 S5 K2 P2 D1 S4 H3 S3 C4 G1 D1 H2 D1 A1 B1 S1 M1 M1 S2 H1
Mail shot	Apple Apple II Commodore/Computhink CP/M MCZ Zilog PCC 2000 Simpelec Triton 3 Tandy Model II	£14 £225 £125 £200-360 £250 £450 £75	S2 P2 C3 S4 I1 B2 M1
Membership accting	PET	£85	H2
Order entry/invoicing	CP/M	£350	G1
Order processing	CP/M 8080/Z80	£550 £550	L1 L1
Office admin	Apple II/ITT 2020	£100	S4
Pad to plotter systems	Apple II	£250	P2
Pascal	PET/CBM	£120	C2
Payroll	Apple Apple Apple Apple Apple II Apple II Apple II Apple II/ITT 2022 CBM CP/M CP/M CP/M CP/M Cromemco ITT 2020 ITT 2020 North Star Horizon PET PET PET PET/CBM PET/CBM PET/CBM Sorcerer Tandy Model I TRS-80 TRS-80 TRS-80 8000 Series 8080/Z80 8080/Z80	POR £200 POR POR £200 £375 £110 £250P £10 £450 £500 £475 £495 £500 £350 £375 £10 £350 £200/350 £50/25/ 195 £50/195 £10 £150 £150 £150 £250 £249 £200 £218 £218 £375 £250 £475 £275	A2 S2 S5 K2 P2 V1 C6 D1 S4 H3 L3 K1 L1 C4 G1 B3 C6 D1 B3 C5 A1 I2 D1 G2 J1 C2 L2 M1 H1 K1 T1 T1 C2 L1 G3
Personnel records	Apple II CP/M MCZ Zilog PET	£98 £450 £500 + £85	P2 C4 I1 H2

PACKAGES

Machines

Application	Machine	Price	Code
Petaid report generator	Commodore/Computhink	£125	S3
Petsoft programs	PET/CBM	£160	J1
Planning/Maintenance	PET/8032	£595	S1
Postal advertising response package	Apple	£350	S2
PR/advertising package	Commodore/Computhink	£1000	S3
Price lister	CBM	£12	H3
Printers job control	Commodore/Computhink	£250	S3
Production analysis	Apple II	£75	P2
	CP/M	£700	C4
	PET/CBM	£300	B1
Prof appts groups	8080/Z80	£275	G3
Prof appts individ	8080/Z80	£220	G3
Prof client billing	8080/Z80	£330	G3
Programming aids	Apple II	£40	P2
Property management	CP/M	£450-1000	C4
Purchase ledger	Apple	£300	A2
	Apple	£300	S5
	Apple	£300	K2
	Apple II	£295	C6
	Apple II	£300	P1
	Apple II	£295	P2
	Apple II	£315	V1
	Apple II/ITT 2020	£250P	S4
	CBM	£350	H3
	Commodore/Computhink	POR	S3
	CP/M	£500	C4
	CP/M	£450	G1
	CP/M	£500	L3
	CP/M	£500	K1
	CP/M	£425	L1
	Cromemco	£250	B3
	ITT 2020	£295	C6
	ITT 2020	£300	P1
	North Star		
	Horizon	£250	B3
	PCC 2000		
	Simpelec Triton 3	£350	B2
	PET	£300	B4
	PET	£95/120/350	A1
	PET/CBM	£200	C2
	PET/CBM	POR	J1
	PET/8032	£395	S1
	Tandy Model I	£90	M1
	Tandy Model II	£90	M1
	TRS-80	£225	H1
	TRS-801	£225	T1
	TRS-801	£225	K1
	TRS-8011	£375	T1
	Vector	£400	C5
	8000 Series	£250	C2
	8080/Z80	£275	G3
	8080/Z80	£425	L1
Revolving credit	Cromemco	£400 +	B3
Sales ledger	Apple	£300	A2
	Apple	£300	S5
	Apple	£300	K2
	Apple II	£295	C6
	Apple II	£300	P1
	Apple II	£295	P2
	Apple II	£315	V1
	Apple II/ITT 2020	£250P	S4
	CBM	£350	H3
	Commodore/Computhink	POR	S3
	CP/M	£500	C4
	CP/M	£450	G1
	CP/M	£500	L3
	CP/M	£500	K1
	CP/M	£425	L1
	Cromemco	£250	B3
	ITT 2020	£295	C6
	ITT 2020	£300	P1
	North Star		
	Horizon	£250	B3
	PCC 2000		
	Simpelec Triton 3	£350	B2
	PET	£300	B4
	PET	£800	C1
	PET	£95/350	A1
	PET/CBM	POR	J1
	PET/CBM	£200	C2
	PET/8032	£395	S1
	Tandy Model I	£90	M1
	Tandy Model II	£90	M1
	TRS-80	£225	H1
	TRS-801	£225	T1
	TRS-801	£225	K1
	TRS-8011	£375	T1
	Vector	£400	C5
	8000 Series	£250	C2
	8080/Z80	£275	G3
	8080/Z80	£425	L1
Salesman	Apple II	£10	D1
	ITT 2020	£10	D1
	PET	£10	D1
Screen generator	MCZ Zilog	£75 +	I1
S/L, P/L & stock control	CP/M	£1000	L3
Solicitor's complete record accounting	Apple	£3000	S2
Solicitor's package	PET/8032	£750	S1

Application	Machine	Price	Code
Statistics	Apple	£150	G3
	Apple II	£100-195	P2
	TRS-80	£45	S2
Stock control/recording	Altos (CP/M, MP/M)		
	Apple	£300	B1
	Apple	POR	A2
	Apple	POR	K2
	Apple	POR	S5
	Apple	£150	G3
	Apple	£80	S2
	Apple II	£35/98	P2
	Apple II	£10	D1
	Apple II	£285	V1
	Apple II	£300	P1
	Apple II/ITT 2020	£500	S4
	CBM	£35/25	H3
	Commodore/Computhink	£100/250	S3
	CP/M	£500	K1
	CP/M	£325	L1
	CP/M	£500-1500	C4
	CP/M	£350	G1
	Cromemco	£450	B3
	ITT 2020	£10	D1
	ITT 2020	£300	P1
	MZ-80K	£150	P2
	North Star		
	Horizon	£450	B3
	PCC 2000		
	Simpelec Triton 3	£350	B2
	PET	£12/25/350	A1
	PET	£10	D1
	PET	£195	I2
	PET	£300	B4
	PET	£15	A2
	PET/CBM	£300	B1
	PET/CBM	£150	C2
	PET/CBM	£150	J1
	PET/CBM	£150	G2
	PET/Computhink	£250	R1
	PET/8032	£395	S1
	Tandy Model I	£30-50	M1
	Tandy Model II	£300	M1
	TRS-80	£48	S2
	TRS-80	£200	H1
	TRS-80	£115	J1
	TRS-801	£200	K1
	TRS-801	£200	T1
	TRS-8011	£375	T1
	8080/Z80	£275	G3
	8080/Z80	£325	L1
TAP business system	PET	£125	H2
Text file librarian	Apple II/ITT 2020	£125	S4
Time/cost recording	Apple	£450	S2
	Apple II	£300	P1
	Apple II	£125	P2
	Commodore/Computhink	POR	S3
	CP/M	£400	G1
	Cromemco	£250	B3
	ITT 2020	£300	P1
	North Star		
	Horizon	£250	B3
	PCC 2000		
	Simpelec Triton 3	£350	B2
	PET/CBM	£300	B1
	Tandy Model I	POR	M1
	Tandy Model II	POR	M1
Utilities	Apple II	£20	C6
	ITT 2020	£20	C6
Utility set	CBM	£78	H3
VAT	PET	£17.50	A1
VAT master	CBM	£25	H3
VAT register	TRS-80	£15	H1
Vet package	PET/8032	POR	S1
Video message	Apple	£200	G3
Warehousing	PET/8032	POR	S1
Word processing	ACT 800	£375	H4
	Apple	£60	S2
	Apple	£75	K2
	Apple	£75	S5
	Apple	£75	A2
	Apple II	£150-300	P2
	Apple II	£75	J1
	Apple II	£120	V1
	Apple II	£40	D1
	Apple II/ITT 2020	£180/95	S4
	CBM	£35	H3
	Commodore/Computhink	£120	S3
	CP/M	£500	K1
	CP/M	£150-260	C4
	CP/M	£400	G1
	ITT 2020	£40	D1
	MCZ Zilog	£500 +	I1
	PET	£85/65/40/20	H2
	PET	£40	D1
	PET	£375	H4
	PET	£25/325	A1
	PET	£325	C5
	PET/CBM	£75/150	C2
	PET/CBM	£75/150	J1
	PET/CBM	£75/150	G2
	Tandy Model I	£50/75	M1
	Tandy Model II	£175-240	M1
	TRS-80	£30/60/90	S2
	TRS-80	£45/95	J1
	TRS-80	£15	H1
	TRS-801	£70	K1
	Vector	£400	C5
	8000 Series	£250	C2

Machine	Application	Price	Code
ACT 800	Database management/Word processing	£225 £375	H4 H4
Altos (CP/M, MP/M)	Integrated accts Mailing list Stock control/recording	£300 £75 £300	B1 B1 B1
Apple	Database management/information retrieval Database management/information retrieval Database management/information retrieval Database management/information retrieval	£150 £150 £60-140 £150	K2 A2 S2 S5
	Estate agent	£850	S5
	Estate agent	£850	A2
	Estate agent	£850	K2
	General ledger/NL	£300	K2
	General ledger/NL	£300	A2
	General ledger/NL	£300	S5
	Incomplete records	POR	K2
	Incomplete records	£250	S2
	Invoicing	£295	S2
	Job costing	£450	S2
	Mailing list	£300	K2
	Mailing list	£300	A2
	Mailing list	£50-150	S2
	Mailing list	£300	S5
	Mail shot	£14	S2
	Payroll	POR	S5
	Payroll	POR	K2
	Payroll	POR	A2
	Payroll	£200	S2
	Postal advertising response package	£350	S2
	Purchase ledger	£300	K2
	Purchase ledger	£300	A2
	Purchase ledger	£300	S5
	Sales ledger	£300	A2
	Sales ledger	£300	K2
	Sales ledger	£300	S5
	Solicitor's complete record accounting	£3000	S2
	Statistics	£150	G3
	Stock control/recording	£150	G3
	Stock control/recording	POR	K2
	Stock control/recording	POR	A2
	Stock control/recording	£80	S2
	Stock control/recording	POR	S5
	Time/cost recording	£450	S2
	Video message	£200	G3
	Word processing	£75	K2
	Word processing	£75	A2
	Word processing	£60	S2
	Word processing	£75	S5
Apple II	Bank account	£10	D1
	Cash flow	£80	V1
	Cash flow	£75	P2
	Cash register	£10	D1
	Credit control	£98	P2
	Database management/information retrieval	£98	P2
	Estate agent	£175	P2
	General ledger/NL	£225	V1
	General ledger/NL	£295	P2
	General ledger/NL	£295	C6
	Incomplete records	£125	P2
	Integrated accts	£855	V1
	Integrated accts	£450	P1
	Integrated accts	£340	P2
	Invoicing	£140	V1
	Invoicing	£300	P1
	Invoicing	£125	P2
	Job costing	£125	P2
	Job costing	£300	P1
	Letter writer	£80	V1
	Mailing list	£50	D1
	Mailing list	£40	P2
	Mail shot	£225	P2
	Pad to plotter system	£250	P2
	Payroll	£375	V1
	Payroll	£200	P2
	Payroll	£375	C6
	Payroll	£10	D1
	Personnel records	£98	P2
	Production analysis	£75	P2
	Programming aids	£40	P2
	Purchase ledger	£315	V1
	Purchase ledger	£300	P1
	Purchase ledger	£295	P2
	Purchase ledger	£295	C6
	Sales ledger	£315	V1
	Sales ledger	£300	P1
	Sales ledger	£295	P2
	Sales ledger	£295	C6
	Salesman	£10	D1
	Statistics	£100-195	P2
	Stock control/recording	£285	V1
	Stock control/recording	£300	P1
	Stock control/recording	£35/98	P2
	Stock control/recording	£10	D1
	Time/cost recording	£300	P1
	Time/cost recording	£125	P2
	Utilities	£20	C6
	Word processing	£120	V1
	Word processing	£150-300	P2
	Word processing	£40	D1
	Word processing	£75	J1
Apple II/ITT 2020	Database management/information retrieval	£100	S4
	Estate agent	£750	S4
	Financial planning	£250	S4
	General ledger/NL	£250P	S4
	Mailing list	£100	S4
	Office admin	£100	S4
	Payroll	£250P	S4
	Purchase ledger	£250P	S4

PACKAGES

**DIRECT
ACCESS**

Machine	Application	Price	Code
CBM	Sales ledger	£250P	S4
	Stock control/recording	£500	S4
	Text file librarian	£125	S4
	Word processing	£180/95	S4
	Bureau de change	£8	H3
	Estate agent	£30	H3
	General ledger/NL	£200	H3
	Mailing list	£35	H3
	Payroll	£10	H3
	Price lister	£12	H3
Commodore/ Computhink	Purchase ledger	£350	H3
	Sales ledger	£350	H3
	Stock control/recording	£35/25	H3
	Utility set	£78	H3
	VAT master	£25	H3
	Word processing	£35	H3
	Appointments planner	£100	S3
	Bank accounts	£100	S3
	Bonds/pension quotations	£100	S3
	Database management/ information retrieval	£45-250	S3
CP/M	Estate agent	£250	S3
	General ledger/NL	POR	S3
	Incomplete records	£750	S3
	Integrated accts	POR	S3
	Invoicing	POR	S3
	Mailing list	£100	S3
	Mail shot	£125	S3
	Petaid report generator	£125	S3
	PR/advertising package	£1000	S3
	Printers job control	£250	S3
PET	Purchase ledger	POR	S3
	Sales ledger	POR	S3
	Stock control/recording	£100/250	S3
	Time/cost recording	POR	S3
	Word processing	£120	S3
	Cash flow	£250	L3
	Company secretary	£450	C4
	Contract costing	£2000	L3
	Database management/ information retrieval	£150-750	C4
	Equipment lease/rent/ HP	£400	G1
Cromemco	Estate agents	£750	C4
	Financial modelling	£400	G1
	General ledger/NL	£500	L3
	General ledger/NL	£500	C4
	General ledger/NL	£400	G1
	General ledger/NL	£500	K1
	General ledger/NL	£375	L1
	Integrated accts	£1500	C4
	Integrated accts	£1100	G1
	Integrated accts	£950	L1
ITT 2020	Invoicing	£325	L1
	Invoicing	£150-350	C4
	Invoicing	£500	K1
	Job costing	£700	C4
	Legal precedents	£1100	C4
	Mailing list	£50-150	C4
	Mailing list	£250	G1
	Mail shot	£200-360	G4
	Order entry/invoicing	£350	G1
	Order processing	£550	L1
PET/CBM	Payroll	£450	L3
	Payroll	£495	C4
	Payroll	£500	G1
	Payroll	£500	K1
	Payroll	£475	L1
	Personnel records	£450	C4
	Production analysis	£700	C4
	Property management	£450-1000	C4
	Purchase ledger	£500	L3
	Purchase ledger	£450	G1
8000 Series	Purchase ledger	£500	K1
	Purchase ledger	£425	L1
	Purchase ledger	£500	C4
	Sales ledger	£500	L3
	Sales ledger	£500	C4
	Sales ledger	£450	G1
	Sales ledger	£500	K1
	Sales ledger	£425	L1
	S/L, P/L + stock control	£1000	L3
	Stock control/recording	£325	L1
8080/Z80	Stock control/recording	£500-1500	C4
	Stock control/recording	£350	G1
	Stock control/recording	£500	K1
	Time/cost recording	£400	G1
	Word processing	£500	K1
	Word processing	£400	G1
	Word processing	£150-260	C4
	Database management/ information retrieval	£250	B3
	General ledger/NL	£250	B3
	Hire purchase	£400+	B3
8080/Z80	Integrated accts	£950	B3
	Invoicing	£100	B3
	Leasing	£400+	B3
	Purchase ledger	£250	B3
	Revolving credit	£400+	B3
	Sales ledger	£250	B3
	Stock control/recording	£450	B3
	Time/cost recording	£250	B3
	Bank account	£10	D1
	Cash register	£10	D1
8080/Z80	General ledger/NL	£295	C6
	Integrated accts	£450	P1
	Invoicing	£300	P1
	Job costing	£300	P1
	Mailing list	£50	D1
	Payroll	£10	D1
	Payroll	£375	C6
	Purchase ledger	£300	P1
	Purchase ledger	£295	C6
	Sales ledger	£300	P1
8080/Z80	Sales ledger	£295	C6
	Salesman	£10	D1
	Assembler dev	£50	C2
	Database management/ information retrieval	£75	B1
	Database management/ information retrieval	£50/150	C2
	Database management/ information retrieval	£150	G2
	Database management/ information retrieval	£150	J1
	Disk operating system	£150	B1
	General ledger/NL	£200	C2
	Integrated accts	£300	B1
8080/Z80	Integrated accts	£50	C2
	Integrated accts	£650	G2
	Integrated accts	£650	J1
	Invoicing	POR	J1
	Invoicing	£25-50	B1
	Lisp	£75	C2
	Mailing list	£75	B1
	Pascal	£120	C2
	Payroll	£150	G2
	Payroll	£150	J1
8080/Z80	Payroll	£150	C2
	Petsoft programs	£160	J1
	Production analysis	£300	B1
	Purchase ledger	£200	C2
	Purchase ledger	POR	J1
	Sales ledger	POR	J1
	Sales ledger	£200	J1
	Stock control/recording	£150	C2
	Stock control/recording	£300	B1
	Stock control/recording	£150	G2
8080/Z80	Stock control/recording	£150	J1
	Time/cost recording	£300	B1
	Word processing	£75/150	J1
	Word processing	£75/150	G2
	Word processing	£75/150	C2
	General ledger/NL	£275	G3
	General ledger/NL	£375	L1
	Integrated accts	£950	L1
	Integrated accts	£995	G3
	Invoicing	£325	L1
8080/Z80	Job order control	£257	G3
	Order processing	£550	L1
	Payroll	£475	L1
	Payroll	£275	G3
	Prof appts groups	£275	G3
	Prof appts individ	£220	G3
	Prof client billing	£330	G3
	Purchase ledger	£425	L1
	Purchase ledger	£275	G3
	Sales ledger	£275	G3
8080/Z80	Sales ledger	£425	L1
	Stock control/recording	£325	L1
	Stock control/recording	£275	G3
	General ledger/NL	£425	L1
	General ledger/NL	£400	C5
	Purchase ledger	£400	C5
	Sales ledger	£400	C5
	Word processing	£40	C5
	Database management/ information retrieval	POR	C2
	Integrated accts	POR	C2
8080/Z80	Payroll	£250	C2
	Purchase ledger	£250	C2
	Sales ledger	£250	C2
	Word processing	£250	C2
	General ledger/NL	£275	G3
	General ledger/NL	£375	L1
	Integrated accts	£950	L1
	Integrated accts	£995	G3
	Invoicing	£325	L1
	Job order control	£257	G3
8080/Z80	Order processing	£550	L1
	Payroll	£475	L1
	Payroll	£275	G3
	Prof appts groups	£275	G3
	Prof appts individ	£220	G3
	Prof client billing	£330	G3
	Purchase ledger	£425	L1
	Purchase ledger	£275	G3
	Sales ledger	£275	G3
	Sales ledger	£425	L1
8080/Z80	Stock control/recording	£325	L1
	Stock control/recording	£275	G3
	General ledger/NL	£425	L1
	General ledger/NL	£400	C5
	Purchase ledger	£400	C5
	Sales ledger	£400	C5
	Word processing	£40	C5
	Database management/ information retrieval	POR	C2
	Integrated accts	POR	C2
	Payroll	£250	C2
8080/Z80	Purchase ledger	£250	C2
	Sales ledger	£250	C2
	Word processing	£250	C2
	General ledger/NL	£275	G3
	General ledger/NL	£375	L1
	Integrated accts	£950	L1
	Integrated accts	£995	G3
	Invoicing	£325	L1
	Job order control	£257	G3
	Order processing	£550	L1
8080/Z80	Payroll	£475	L1
	Payroll	£275	G3
	Prof appts groups	£275	G3
	Prof appts individ	£220	G3
	Prof client billing	£330	G3
	Purchase ledger	£425	L1
	Purchase ledger	£275	G3
	Sales ledger	£275	G3
	Sales ledger	£425	L1
	Stock control/recording	£325	L1
8080/Z80	Stock control/recording	£275	G3
	General ledger/NL	£425	L1
	General ledger/NL	£400	C5
	Purchase ledger	£400	C5
	Sales ledger	£400	C5
	Word processing	£40	C5
	Database management/ information retrieval	POR	C2
	Integrated accts	POR	C2
	Payroll	£250	C2
	Purchase ledger	£250	C2
8080/Z80	Sales ledger	£250	C2
	Word processing	£250	C2
	General ledger/NL	£275	G3
	General ledger/NL	£375	L1
	Integrated accts	£950	L1
	Integrated accts	£995	G3
	Invoicing	£325	L1
	Job order control	£257	G3
	Order processing	£550	L1
	Payroll	£475	L1
8080/Z80	Payroll	£275	G3
	Prof appts groups	£275	G3
	Prof appts individ	£220	G3
	Prof client billing	£330	G3
	Purchase ledger	£425	L1
	Purchase ledger	£275	G3
	Sales ledger	£275	G3
	Sales ledger	£425	L1
	Stock control/recording	£325	L1
	Stock control/recording	£275	G3

Machine	Application	Price	Code
	Stock control/recording	£10	D1
	Stock control/recording	£300	P1
	Time/cost recording	£300	P1
	Utilities	£20	C6
	Word processing	£40	D1
MCZ Zilog	Budgeting package	£500 +	I1
	Conference organiser	£500 +	I1
	Mail shot	£200	I1
	Personnel records	£500 +	I1
	Screen generator	£75 +	I1
	Word processing	£500 +	I1
MZ-80K	Integrated accounts	£150	P2
	Stock control/recording	£150	P2
North Star Horizon	Database management/ information retrieval	£250	B3
	General ledger/NL	£250	B3
	Integrated accts	£950	B3
	Invoicing	£100	B3
	Payroll	£350	B3
	Purchase ledger	£250	B3
	Sales ledger	£250	B3
	Stock control/recording	£450	B3
	Time/cost recording	£250	B3
PCC 2000 Simpelec Triton 3	Estate Agent	£350	B2
	General ledger/NL	£350	B2
	Mail shot	£450	B2
	Purchase ledger	£350	B2
	Sales ledger	£350	B2
	Stock control/recording	£350	B2
	Time/cost recording	£350	B2
PET	Bank account	£10	D1
	Cash flow	£8	A1
	Cash register	£10	D1
	Credit control	£650	B4
	Database management/ information retrieval	POR	C1
	Database management/ information retrieval	£325	A1
	Database management/ information retrieval	£225	H4
	Database management/ information retrieval	£170	C3
	Estate agent	£25	A1
	General ledger/NL	£1000	C1
	Invoicing	£350	A1
	Invoicing	£400	C1
	Lotteries	£45	H2
	Mailing list	£15	A1
	Mailing list	£50	D1
	Mailing list	£45	H2
	Membership acting	£85	H2
	Payroll	£50/195	I2
	Payroll	£10	D1
	Payroll	£50/25/ 195	A1
	Payroll	POR	C1
	Personnel records	£200/350	C5
	Personnel records	£85	H2
	Purchase ledger	£95/120/ 350	A1
	Purchase ledger	£1000	C1
	Purchase ledger	£300	B4
	Sales ledger	£300	B4
	Sales ledger	£800	C1
	Salesman	£95/350	A1
	Stock control/recording	£195	D1
	Stock control/recording	£195	I2
	Stock control/recording	£10	D1
	Stock control/recording	£12/25/ 350	A1
	Stock control/recording	£15	A2
	Stock control/recording	£300	B4
	TAP business system	£125	H2
VAT	£17.50	A1	
Word processing	£40	D1	
Word processing	£85/65/ 40/20	H2	
Word processing	£375	H4	
Word processing	£25/325	A1	
Word processing	325	C5	
PET/CBM	Assembler dev	£50	C2
	Database management/ information retrieval	£75	B1
	Database management/ information retrieval	£50/150	C2
	Database management/ information retrieval	£150	G2
	Database management/ information retrieval	£150	J1
	Disk operating system	£150	B1
	General ledger/NL	£200	C2
	Integrated accts	£300	B1
	Integrated accts	£(50)	C2
	Integrated accts	£650	G2
	Integrated accts	£650	J1
	Invoicing	POR	J1
	Invoicing	£25-50	B1
	Lisp	£75	C2
	Mailing list	£75	B1
	Pascal	£120	C2
	Payroll	£150	G2
	Payroll	£150	J1
	Payroll	£150	C2
	Petsoft programs	£160	J1
	Production analysis	£300	B1
	Purchase ledger	£200	C2
	Purchase ledger	POR	J1
	Sales ledger	POR	J1
	Sales ledger	£200	J1
	Stock control/recording	£150	C2
	Stock control/recording	£300	B1
	Stock control/recording	£150	G2
	Stock control/recording	£150	J1
	Time/cost recording	£300	B1
	Word processing	£75/150	J1
	Word processing	£75/150	G2
	Word processing	£75/150	C2

USER GROUPS INDEX

Here are the details of additions and changes recently notified. If we have failed to include YOUR group (or have published incorrect information) either here or in the complete listing, then please address changes/additions to: PCW (User Groups Index), 14 Rathbone Place, London W1P 1DE. Finally, the next complete listing will appear in our May issue.

INTERNATIONAL

Sym-1 Users' Group. Publishes a quarterly newsletter *Sym-physis*. Annual sub \$13.50 (airmail). Contact Sym-1 Users' Group, PO Box 315, Chico, CA95927, USA.

NATIONAL

British Amateur Robotics Association. Recently formed for anyone interested in robotics. Membership free but small production charge for newsletter. Contact: D Stocqueler, 66 Waterloo Rd, Penylan, Cardiff, S Glam.

UK Pilot User Group. Send an A4-size SAE for fact sheet on various Pilot versions available. Common Pilot Reference Manual available for £5. Versions of Pilot available for different machines. Contact: Alec Wood, Wirral Grammar School for boys, Cross Lane, Bebington, Wirral, Merseyside L63 3AQ.

ZX80 Users Club. Bi-monthly newsletter, software bank, technical support. Annual membership £6 (UK) or £10 (overseas). Contact: ZX80 Users Club, PO Box 159, Kingston-upon-Thames, Surrey KT2 5U2.

BUCKS/BERKS

Anyone interested in joining an Apple Users Group in the Bucks/Berks should contact: S F Proffitt on Marlow 73074 (evenings) or 01-750 7298 (day).

DERBYSHIRE

Derby & District branch of IPUG meets second Thursday each month. Contact: Raymond Davies Davies, 105 Normanton Rd, Derby DE1 2GG.

EAST MIDLANDS

The East Midlands Independent TRS-80 Users Group now has to charge for its newsletter. Send 50p for Issue 4 (balance credited to your account). Contact: Mike Costello, 17 Langbank Avenue, Rise Park, Nottingham NG5 5BU.

LONDON

East London Computer Club. Meets every Friday at 7.30 in term at North East London Polytechnic, Romford Rd, Precinct, Stratford E15. Contact John Grieve, 01-533 4761.

NORTH-EAST

North-East RML 380Z Users' Group. Meets monthly at Micro-Electronics Education Centre, The Polytechnic, Newcastle upon Tyne. Contact: M Hatfield or R Reed, Computer Unit, Northumberland Building, The Polytechnic, Newcastle-upon-Tyne NE1 8ST, tel: 26002 ext. 268 (office hours).

SCOTLAND

Central Scotland Computer Club. Meets twice monthly in Falkirk College of Technology, Grangemouth Rd, Falkirk. Contact: Jam James Lyon, 78 Slamannan Rd, Falkirk FK1 5NF, tel (0324) 22430.

GATESHEAD: Meets on Saturdays (except last Sat in month) from 10am to 4pm at 22 Durham Rd, Gateshead, Tyne & Wear. Contact: John Bone, 2 Claremont Place, Gateshead, Tyne & Wear NE8 1TL.

SUTTON-IN-ASHFIELD: Group has a computer permanently available to the public in Sutton-in-Ashfield library, The Precinct, Sutton-in-Ashfield. Contact: Deric Ellerby, tel (0380) 75376.

Computer-Town Centres

EASTCOTE: Meets 1st & 3rd Tuesdays monthly in Eastcote Library from 6-8pm. Contact: CTUK! Eastcote, 7 Collins Drive, Eastcote, Middx HA4 9EL.

DIARY DATA

Bilbao, Spain	Electrical & Electronic Equip Exbn — ELA Contact ECL Ltd, 01-486 1951.	2 — 8 Mar
London, England	(Wembley Conf C) Microsystems '81 Exbn. Contact: IPC Exbns Ltd, 01-837 3636	11 — 13 Mar
Glasgow, Scotland	(Albany Hotel) Computermarket. Contact: Couchmead Ltd., 42 Gt Windmill Street, London W1. 01-437 4187	17 — 19 Mar
Malmo, Sweden	Computer Exbn — DATAKRAFT. Contact: ECL Ltd, 01-486 1951	23 — 27 Mar
Manchester, England	(New Cent. Hotel) Computermarket. Contact: Couchmead Ltd., 01-437 4187	24 — 26 Mar
Dublin, Eire	Int Computing Exbn — COMPUTEX. Contact: SDL Exbns Ltd, Dublin 763871	24-27 Mar
London, England	(Wembley Conf Centre) Numerical Control Equip Exbn & Conf. Contact: British Numerical Control Socy, 01-579 9411	30 Mar — 1 Apr
Birmingham, England	(Albany Hotel) Computermarket. Contact: Couchmead Ltd, 01-437 4187	31 Mar — 2 Apr
London, England	(West Centre Hotel) Peripherals '81 Exbn. Contact: IPC Exbns Ltd, 01-837 3636	1 — 3 Apr
London, England	(West Centre Hotel) Computermarket. Contact: Couchmead Ltd, 01-437 4187	7 — 9 Apr
Paris, France	Int Exbn of Electronic Components. Contact: French Trade Centre, 01-439 3964	7 — 11 Apr
Kenilworth, England	(Nat. Agric. Centre) Computer Numerical Control Equip, Machine & Services Exbn & Conf. Contact: Corinthian Exbns, 01-681 7055	12 — 14 Apr
London, England	(Grosvenor House) All Electronics Show. Contact: All Electronics Show, (0799) 22612	22 — 24 Apr

NETWORK NEWS

Personal computer networks have been springing up all over the States for 18 months or more and now we have two in Britain. As more networks appear — and as more facilities are added to existing networks — we'll report them in this section, which appears monthly.

Forum-80... operated by Frederick Brown, tel: Hull (0482) 859169. No access charge, open to any micro owner. Operating Tues & Thurs 1900-2200, Sat &

Sun 1200-2200. Facilities: bulletin board, program library for downloading (all in Microsoft Basic).

National TRS-80 Users' Group... being set up at time of writing, will be available to all micro users, not just TRS-80 owners. Initially access charge will be a £10 sub, but as more join, this

will be reduced and refunds made accordingly. Facilities: bulletin board & programs for downloading. Contact: Brian Pain, tel 0908 566660 (office).

PCW SUBSET

Sub Set is not confined to Z80 routines; by sheer coincidence the original contributors were Z80 users, but contributions, documented as shown here, are most welcome from users of other processors. Send your subroutines to: PCW Sub Set, PCW, 14 Rathbone Place, London W1P 1DE

Block move

The first Datasheet this month, HEXMV, is a collection of routines from Paul Zarucki of Solihull. These translate a block of binary data to ASCII-hexadecimal characters, which are stored at a specified location with a checksum appended.

HEXMV is used to prepare for the serial transmission of ASCII data from one micro to another. Several systems put data to backing storage in this form. Storing data in ASCII-hexadecimal has the advantages of allowing for the 176 possible non-ASCII bytes to be used for control purposes or for redundant bits to be used in the detection and correction of transmission errors. It has the disadvantages of occupying twice as much space as the original data and therefore taking twice as long to transmit and allowing twice as many opportunities for errors in transmission to occur.

There are other situations, apart from data storage, where it is useful to convert and hold data in ASCII-hexadecimal, in order to distinguish it from control information. Write in

and tell us of any you have found.

Just as we received these routines, Nigel Stephens of Wembley wrote to tell us how neatly Intel's MDS monitor converts a binary to an ASCII-hexadecimal digit and pointed out that the technique could be adapted to any machine with a DAA (decimal adjust) instruction, such as the M6800. So, in place of Paul's original HEXASC routine, we have borrowed the Intel technique Nigel wrote in about.

Motorola

HEXMV is our first Datasheet for the Motorola M6800 processor, which has two 8-bit accumulators, A and B, a condition codes register and a 16-bit index register, stack pointer and program counter. Don't skip this Datasheet, you Z80 owners, but enjoy the simple directness of the M6800 instruction set, with addresses the right way round, superb indexed addressing facilities and BSR (a relative call), then consider how you would do the job with the Z80's abundance of 16-bit registers and its digit rotating instructions. See Figure 1 for the appearance of the stack while HEXMV is being executed.

Datasheet

```

;= HEXMV — Block move.
;/ CLASS: 1
;/ TIME CRITICAL ? : No.
;/ DESCRIPTION: Takes a block of data up to 256 bytes long,
;/               translates it into ASCII-hexadecimal and
;/               deposits the result in a destination table with
;/               a one-byte (two ASCII-hex digits) checksum
;/               appended.
;/ ACTION: 1. Initialise checksum to zero.
;/          2. Subtract 2 from destination address.
;/          3. Read byte pointed to by source address.
;/          4. Unpack low & high nibbles and add both to checksum.
;/          5. Convert to 2 ASCII-hexadecimal digits.
;/          6. Increment source address by 1.
;/          7. Increment destination address by 2.
;/          8. Store MS-digit of ASCII-hex at dest. address
;/             and LS-digit at Dest. address + 1.
;/          9. Decrement byte count and so to step 3 if not zero.
;/          10. Read checksum then repeat steps 4 thru 8.
;/          11. Return to calling program.
;/ SUBr DEPENDENCE: None.
;/ INTERFACES: None.
;/ INPUT: Parameters supplied on stack by calling program:
;/         SOURCE ADDRESS at SP+1 and SP+2
;/         DESTINATION ADDRESS at SP+3 and SP+4
;/         BYTE COUNT at SP+5
;/ OUTPUT: 2n+2 (where n = byte count) bytes of ASCII-hex data
    
```

MICROMART

WE'RE WARNING YOU

If
you don't
have a Superboard
or UK101 you're going
to regret not being
able to buy these
amazing add-ons!

CEGMON

The new monitor for all OSI and UK101 systems, with the *right* range of features!

- ★ Twin-cursor screen editor ★
- ★ Improved keyboard routine ★
- ★ New screen-handler ★
with fully programmable protected areas, screen and 'window'-clear, cursor controls
- ★ New machine-code monitor ★
with load/save, tabular display, 'modify' entry for text and hexadecimal, breakpoint handler, block move, and much more
- ★ Disc bootstrap ★
- ★ Full compatibility ★

Complete with full manual and card for
only £29.50

HIGH-SPEED CASSETTE INTERFACE

Really fast cassette loading at 4800 baud:
loads an 8K BASIC program *reliably*
in under half a minute!

Switchable to standard 300 baud
for compatibility with existing software.

**Ready built interface unit for
a mere £22.50**

All prices quoted exclude VAT

MUTEK Quarry Hill, Box, Wilts
Tel: Bath (0225) 743289

ZX80 DISASSEMBLER

Display ZX80 monitor in full Z80 assembler, learn its secrets. Enter your own code and see it translated instantly to assembler. The program, written almost entirely in M/C code, edits all 600+ 280 operations at high speed, in under 3k.

Cassette includes mini M/C code enter/edit/exec for 1k owners waiting to grow. Plus, detailed guide to the disassembler. How to interface your M/C code to ZX80, and tape handling.

£8 to: Campbell Systems, 15 Rous Rd, Buckhurst Hill, IG9 6BL

BUSINESS & COMPUTER SERVICES

Microcomputer Consultants
and Programers

(TRS 80 Specialists)

Tel.
01 607 1057
292 Caledonian Rd,
London N1 1BA

REAL TIME CLOCK £26

- * Time down to tenths of secs.
- * Day of week
- * Day on month with Leap Year correction
- * Month
- * Interrupt output
- * Crystal controlled
- * Rechargeable battery backup.

All functions software controlled.
MM58174 I.C. with data £14
SAE for more details. Mail order only.

LINTRONICS 37A Chiltern Ave.
Bushey Herts. WD2 3QG

ZX80 SOFTWARE

Battleships, Maths test, Maze (1-4), Number guessing
(with a difference).
Pontoon, Slot machine. For 1K memory.
All on one cassette with full instructions £2.50

TRS-80 SOFTWARE (Level II, 16K).

SPACE ATTACKERS

A low cost version of the popular pub game,
AND

DIGITAL CLOCK

with alarm facility. Both on one cassette £2.50
Both cassettes are excellent value.

Send cheque or P.O. made out to

P. BRAMWELL TO:

BRAMWELL ENTERPRISES
87 ANDERSON CRESCENT
GREAT BARR, BIRMINGHAM B43 7ST

To advertise in MICROMART

Please ring Jacquie Hancock
on 01-631 1682

```
;/ (including checksum) stored at destination.
;/ Parameters still on stack:
;/ SOURCE ADDRESS = input value + n
;/ DESTINATION ADDRESS = input value + 2n
;/ (points to checksum)
;/ BYTE COUNT = zero
;/ REGs USED: XR, ACCA, ACCB and CONDITION CODES
;/ STACK USE: 8
;/ LENGTH: 89
;/ PROCESSOR: M6800
```

```
HEXMV: CLR A ; initialise checksum 4F
        PSH A ; and put on stack. 36
        TSX ; point XR to stack workspace. 30
        LDA A 6,X ; initialise A6 06
        SUB A #2 ; destination 80 02
        STA A 6,X ; pointer to A7 06
        BCC A7 ; DEST-2 for 24 02
        DEC 5,X ; pre-incrementing. 6A 05
A7: LDX 3,X ; fetch next byte XR←(XR+3-4) EE 03
    LDA A 0,X ; of binary source. A6 00
    TSX ; convert to ASCII, store 30
    BSR HEXMV1 ; at dest. and update 8D 0B
    TSX ; pointers & checksum. 30
    DEC 7,X ; decrement byte count & 6A 07
    BNE A7 ; repeat until zero. 26 F4
    LDA A 0,X ; append checksum A6 00
    BSR HEXMV1 ; to ASCII data. 8D 02
    PUL A ; clear stack of checksum. 32
    RTS ; return. 39
```

```
; convert byte from binary to hex, move it to
; destination and update pointers and checksum.
HEXMV1: BSR BINASC ; convert byte to ASCII-hex 8D 19
        INC 4,X ; update 6C 04
        BNE A8 ; source 26 02
        INC 3,X ; pointer 6C 03
A8: INC 6,X ; update 6C 06
    BNE B8 ; destination 26 02
    INC 5,X ; pointer. 6C 05
B8: INC 6,X ; 6C 06
    BNE C8 ; 26 02
    INC 5,X ; 6C 05
C8: LDX 5,X ; XR←(XR+5-6) EE 05
    STA A 0,X ; store ASCII at A7 00
    STA B 1,X ; destination. E7 01
    RTS 39
```

```
; convert byte to two ASCII-hex bytes in A & B
; and update checksum.
```

```
BINASC: TAB ; B←A. 16
        AND A #0FH ; separate byte into two 84 0F
        AND B #FOH ; hex. digits in A and B. C4 F0
        LSR B ; logical shift 1 bit right. 54
        LSR B ; 54
        LSR B ; 54
        PSH A ; save A. 36
        ADD A 0,X ; add checksum to A. AB 00
        ABA ; add B to A. 1B
        STA A 0,X ; put updated checksum on stk. A7 00
        PUL A ; restore A. 32
        BSR HEXASC ; convert hex digit to ASCII. 8D 06
        PSH A ; save A. 36
        TBA ; A - B. 17
        BSR HEXASC ; convert hex digit. 8D 02
        PUL B ; restore A to B. 33
        RTS 39
; hexadecimal to ASCII conversion subroutine.
HEXASC: ADD A 90H ; so A-F will give carry on 8B 90
        DAA ; decimal adjust. 19
        ADC A 40H ; add any carry & 40H. 89 40
        DAA ; decimal adjust. 19
        RTS 39
```

Dave Barrow who, in last month's HLFHL, gave the shortest solution to HL = HL/2, when HL contains four BCD digits, has now sent the fastest solution so far received. It takes 82 - 93 T states and 23 bytes. He has also given this version of HLFA, eight bytes shorter than that printed in February:

```
HFA: JR NCLB1 ; skip if no cy.
      ADD A,A0H ; make cy. worth 10.
LB1: RRA ; divide by 2.
```

```
BIT 3,A ; cy. into units?
JR Z,LB2 ; skip if not.
DEC A ; else convert
DEC A ; carried 8
DEC A ; into 5.
```

LB2

RFT

32-bit binary

You don't often see routines to do calculations on 32-bit binary numbers, not even in expensive books on micro-

processor programming. This probably has something to do with the fact that they are not all that easy to handle with the limited number of registers in the popular microprocessors. Even the Z80 could do with more registers when it comes to manipulating 32-bit numbers.

Paul Jenner of Southampton is the first contributor to brave your scrutiny of a 4-byte integer divide in our second Data-sheet, DIV4. In the true spirit of this series, Paul will be interested to see any better attempts and so will we.

Datasheet

:= DIV4 - 4-byte integer divide.
:/ CLASS: 1
:/ TIME CRITICAL ? No.
:/ DESCRIPTION: Divides one 4-byte unsigned integer by another.
:/ Returns quotient and remainder. Checks for divide by zero.
:/ ACTION: Long division by shift-and-subtract, using HL and (SP) as an extended accumulator.
:/ SUBr DEPENDENCE: None.
:/ INTERFACES: None.
:/ INPUT: Dividend in IX,IY
Divisor in BC,DE
:/ OUTPUT: Carry set, arguments unchanged if BCDE = 0 on entry.
A is always set to zero.
Quotient in IX,IY.
Remainder in BC,DE.
:/ REGs USED: All normal and index registers (not alternate registers).
:/ STACK USE: 2
:/ LENGTH: 54
:/ PROCESSOR: Z80.

DIV4: LD A,B ; if all 78
OR C ; BC B1
OR D ; DE B2
OR E ; are zero B3
SCF ; set carry 37
RET Z ; and return. C8
LD A,32D ; set bit count. 3E 20
LD HL,0000H ; set accumulator 21 00 00
PUSH HL ; and extend to stack. E5
TOP: ADD IY,IY ; shift left IY. FD 29
EX (SP),IX ; get IX DD E3
EX (SP),HL ; into HL E3
ADC HL,HL ; shift it left (with carry) ED 6A
EX (SP),HL ; and return E3
EX (SP),IX ; it to IX. DD E3
ADC HL,HL ; shift HL left (with carry). ED 6A
EX (SP),HL ; get (SP) into HL E3
ADC HL,HL ; shift it left (with carry) ED 6A
EX (SP),HL ; and return it to (SP). E3
OR A ; clear carry. B7
SBC HL,DE ; subtract ED 52
EX (SP),HL ; BC, E3
SBC HL,BC ; DE ED 42
EX (SP),HL ; from (SP),HL. E3
INC IY ; set result bit. FD 23
JR NC,WENT ; jump if 30 09
JR Z,WENT ; subtraction went. 28 07
ADD HL,DE ; else 19
EX (SP),HL ; add E3
ADC HL,BC ; back ED 4A
EX (SP),HL ; divisor E3
DEC IY ; and reset result. FD 2B
WENT: DEC A ; repeat 3D
JR NZ,TOP ; 32 times. 20 D9
EX DE,HL ; put remainder from EB
POP BC ; (SP),HL to BC,DE. C1
RET C9

LEISURE LINES

The check digit problem set in puzzle number 16 proved to be a little tougher than usual, and only about 30 entries were received.
In inverse proportion to the number of entries were the cries of 'too easy' - this time only two correspondents complained - although one reader pointed out that there was no need to give the information about successive primes and another said that there was no need to

specify the modulo.
I'm not sure about that last comment but anyway the solution was as follows:
Weights 1-82
2-86
3-94
4-53
5-59
6-61

And the required checksum (not check

MICROMART

!!MEMORY UPDATES!!

TRS80, APPLE, SORCERER, SUPERBRAIN ETC.
FROM £18.50 per 16K.
EPROMS: 2716 £5.00 EACH
EPROM PROGRAMMING FROM 20P PER UNIT.

CLEARTONE COMPUTER CONSULTANTS LIMITED
PRINCE OF WALES INDUSTRIAL ESTATE
ABERCARN, GWENT. NP1 5RJ
TEL: NEWBRIDGE (0495) 244555



NASCOM SOFTWARE

We offer the following quality software for NASCOM systems:
NASPAS - a 12K PASCAL compiler which produces Z80 code directly i.e. no P-code. The compiler offers floating point and integer arithmetic, arrays, sets, strings and all major Pascal statements together with fully recursive functions and procedures with value and variable parameters. The object programs run very quickly. Price: £35.00
NASMON - A new monitor for NASCOMs. Occupies 4k and includes a sophisticated screen editor, a 'front panel' mode, blocked and buffered tape routines and powerful debugging commands. Price: £30.00 in EPROM
BAS12K - a 12K BASIC interpreter offering 11 digit precision arithmetic, PRINT USING, IF... THEN... ELSE and other advanced features. Price: £25.00
NASGEN - a fast 3K assembler generating a full symbol table and with many assembler directives and commands. Price: £15.00 on tape, £25.00 in EPROM.
NASNEM - a 2½K disassembler which interfaces to NASMON's front panel to produce single step disassembly. Optionally it produces labels and o/p may be directed to a text buffer suitable for NASGEN. Price: £10.00 on tape, £15.00 in EPROM.
All the above software runs under NASMON except NASPAS which can run under NASMON or NAS-SYS.
All prices are fully inclusive.
FREE: a free CHESS program with every order of NASMON.
Full details may be obtained from:
HISOFT 60 Hallam Moor, Liden, Swindon Wiltshire.

SYNTAX SOFTWARE

Z80 Software
11K GAMES
SUPAPACK ALPHA, BETA, GAMMA + DELTA
5 games on each cassette £4.95 each
4K GAMES
WUNDAPACK 1 (including Micro-Draughts)
3 games for £6.95
MZ80K SOFTWARE
BUMPAPACK 1 (Draughts & Astronomer)
BUMPAPACK 2 (Space station, Helter Skelter + Fruit Machine) £7.95 for each cassette.
PC1211 SOFTWARE
SUPERSET 1 + SUPERSET 2
6 + 5 games respectively for £7.95 each pack)
ZX80 PUBLICATIONS
"Making the most of your ZX80" by Tim Hartnell at £5.95 incl. p&p
"50 Rip Roaring Games for the ZX80" at £4.95 incl. p&p.
Make cheque/P.O. payable to:
Syntax Software, 96 Cottinwood Gardens, Ilford, Essex.
For our latest catalogue, send a large SAE

MORRISTON COMPUTER CENTRE
46 CROWN ST
MORRISTON
Tel: 795817 SWANSEA

SHARP MZ80 VIDEO
PC1211 GENIE

MICROMART

APPLE SOFTWARE

Business	
Visicalc	75.00
Mailing System	55.00
Word Processing	45.00
Write-On	60.00
Retail Inventory	40.00
Disk Inventory	25.00
Data Base	10.00
Education	
Algebra I	7.50
Function Plot (2-dim.)	15.00
Statistical Analysis	15.00
Paddle Graphics	20.00
Typing Tutor	7.50
Utilities	
Crystal Cat	10.00
CRAE-editor	10.00
MCAT-catalog	5.00
available together CRAE & MCAT	13.00
Games	
Bridge	10.00
Fastgammon	15.00
American Football	10.00
& many others	
Add 15% VAT Postage & Packing Free	
Contact: SBD SOFTWARE	
15 Jocelyn Road Richmond TW9 2TJ	
Tel: 01-940 5194 Telex: 22861	

SPECIALS FOR PET

FANTASTIC MUSIC MACHINE!

Write a play music on your PET. Displays notes as they play. 4 voices, chords, re-definable keyboard and waveforms. Repeat segments, re-arrange, transpose, change tempo, key etc by just typing a row of letters. Save/load music with tape or disk. Includes amplifier, manual and m/code program on cassette. 8K-32K, old or new ROMs. **HARDWARE + SOFTWARE: only £37**

PROGRAMMER'S TOOLKIT - 16/32K New ROM: makes programming less like work! £30.

LIGHT PEN + SOFTWARE - plugs in. £22

SCOTT ADAMS ADVENTURES 1 & 2: classic game: needs 24K. Each £7 (both £13)

SUPER MACHINE CODE WORD PROCESSOR: does all you'd expect for £75-150, and also gives re-definable keyboard, works with tape & disk files, old or new ROMs, any printer, AND 80-column PETS!! We didn't believe it either: £35 (£37 disk)

ALL PRICES + VAT PLEASE, BUT POSTAGE FREE. SEND FOR LIST & MORE DETAIL.

MICROCASE

"turns a board into a real computer"


**NASCOM 2
SUPERBOARD
COMPUKIT**

also uncut for Nascom 1 & OEM

Direct from us or from your dealer - but make sure you see a **GENUINE 'MICROCASE'**

Simple Software Ltd

15 Havelock Road
Brighton Sussex BN1 6GL
(0273) 504879



NEW LOW PRICE

MICROLINE 80

£329*

NORTHAMBER LTD
Great Oak House, Esher, Surrey
KT10 9BR Tel: 0372 62071
*plus VAT and delivery

digit - someone else picked me up about that!) was 51.

The winner by random selection was again from overseas - Brussels to be exact - Mr Hans Van Leeuwen.

Congratulations - your prize is on its way from Angleterre (or should we say England?).

Quickie

Sorry quickie addicts, nothing this month since you got two last month.

Prize puzzle

This month's prize puzzle will probably eliminate all those readers who don't have alpha facilities on their calculators. But necessity is the mother of invention, so perhaps they'll find some other means of cracking this problem.

- 1 The 49 letters shown in the grid can be formed into seven by seven-letter words and the initial letters of each of the seven words will form an eighth word which is the answer to the puzzle.
- 2 Alongside each letter is also a number in the range 1-6. This indicates the number of squares that must be traversed to reach the next square.
- 3 Starting with the letter D in the centre of the grid move the number of squares specified (in this case six) East, West, North or South (assuming North is at the top of the grid) and you will arrive at another square.
- 4 If any move takes you beyond the edge of the grid, you should assume that the grid 'wraps round'. Thus, if a Northerly move takes you to the top of the grid, the count of squares should continue from the foot of the same column.

T ₄	R ₆	E ₃	S ₆	T ₅	S ₆	O ₅
U ₂	Y ₃	L ₄	S ₂	O ₅	N ₂	A ₃
R ₅	B ₃	S ₁	E ₂	E ₁	R ₂	N ₅
Y ₆	L ₅	R ₂	D ₆	N ₃	D ₂	I ₁
E ₅	A ₄	T ₆	S ₁	B ₃	N ₅	G ₅
A ₃	E ₂	E ₅	A ₂	T ₃	G ₄	R ₆
Y ₂	A ₁	T ₁	T ₃	R ₃	N ₁	I ₆

5 Hence, from the start point, a move of six squares East will take you to the right hand edge after three squares and the fourth, fifth and sixth squares should be made from the left-hand edge of the same row to bring you to the letter R₂.

6 In this way the initial move can take you to either the R₂, E₂, N₃ or S₁ squares immediately adjacent to the start letter.

7 No square may be landed on more than once. Diagonal moves are not permitted.

8 A correct series of moves throughout the grid will yield seven consecutive seven-letter English words, the initial letters of which, taken in order, will then give the required solution.

One word only required.

Answers on a postcard please, to Puzzle number 19, PCW, 14 Rathbone Place, London, W1P 1DE, to arrive no later than March 31. The prize is the usual book token.

PROGRAMS

TRS-80 Show Jumping

by Roy Bowden

This must be the best TRS-80 program we've ever received! It is a game for one to four players each of whom must make their way round the course using the arrow keys. Start by positioning your horse under the START hitting S when you reach the right position. Press R to start your round. As you reach each jump a picture of it will appear and a square will appear in the top centre of the screen. You then have two seconds to put in your figures relating to the

height and the spread of the jump. Low height is represented by number keys 1, 2 and 3, medium by 4, 5 and 6 and high by 7, 8 and 9. Spread is dictated by which of the keys in the group is chosen. 1, 4 and 7 represent no spread and 3, 6 and 9 represent maximum spread. The only other point worth making is that the vertical arrow comes out on the listing as a square bracket. Good luck!

```

70 CLEAR 2000:RANDOM:DEFINT A,B,J,K,N,V-Y
80 DIM R$(4),H$(4),JP$(2,15),JP(15),FA(4),CL(4)
90 CLS:PRINTCHR$(23)
100 PRINT@338,"SHOW JUMPING"
110 PRINT@402,"*****"
120 FOR K=1 TO 750:NEXT K
160 CLS
170 INPUT"HOW MANY COMPETITORS (1-4) ":"N "
180 IF N(1 OR N)4 THEN 170
190 PRINT
200 FOR C=1 TO N:PRINT"COMPETITOR NUMBER":C
210 INPUT"NAME OF RIDER, HORSE.":R$(C),H$(C)
220 NEXT C
230 PRINT:PRINT"PLEASE WAIT WHILE THE JUMPS ARE CHECKED."
250 C=0:JN=0:J=0
260 JP(1)=1:JP$(1,1)="H5-1"
270 GOSUB 600
280 IF P=1 THEN JP(2)=1:JP$(1,2)="H5-1"
290 IF P=2 THEN JP(2)=4:JP$(1,2)="H5-4"
300 IF P=3 THEN JP(2)=7:JP$(1,2)="H5-7"
310 GOSUB 600
320 IF P=1 THEN JP(3)=2:JP$(1,3)="S5-0":JP$(2,3)="H5-1"
330 IF P=2 THEN JP(3)=5:JP$(1,3)="S5-0":JP$(2,3)="H5-4"
340 IF P=3 THEN JP(3)=8:JP$(1,3)="S5-0":JP$(2,3)="H5-7"
350 GOSUB 600
360 IF P=1 THEN JP(4)=1:JP$(1,4)="H5-1"
370 IF P=2 THEN JP(4)=4:JP$(1,4)="H5-4"
380 IF P=3 THEN JP(4)=7:JP$(1,4)="H5-7"
390 JP(5)=4:JP$(1,5)="H5-4"
400 JP(6)=7:JP$(1,6)="H5-7"
410 JP(7)=4:JP$(1,7)="H5-4"
420 GOSUB 600
430 IF P=1 THEN JP(8)=1:JP$(1,8)="H5-1"

```


PROGRAMS

[illegible]

MICROMART

PRINT & GRAPHICS

GRAPHICS & PRINT

IF YOU NEED AN 80 COLUMN
PRINTER WHICH WILL HANDLE
ANY PLAIN PAPER UP TO 8.5 INCHES WIDE,
HAS 96 ASCII CHARACTERS, PLUS U.K.,
GERMAN, AND SWEDISH SPECIAL
CHARACTERS, NORMAL OR DOUBLE WIDTH,
WITH FULL GRAPHIC
CAPABILITIES WITH A
RESOLUTION OF 480 DOTS PER LINE -
THEN LOOK NO FURTHER -
ALL THESE FEATURES AND MORE ARE
AVAILABLE NOW, FOR LESS THAN £300
INCLUDING VAT AND DELIVERY!!

send a SAE to:—

SCALE ENGINEERING

6 GOSS BARTON NAILSER AVON BS19 2XD

Also available:

VARIOUS SERIAL INTERFACES 2 SPEED MOD.
FOR ONLY £10 LOWER CASE VIDEO MOD.
LOGIC PROBE etc.

**EIGHT INCHES
OF PLEASURE**

PROFESSIONAL 8" IBM TYPE DISKETTES

Single Sided —

Single & Double Density Formats

£1.95 EACH Inclusive

**£1.55 EACH inclusive
+ 90p P&P per order**

+ 90p P&P per order

ANY QUANTITY (Cash with Order)

Fast Delivery

IT DATA SERVICE

Mail Order

43 PRAED STREET

(or call in!)

43 FRAED STREET
LONDON W21NB

STOKE on TRENT

for
TUSCAN
and
TANGERINE
and
GENIE + SOF
and
BOOKS

MICRO-PRINT Ltd.,

**59, Church Street, Stoke on Trent.
(0782) 48348. Barclaycard and Access**

GOOD THINGS FOR 6800 SYSTEM BUILDERS

1. P.C.B.'s, including component list & schematics:

CSH001 — SWTPC mpb/2 motherboard	£24.20
CSH002 — SWTPC MPA/2 CPU board	£11.50
CSH005 — SWTPC MPL/A parallel interface board	£ 6.60

2. Assembled Boards

CSH003 - SWTPC MPA/2 CPU, SWTBUG, space for 8k Eprom	£75.00
---	--------

CSH004 — SWTPC MPA CPU, MIKBUG £49.50
3 Components

CSH — 6800 Chip set:
M6800, M6821, M6850, M6810 & M6875 \$16.50

CSH021 — Molex connectors, £ 2.50

10 pin male, pack of 10.
CSH022 — Molex connectors, £ 3.00

10 pin female, pack of 10.

CSH030 MOTOROLA 6800
PROGRAMMING MANUAL £ 6.60

VAT free
Prices include postage but add VAT at

Prices include postage but add VAT at 15% when ordering.

COMPUSENSE LTD. PO BOX 169
LONDON N12 4HT Tel: 01 822 0681

MICROMART

ZX80 LIVE ACTION SOFTWARE

Top quality games at unbeatable prices:-
BREAKOUT (1k0; £4.00. **SPACE INTRUDERS** (2K): £4.00. Also **MOVIES** (2K plus), 7x8 character pictures displayed in rapid rotation giving animation effect; £3.00. — No hardware modification whatsoever.
 Written in machine code without loss of TV Synchronisation.
SOUNDS INCREDIBLE? — YES, but it's true. Reviews say the ZX80 can't be used for continuous live action ARCADE type games. — **WELL IT CAN — WE'VE DONE IT — SEEING IS BELIEVING** — Send cheques or PO's for program listing (or SAE for list of all software) to:-
MACRONICS, (K. Macdonald), 26 Spiers Close, Knowle, Solihull, B93 9ES.

NEW OHIO SUPERBOARD III

Immediate Delivery
 Full Warranty & Back Up
 New Low Price

SEIKOSHA PRINTER

Home and Educational Use

UK101/SUPERBOARD II ADD ONS

48 x 30 Video Conversion **£15**
 16k Memory Expansion from **£40**

Send S.A.E. for free prog. + price list
 High Educational and Club Discounts

NORTHERN MICRO

add 15% VAT
 29 Moorcroft Park Tel. HOLMFIRTH
 New Mill (048489) 2062
HUDDERSFIELD 10am-8pm Mon-Sat

topmark computers

NEW! NEW! NEW!



APPLE FORTRAN (Needs language card)

Send only £120 + VAT £18 (Fortran only)
 or £419 + VAT £62.85 (complete system, includes Pascal and language card)

NEW! NEW! NEW!

NEW! DOS 3.3 — much improved capacity £40 + VAT £6.

NEW! Eurocolour card — vastly superior to previous versions £113 + VAT £16.95

Official Government and Educational orders accepted.

Contact Tom Piercy at
 Topmark Computers, 77 Wilkinson Close,
 Eaton Socon, St Neots, Cambs. PE19 3HJ
 Huntingdon (0480) 212563

EDUCATIONAL SOFTWARE FOR THE PET

"FUN WITH ENGLISH"

Spelling, Grammar, Vocabulary, etc.
 Written by a Teacher/Graduate team for Primary School level
 Cassette. English 1 "4 Programs" £6.00
 Cassette. English 2 "4 Programs" £6.00
 Inclusive

WHIZ MATHS

Cassette Maths 1 4 Programs £6.00 incl.
 State old or new ROM. Orders to
MENTRIX 420 VALENCE AVE
DAGENHAM ESSEX RM8 3QL

PROGRAMS

```

ETIRED,":GOTO 4220
4210 PRINT:PRINTFA(V):"FAULTS IN ":PRINTUSING (L#1CL(V)
4220 FOR K=1 TO 2000:NEXT K
4230 GOTO 2110
4250 CLS:PRINTCHR$(23)
4260 PRINT@320,"WINNER OF THIS COMPETITION"
4270 PRINT"*****":PRINT
4280 IF FA(V)=100 THEN PRINT"DISQUALIFIED OR RETIRED-":PRINT"NO WINNER.":GOTO 43
20
4290 PRINT$(V):" RIDING "
4300 PRINT$(V):" :-":PRINT"FAULTS ":"FA(V):" "
4310 PRINT"TIME : ":USING CL#1CL(V)
4320 PRINT:PRINT:PRINT"WOULD YOU LIKE"
4330 PRINT"ANOTHER COURSE ? (Y/N)"
4340 IF INKEY$="Y" THEN 4340
4350 IF INKEY$="N" THEN 4320
4360 IF INKEY$="N" THEN 4320
4370 END
    
```

Listing courtesy of London Computer Centre

PET Grand Prix

by Michael Matar

This runs on a new ROM PET. You have race track, competing against a PET-
 to steer your car around a convoluted driven rival.

```

1 REM GRAND PRIX BY MICHAEL MATAR
2 CLR:GOTO9000
5 Q=102:PRINT"Q":R2=42:R3=144:R5=0:Q2=32
6 V2=1:V3=1
10 FORA=1TO80
20 W=32767+A:R2=33687+A
30 POKEW,Q:POKEA2,Q
38 NEXT
39 IFT#="M"THEN50
40 IFT#="E"THENPOKE33348,Q:GOTO50
41 POKE33350,Q:POKE33390,Q
42 POKE33094,Q:POKE33095,Q
43 POKE32895,Q:POKE32975,Q:POKE33015,Q
44 POKE33018,Q:POKE32898,Q:IF T#<"H"THEN50
45 FORA3=1TO8
46 A2=32822+(40*A3)
47 POKEA2,Q
48 NEXT
50 FORA3=1TO25
60 A4=(A3*40)+32808:R5=(A3*40)+32847
70 POKEA4,Q:POKEA5,Q
71 NEXT
79 IFT#="M"THEN90
80 IFT#="E"THEN30
81 POKE33398,Q:POKE33399,Q:POKE33400,Q:POKE33438,Q:POKE33439,Q:POKE33440,Q
82 POKE33438,Q:POKE33467,Q:POKE33518,Q:POKE33507,Q
83 POKE33671,Q:POKE33631,Q:POKE33591,Q
90 FORA6=1TO20
100 A7=33216+A6:R8=33256+A6:R9=33296+A6
110 POKEA7,Q:POKEA8,Q:POKEA9,Q
111 NEXT
120 IFT#="E"THEN130
121 POKE33338,Q:POKE33378,Q
122 POKE33418,Q:POKE33419,Q
130 FORB=1TO5
140 W2=(B*40)+32827:B2=(B*40)+32991:B3=(B*40)+32979
141 A=32989+B:A2=33276+B
142 H=33036+B
143 POKEH,Q:POKE33255,Q:POKE33213,Q:IFT#="E"THEN150
144 POKE33105,Q:POKE33106,Q:POKE33107,Q:POKE33147,Q
150 POKEW2,Q:POKEB2,Q:POKEB3,Q:POKEA2,Q
155 NEXT
156 POKE32942,Q2
160 FORN3=1TO3
170 B4=33095+N3:B5=33210+(N3*40)
180 POKEB4,Q:POKEB5,Q
185 NEXT
186 PRINT"  LAPS-YOU",R4:"PET":K
190 FORB6=1TO4
200 B7=(B6*40)+33465
210 POKEB7,Q
215 NEXT
216 POKE33585,Q2
220 POKE33284,Q:POKE33425,Q:POKE33335,Q
230 IFD=5THEN2400
231 FORP=1TO9
240 P2=(40*P)+33315:A=33314+(P*40):A2=33313+(P*40)
250 POKEP2,Q6:POKEA,Q6:POKEA2,Q6
254 NEXT
255 IFR5=1THEN310
256 IFR5=2THEN2400
260 X=33395:J=33475:D=0:R=-1:K=0:R4=0:A4=33182:A3=-1:B5=0
265 POKEX,Q2:POKEJ,Q144
266 POKE33469,Q
270 FORI3=1TO300
280 NEXT
300 C=PEEK(166)
301 A=A-1:IFA=22THEN2600
302 IFX<33268THEN310
303 IFX<33287THEN310
304 H=7:R5=1:GOTO360
310 IFC=10THEND=-1:GOTO360
320 IFC=1 THEND=1:GOTO360
330 IFC=80THEND=-40:GOTO11000
340 IFC=32THEND=40:GOTO360
350 D=0
360 H=X:X=X+D
370 GOSUB1000
371 IFA=23THEN390
380 POKEH,Q2:POKEH,R2
390 GOSUB2000
410 GOTO300
600 B6=RND(1):Q2=32
    
```


PROGRAMS

```

605 B9=B9+1:IFB9=1THENPRINT"YOU ARE OUT OF CONTROL":V9=1
610 X=N:POKE X,170:IFB6<.26THENX=X-1:GOTO650
620 IFB6<.51THENX=X+1:GOTO650
630 IFB6<.76THENX=X+40:GOTO650
640 X=X-40
650 IFPEEK(X)=QTHENB5=0:GOTO1020
652 B5=B5-1
655 IFB5=0THENPRINT"*****":GOTO700
660 RETURN
700 PRINT"  LAPS-YOU";R4;"PET";K
701 GOTO660
1000 K5=PEEK(X):IFK5=127THENB9=0:B5=B5+5
1001 IFB5>0THENGOSUB600
1002 IFK5=32THENRETURN
1003 IFK5=QTHENB$="A WALL":I9=2:GOTO1020
1004 IFK5=144THENB$="PET":GOTO1020
1010 RETURN
1020 PRINT"  YOU HAVE HIT ";B$;
1021 IFI9=2THENPRINT"*****"
1025 FORA=1TO5
1026 POKE X,170
1030 GOSUB2000
1031 POKE X,42
1035 NEXT
1036 A=23:Q3=Q3+1:IFQ3>1THENQ2=127
1037 X=N
1040 RETURN
1500 IFRND(1)<.5THENQ4=1:GOTO1520
1510 R=40:GOTO2400
1520 R=-40:GOTO2400
1530 IFJ=33430THENR=-1:GOTO2400
1540 IFJ=33386THENR=-1:GOTO2400
1550 IFJ=33460THENR=-1:GOTO2400
1560 IFJ=33380THENR=40:GOTO2400
1570 IFJ=33546THENR=-1:GOTO2400
1580 IFJ=33540THENR=-40:GOTO2400
1590 IFJ=33426THEN1610
1600 GOTO2400
1610 IFRND(1)<.5THENR=-40:GOTO2400
1620 R=-40:GOTO2400
1700 IFRND(1)<.5THENR=40
1710 GOTO2400
2000 IFJ=33176THENR=-1:GOTO2400
2001 IFJ=33456THENQ4=0:R=-40:GOTO2400
2005 IFQ4=1THEN1530
2010 IFJ=33173THENR=-40:GOTO2400
2011 IFJ=33400THEN2080
2012 IFJ=33000THEN2072
2015 IFJ=32952THEN1700
2020 IFJ=32933THENR=1:GOTO2400
2030 IFJ=32945THENR=40:GOTO2400
2060 IFJ=32949THENR=1:GOTO2400
2070 IFJ=32966THENR=40:GOTO2400
2071 GOTO2400
2072 IFJ=33123THENR=40:GOTO2400
2073 IFJ=33065THENR=1:GOTO2400
2074 IFJ=33069THENR=-40:GOTO2400
2075 IFJ=33112THENR=1:GOTO2400
2079 GOTO2400
2080 IFJ=33486THENR=-1:GOTO2400
2085 IFJ=33483THENR=-1:GOTO2400
2092 IFJ=33475THENR5=2:GOTO230
2093 IFJ=33470THEN1500
2094 IFJ=33590THENR=-1:GOTO2400
2095 IFJ=33580THENR=-40:GOTO2400
2096 IFJ=33460THENR=-1:GOTO2400
2100 GOTO2400
2400 J3=J
2410 J=J+R
2415 IFJ=33475THEN2500
2420 IFD=5THENRETURN
2431 GOTO3000
2434 IFJ3=33475THENJ3=33767
2435 POKE J,144:POKE J3,32
2440 RETURN
2500 K=K+1:PRINT"  LAPS-YOU";R4;"PET";K
2510 GOTO2420
2600 PRINT"*****"
2605 PRINT"  LAPS-YOU";R4;"PET";K;"*****":S9=0
2610 GOTO302
3000 IFH<7THEN3030
3010 IFPEEK(X-1)>=86THENR4=R4+1:H=0:PRINT"  LAPS-YOU";R4;"PET";K
3020 IFR4=3THEN3050
3030 IFK=3THEN3070
3035 GOTO2434
3050 IFR4=K-1THEN3080
3060 PRINT"YOU HAVE BEATEN PET":GOTO3100
3070 PRINT"PET HAS BEATEN YOU":GOTO3100
3080 PRINT"YOU AND PET HAVE DRAWN":GOTO3100
3100 IFR4=K-1THEN4000
3110 IFR4=3THEN3140
3120 GOTO4000
3140 D=5:GOSUB2000
3150 V7=V7+1
3160 IFK<3THEN3140
3170 GOTO3910
3910 PRINT"*****"
3915 PRINT"YOU FINISHED ";V7;" PLACES AHEAD OF PET"
4000 PRINT"PRESS SPACE FOR NEXT GO"
4001 CLR
4002 IFPEEK(166)<C>6THEN4002
4010 GOTO5000
5000 CLR
5010 PRINT"IF YOU WANT ANOTHER LOOK AT THE RULES THEN PRESS(R),OTHERWISE";
5020 PRINT"PRESS(N)"
5021 PRINT"IF YOU DO NOT WANT ANOTHER GO THEN PRESS RETURN";
5030 N8=PEEK(166):IFN8=22THEN10145
5035 IFN8=27THEN20000
5037 IFN8=6THEN5030
5040 IFN8=255THEN5030
5000 PRINT"J"
5001 PRINT"*****"
5002 PRINT"          GRAND PRIZ"
5003 PRINT"*****"
10000 PRINT" YOU CAN CONTROL YOUR CAR WITH THE  CONTROLS INDICATED BELOW"
10010 PRINT"          "

```

MICROMART

U.K.101 SOFTWARE "YOU'RE THE BOSS"

The Business Game that lets you control a Company and make all the decisions.
Requires 8K.

£6.95 inclusive of VAT and p.& p.

PET SOFTWARE

We have a range of games and educational programmes on cassette. Write for a free list and see what we can offer you with a "by return service"

Appendek Ltd., 12 Cleeve Close, Astley Cross, Stourport-on-Severn, Worcs.
DY13 0NY

EX EQUIPMENT SALES:

5 to 8 Channel Mechanical Paper Tape Readers made by Kode Ltd. £10.00 each, Carriage £1.50
5 to 8 Channel Paper Tape Punches made by Addo. £15.00 each, Carriage £3.00
Keyboards — Mechanical action with interlock, complete with smart case and control panel — not encoded £7.50 each, Carriage £3.50
Power Supplies — excellent stabilized power supplies made by Weir for Kode Limited. £10.00 each, Carriage £3.50.
Small Electronic Sub assembly Racks with cards containing variety of TTL circuits and BC107 transistors etc. £5.00 each, Carriage £1.50
7 track ½" Magnetic Tape handlers ex Honeywell equipment, ideal for HIFI enthusiasts or fast dump. £20.00 each, Carriage at cost or buyer collects. More details on request.
Technical details are available for all above items.

Write or call VALLDATA SERVICES, 26 High Street, Melksham, Wilts, Tel 0225-705957

ADP USED TELETYPE ASR 33's



V24 INTERFACES ARE STANDARD
ALL UNITS CARRY 30 DAY
RETURN-TO-DEPOT WARRANTY

£250 + VAT

(QUANTITY DISCOUNTS AVAILABLE)

Call or Write to Chris Turner
ADP Network Services Ltd.
179-193 Great Portland Street
London W1. Tele: 01-637 1355

SEE THE VERY LATEST

SHARP-PC3200

MZ-80K

BUSINESS SYSTEM
48K — £1720+VAT
FULL SOFTWARE
SUPPORT

NASCOM * NORTH STAR
PC1211 + PRINTER
NOW IN STOCK!

BOOKS * SOFTWARE * GAMES
PHONE CHRIS ROBINSON
C.J.R. IPSWICH (0473) 50152

MICROTEK
15 LOWER BROOK ST. IPSWICH LTD

PROGRAMS

```

2850 IF JS=13 THEN J=JS-3
2860 IF JS=1 OR JS=2 OR JS=4 OR JS=7 OR JS=9 OR JS=10 OR JS=14 THEN GOSUB 1440
2870 IF JS=3 OR JS=11 THEN GOSUB 1630
2880 IF JS=5 OR JS=15 THEN GOSUB 1530
2890 IF JS=6 THEN GOSUB 1830
2900 IF JS=9 THEN GOSUB 1720
2910 IF JS=12 THEN GOSUB 1890
2920 IF JS=13 THEN GOSUB 1970
2930 N1=CHR$(188)+STRING$(4,140)+CHR$(188)
2940 N2=PA+PB+PC+PD
2950 N3=PE+PF+PG+PH
2960 PRINT@N1;
2970 PRINT@N2;
2980 PRINT@N3;
2990 PRINT@N4;
3000 GOSUB 3490
3020 JN=JN+1:IF JS=JN THEN 3710
3030 GOTO 3070
3050 IF JN=15 THEN 3880 ELSE 3360
3070 R=RND(15):F=RND(15)
3080 RF=INT((R+F)/2)
3090 IF RF=0 JS THEN 3150
3100 FA=FA+3
3110 ON I GOSUB 2440,2430,2460,2450:GOSUB 3490:GOSUB 3490
3120 ON I GOSUB 2440,2430,2460,2450:GOSUB 3490:GOSUB 3490
3130 JN=JN+1:CLS:PRINTCHR$(23)
3135 PRINT@N4,"YOUR HORSE JUST REFUSED."
3140 FOR K=1 TO 750:NEXT K:GOTO 3790
3150 FOR A=60 TO 65
3160 FOR B=0 TO 2
3170 SET(A,B)
3180 NEXT B,A
3190 FOR K=1 TO 50
3200 I1=INKEY$:IF I1="" THEN 3220
3210 GOTO 3250
3220 NEXT K
3230 GOTO 3300
3250 I1=VAL(I1)
3260 IF I1=JP(J) THEN R=RND(10)-1 ELSE 3300
3270 IF R=9 THEN R=1 ELSE R=0
3280 J=JP(J)+R:IF I1=J THEN 3050
3300 FA=FA+4:CLS:PRINTCHR$(23)
3310 PRINT@N4,"YOU DID NOT CLEAR"
3320 PRINT"THE JUMP."
3330 FOR K=1 TO 500:NEXT K
3340 GOTO 3790
3360 ON I GOSUB 2430,2440,2450,2460
3370 ON I GOSUB 2430,2440,2450,2460
3380 GOSUB 3490:GOSUB 2170:GOSUB 3510
3390 I1=INKEY$:IF I1="" THEN GOSUB 3490:GOSUB 3510:GOTO 3420
3400 SET(X,Y)
3410 I=(ASC(I1)+3)+1
3420 ON I GOSUB 2430,2440,2450,2460
3440 RESET(X1,Y1):IF POINT(X,Y)=0 THEN 3480
3450 X=X1:Y=Y1
3460 ON I GOSUB 2440,2430,2460,2450
3470 GOTO 3440
3480 SET(X,Y):GOTO 3525
3490 C2=C2+.01:IF C2=.59 THEN C1=C1+1:C2=.00
3500 CL=C1+C2:RETURN
3510 PRINT@N6,"FAULTS:"FA:


3520 PRINT@N7,"CLUCK:"PRINTUSING$(1,10);CL:PRINT
3525 IF Y=32 AND (X)111 AND X(118) THEN JS=1:GOTO 2820
3530 IF Y=23 AND (X)111 AND X(118) THEN JS=2:GOTO 2820
3540 IF Y=14 AND (X)111 AND X(118) THEN JS=3:GOTO 2820
3550 IF X=100 AND (Y)3 AND Y(7) THEN JS=4:GOTO 2820
3560 IF X=96 AND (Y)3 AND Y(7) THEN JS=5:GOTO 2820
3570 IF X=60 AND (Y)3 AND Y(7) THEN JS=6:GOTO 2820
3580 IF X=60 AND (Y)3 AND Y(7) THEN JS=7:GOTO 2820
3590 IF Y=15 AND (X)29 AND X(36) THEN JS=8:GOTO 2820
3600 IF Y=24 AND (X)29 AND X(36) THEN JS=9:GOTO 2820
3610 IF Y=35 AND (X)67 AND X(74) THEN JS=10:GOTO 2820
3620 IF Y=23 AND (X)67 AND X(74) THEN JS=11:GOTO 2820
3630 IF Y=6 AND (X)9 AND X(16) THEN JS=12:GOTO 2820
3640 IF Y=15 AND (X)9 AND X(16) THEN JS=13:GOTO 2820
3650 IF Y=21 AND (X)9 AND X(16) THEN JS=14:GOTO 2820
3660 IF Y=33 AND (X)9 AND X(16) THEN JS=15:GOTO 2820
3670 GOSUB 3490:GOSUB 3510:I1=INKEY$:IF I1="" THEN 3420
3680 GOTO 3410
3710 CLS:PRINTCHR$(23)
3720 PRINT:PRINT:PRINT"YOU HAVE BEEN"
3730 PRINT:PRINT"DISQUALIFIED"
3740 PRINT"*****"
3750 PRINT:PRINT"FOR TAKING A JUMP"
3760 PRINT"OUT OF ORDER."
3765 FOR K=1 TO 1000:NEXT K
3770 GOTO 4030
3780 CLS:PRINTCHR$(23)
3800 PRINT:PRINT:PRINT"YOU HAVE JUST COLLECTED"
3810 PRINTSOME FAULTS."
3820 PRINT:PRINT:PRINT"DO YOU WANT TO"
3830 INPUT"RETIRE (Y/N) "RT$
3840 IF RT$="Y" THEN 3950
3850 IF RT$="N" THEN 3050
3860 GOTO 3820
3880 CLS
3890 PRINT@N3,F1$
3900 PRINT@N4,F2$
3910 PRINT@N5,F3$
3920 PRINT@N6,F4$
3930 FOR K=1 TO 1000:NEXT K
3940 GOTO 4030
3950 CLS:PRINTCHR$(23)
3970 PRINT@N4,"YOU HAVE"
3980 PRINT@N5,"SIGNALLED"
3990 PRINT@N6,"YOUR RETIREMENT"
4000 PRINT@N7,"*****"
4010 FOR K=1 TO 750:NEXT K
4030 CLS:PRINTCHR$(23)
4040 PRINT@N3,"RESULT FOR"
4050 PRINT" "H$(C):PRINT" RIDDEN BY:"PRINT" "I$(C):PRINT
4060 IF RT$="Y" THEN PRINT" RETIRED":FA=100:GOTO 4090
4070 IF JS=JN THEN PRINT" DISQUALIFIED":FA=100:GOTO 4090
4080 PRINTFA:"FAULTS. TIME":CL
4090 FOR K=1 TO 2000:NEXT K
4100 RT$=""
4110 V=1
4120 FA(C)=FA:CL(C)=CL
4130 FOR K=1 TO C
4140 IF FA(V)=FA(K) THEN IF CL(V)=CL(K) THEN V=K
4150 IF FA(V)=FA(K) THEN V=K
4160 NEXT K
4170 IF C=N THEN 4250
4180 CLS:PRINTCHR$(23)
4200 PRINT@N3,"BEST RESULT SO FAR:"IF FA(V)=100 THEN PRINT" DISQUALIFIED OR R

```

MICROMART

BIG EARS

**SPEECH
INPUT
FOR
YOUR
COMPUTER!**



BIG EARS opens the door to direct man-machine communication. The system comprises analogue frequency separation filters, preamps and signal conversion, together with a quality microphone and extensive software.

Words, in any language, are stored as "voice-prints" by simply repeating them a few times in "learn" mode. Using keyword selection techniques, large vocabularies can be constructed.

Use **BIG EARS** as a front end for any application: data enquiry, robot control, starwars — the possibilities are unlimited...

BUILT, TESTED & GUARANTEED ONLY £45!

PRICE INCLUDES POSTAGE & PACKING. PLEASE ADD VAT AT 15%
PLEASE STATE COMPUTER: UK101, SUPERBOARD, NASCOM2,
PET, TRS80, ETC.

MICROGRAPHICS

Colour Conversion for
UK101/NASCOM 1 & 2/ Superboard.
(Modulator included)

**KIT £45
BUILT £60**

COLOUR MODULATOR

RGB in, PAL/UHF out

**KIT £12
BUILT £18**

Please add VAT at 15% to all prices
Barclay/Access orders accepted on telephone

**WILLIAM
STUART
SYSTEMS Ltd**

Dover House, Billericay Road,
Herongate, Brentwood,
Essex CM13 3SD.
Telephone: Brentwood (0277) 810244

VIDEO GENIE



**£344 VAT paid
Everything included
Fully tested and run, and with full
cassette modification**

TOM CROSSLEY

B.Sc., M.I. Mech. E, Engineer
Sutton Springs Wood, Chesterfield,
S44 5XF
(0246) 850357 Ext. 10

APPLE & ITT 2020 BUSINESS SOFTWARE

Professionally written packages now available with comprehensive manuals, built-in validity checks, interactive enquiry facilities, user options, satisfying accountancy, Inland Revenue and Customs & Excise requirements. On diskette under DOS 3.2 in Applesoft with SPACE utility. Not adaptations. Written for Apple System. Support all printer interfaces. Sales, Purchases and General Ledgers £295.00 each. Manual only £3. Payroll £375. Manual only £4. General Ledger supports Incomplete Records, Job Costing, Branch and Consolidated Accounts, etc. General Ledger Applications Manual £10. Prices exclusive of V.A.T. From our shop or your nearest stockist.

COMPUTECH SYSTEMS

168 Finchley Road, London NW3,
Tel: 01-794 0202

MICROMART

PET!

Contact PI-LOK Systems Ltd for all your software needs.

Send s.a.e. for list of currently available programs.

We also provide programming support for IBM370, IBM3790 and WANG2200.

313 Bury and Rochdale Old Road,
Heywood, LANCs. O110 4GN.
Telephone 0706-69693 (Ansafone)

COMPUTERCLUB

FREE details of independent advice and experience as well as discounts on a wide range of computer hardware, software, suppliers, etc.

Send large SAE to Dept PCW,
COMPUTERCLUB, 42 Great
Windmill Street, London
W1V 7PA

MINIDISK DRIVES 40 Track
SA400 Compatable but only 21/4
inches wide! Ex new equipment
and completely re-tested with
three month guarantee.
Limited quantity available at
£130.00 +£2.50 carriage +VAT
Total price £158.38
Send SAE for details to:
Disks, 12a Millfield Lane, London,
N6 6JD

MINE OF INFORMATION LTD

1 FRANCIS AVENUE,
ST ALBANS AL3 6BL
ENGLAND
Phone: 0727 52801
Telex: 925 859

MICROCOMPUTER CONSULTANCY & BOOK SELLERS

PART-TIME FROM HOME

PASCAL

MICRO PROGRAMMING
SMALL BUSINESS
APPLICATIONS
TEL 01-989 0430

PROGRAMS

```

10020 PRINT"I
10021 PRINT"
10025 PRINT"UP
10030 FORA=1TO4
10040 PRINT"
10050 NEXT
10060 PRINT" 2
10070 PRINT"DOWN
10071 PRINT
10080 PRINT"PET WILL CONTROL HIS OWN CAR.YOU CANNOT HIT ANY WALLS(#####)";
10090 PRINT"IF YOU DO,PET WILL ADVANCE 5 PLACES.YOU HAVE 3 LAPS TO DO ";
10100 PRINT"YOU START AND FINISH ON THIS LINE (XXXX) .DO NOT MOVE RIGHT ON ";
10110 PRINT"THESE LINES(#####)";
10120 PRINT"YOUR CAR IS(*),AND PETS IS (P)";
10130 GOTO10200
10145 PRINT"WHAT STANDARD OF TRACK DO YOU WANT?,HARD(H),MEDIUM(M),OR EASY(E)?"
10147 GETT$
10148 IFT$="H"THEN5
10149 IFT$="M"THEN5
10150 IFT$="E"THEN5
10170 GOTO10147
10200 PRINT"FOR MORE RULES PRESS SPACE";
10201 IFPEEK(166)=255THEN10201
10210 PRINT"IF YOU HIT THE WALLS MORE THAN TWICE";
10220 PRINT" THEN YOU WILL LEAVE AN OIL TRAIL BEHIND";
10230 PRINT"IF YOU HIT THIS TRAIL THEN YOU WILL LOSE";
10240 PRINT"CONTROL OF YOUR VEHICLE FOR 5"
10250 PRINT"MOVES"
10880 PRINT"TO START PRESS RETURN";
10890 IFPEEK(166)O27THEN10890
10900 GOTO10145
11000 IFXO33322THEN360
11010 IFXO33326THEN360
11020 D=0:GOTO360
20000 END
    
```

Listing courtesy of Eurocalc Ltd

PET Aircraft Landing

by K Bywater

This program is for either new or old slope, adjusting its speed and height to ROM PETs and will fit into 8k. You avoid stalling, landing too soon or over- have to fly the aircraft down the glide- shooting.

```

5 UF=0:U=1:Z=0:D=1:M=20
10 A$="#####"
15 D1$="#####CL$="#####
20 D1$=D1$+"#####
25 B$=A$+"#####
30 D1$=100:SQ(1)=120:SQ(2)=124:SQ(3)=126:IFQT=1THEN50
35 PRINT"*****PRESS * FOR INSTRUCTIONS. IF NOT, THENPRESS ANY OTHER KEY."
40 GETK:IFK$=""THEN40
45 IFR$="*"THENGOSUB10000
50 PRINT"IN"
55 PRINT"
60 PRINT"
65 PRINT"
70 PRINT"
75 PRINT"
80 PRINT"
85 PRINT"
90 PRINT"
100 PRINT"
110 PRINT"
120 PRINT"
135 PRINT"*****INSTRUMENT PANEL*****"
140 PRINT"*****
145 PRINT"*****
200 FA=0:H=1000:AS=150:AG=0:EF=1:EP=3000
220 GOSUB5000
240 GOSUB2000:AG=AG+AF
241 IFR$=1THENHD=HD+1:IFXD<7THEN243
242 IFR$=120ANDSA=1THENSA=0:XD=0
243 IFR$=1THENPRINTD1$"YOU ARE STALLING"
245 EF=EP+(EF*341):IFEP>10000THENEP=10000
246 IFEPCOTHENEP=0
247 IFUF=1ANDSA=1THENUF=0:Z=1
248 IFZ=1ANDSA=1THENZ=0:Z1=1
249 TF=1.5*(EP*2):AS=20+(UF=1)*20+(Z=1)*175-(FA*3)-19*SIN(AG*PI/180)*M
250 IFZ=1THENUF=1:Z=0
251 IFZ1=1THENZ=1:Z1=0
252 AS=AS+INT(10*TF/M)/10
253 IFR$=1THENH=H-(T*22):AS=1:SA=1
260 HD=HD+INT(COS(AG*PI/180)*AS+.5)
280 IFR$=177ANDFAOANDAS<210THENPRINTD1$"SPEED TOO GREAT FOR FLAPS!"
320 IFR$=177ANDFAOANDAS<1THENL=L*(FA*2)
325 IFC=1ORC=2THENFORI=33649TO33664:POKEI,32:NEXT
326 IFC=2THEN360
335 IFR$=218ANDFAO0THENC=1
340 IFC=1THENPRINTD1$"FLAPS & WINGS TORN OFF!"
360 IFC=1ORC=2THENAG=AG-5
365 IFR$=1THENGOSUB6000:GOTO400
380 L=L+(SIN(FA*PI/180))*45*(1-SIN(AS*PI/180))
400 H=H+INT((AS*SIN(AG*PI/180)+L*COS(AG*PI/180))
420 GOSUB5200
425 IFR$=1900THENPOKEPV,32:GOTO644
430 IFR$=33970THEN7105
440 H=HD/900:Y=((1950-H)/150)
460 IFINT(X)=INT(X+.5)THENX=INT(X):GOTO500
480 N=INT(X)+.5
500 IFINT(Y)=INT(Y+.5)THENY=INT(Y):GOTO540
520 Y=INT(Y)+.5
540 QS=0:IFX=INT(X)THENGQS=QS+1
    
```


oscillator chip that produces the 12 semitones of the chromatic scale, at a very high frequency or pitch; (2) divider chips that reproduce any input tone at successively lower pitches, commonly up to eight; (3) the chord generator chip that produces a minor or major chord from any keynote input and (4) a rhythm generator chip able to trigger up to 12 instruments at once in any one of a number of named rhythms (see Figure 18).

In the longer term the voice-reproducing capability of the sound generator chip has enormous potential in the education of the slow reader, the blind, or the child not yet able to read.

Since a microphone is an analogue device, it is clear that coupling it to a computer through an A/D converter opens up some interesting possibilities and already circuits are available that allow the human user to instruct his computer through voice alone. Couple that with the previous device and you have a fully-interactive situation with the computer and user talking to each other in the most literal sense. As yet the vocabulary that the computer understands is generally limited to Basic commands, but with careful programming, more can be added. That class exercise with a child playing the role of Fred becomes more important with every passing day.

Transducers

According to my Penguin Electronics Dictionary, a transducer is any device for changing energy in one wave-form to energy in another wave-form, taking 'wave' in its widest possible sense. Now wave-form energy at its lowest possible frequency is undiscernible movement. As frequency increases it goes on to visible movement, sound, heat, infrared, visible light, ultra-violet, X-rays, radio and electricity. Therefore, a transducer is a device for changing any of these to any other — including any that I may have missed out. The transducers with which we are most concerned at the moment are those that effect changes to or from electricity, such as a microphone or loudspeaker. It would be a good idea to have older students write down as many transducers as they

can think of in a given time — say 15 minutes. Table 3 is the result of my attempt at this exercise. It is of course by no means exhaustive and readers are invited to add to it.

The point to ponder is that the electrical side of any transducer can and probably will be connected to a micro or computer. Dwell on it for a while. Muse on it while waiting for a bus, or in the bath. Pick one or two at random and think of the possibilities, the implications and the problems. It can almost be guaranteed that no matter how way-out your ideas, someone will have thought of them before you and will be working to make them practical and commercial propositions.

Some combinations with the computer at first glance seem to be absurd. Connect an aerial to a computer? Whatever for? Yet for some years now the BBC have broadcast extremely accurate time information from their transmitter at Rugby. So, couple a micro to an aerial and your home computer has access to real-time information. Then there are the Viewdata systems — pages and pages of information receivable on any TV set with suitable modifications. Several manufacturers retail their home computers with an added board to receive Viewdata. These computers not only receive the news but are able to do something about it! Then in that home of popular computing — California — there is already at least one radio station dedicated to micros, transmitting information to be received and stored by home computers.

Look for the unusual. Television cameras are dirt cheap compared to what they were ten years ago, but the amateur has so far hardly used them at all. Even commercial and industrial users seem to confine their use to the reduction of pilfering. Yet even as I write, the Japanese are working on what is essentially a battery-powered TV camera in which the 'film' is a computer memory. Plug it into the TV when you get home.

the exact figures.

It is very helpful to the operator — and saves a lot of wasted paper — if you make sure that the programmer builds in a halt before starting on a bit of printing, or even prints a dummy line first, so that the paper alignment can be checked.

Next month

So far, I have tried to cover all those parts of the program specification that refer to what goes on outside the machine. If you can think of anything else that is going to be happening on your machine in terms of input or output, make sure that your programmer knows about it. In a large main-frame computer set-up, this would have to be done formally, but better results can be achieved in the micro situation by user and programmer chatting about them, but more of that anon. Next month I shall continue with those parts of the program specification that refer to things going on inside the machine — Processes and Files.

SECRETS OF SYSTEMS ANALYSIS

PART 7: THE FIRST STAGE IN SPECIFYING A PROGRAM

Continued from page 67

sprocket holes and perforations. Many printers cannot deal with the type of multipart stationery that is commonly used in offices. Of course, you bore these limitations in mind when choosing your printer and discussed them with your stationer.

Typewriters have another useful facility which does not occur on a standard printer: the margin release. If you have an 80-column printer, you are stuck with 80 columns and cannot go any nearer to the edge of the page than that. There may well be a standard page length, too, so that you cannot go right to the top or bottom of the page. Your supplier will have

MICROMART

NASCOM GRAPHICS


VERY HIGH RESOLUTION FOR NASCOM 2

380 x 220 individually addressable points

FEATURES:

- * fully bit mapped from dynamic RAM
- * software controlled
- * software supplied for point-plot, line-draw, block-shading and display control
- * mixed text and graphics
- * real time plotting from ASSEMBLER
- * real time plotting from BASIC with NAS-SYS-3
- * BASIC plot-then-display with other monitors
- * display size variable to suit memory available (approx 10k reqd. for full screen)
- * professional double-sided PCB
- * built & fully tested with plug, socket and cable
- * comprehensive documentation with full instructions for simple installation.

Price including p&p... £55 + 15% VAT

 **ie systems ltd.**

6 Laleham Ave, Mill Hill, London NW7 3HL
TEL: 01 959 0106

VETS FOR PETS

Anita Electronic Services (London) Ltd. are specialists in the repair and service of Commodore Pets.

We offer a fast on-site service, or alternatively repairs can be carried out at our workshops should you wish to bring in your Pet.

Pet maintenance contracts are available at very competitive prices. Trade inquiries welcomed.

For further information, tel or write to:

John Meade

Anita Electronic Services

15 Clerkenwell Close, London EC1
01-253 2444

We also specialise in the repair of all makes of office equipment.

A family of high level languages from RHA (Minisystems) Ltd.

ALGOL-60, the language from which PASCAL is derived. A mature implementation with comprehensive operating system and machine code interfaces.

SYSTEM-ALGOL, the subset of Algol-60 in which all the compilers are written. Compiled code is shorter, execution faster.

Z80 based CP/M systems including TRS80
RML Algol-60, includes the option of 32 bit integers instead of floating point. About 7 times faster than TRS80 level II BASIC, speed comparable with Micro-soft Fortran. Document £10, system £99+VAT. System-Algol £50+VAT, free leaflet.

PDP11 with RT-11, RSTS, RSX or IAS and PDP8 with OS/8 or stand alone

Complete package including both compilers in machine readable source form £250+VAT. Documents only £10.

The author of the compilers is available as a consultant.

83 Gidley Way, Horspath, Oxford OX9 1TQ
(08677) 3625)

MICROMART

Sinclair ZX80 SOFTWARE

HANGMAN	PONTOON
OTHELLO	LUNAR LAND
STARSHIP	AWARI
ADVENTURE	SOLITAIRE
HEXAPAWN	DRAUGHTS

Send a large sae for the
NEW CATALOGUE

CDS MICRO SYSTEMS
10 Westfield Close, Tickhill
Doncaster DN11 9LA
Mail Order Only

Marick UK101 Software on tape

8K: Quest for the Golden Crown £5.50.
An adventure game — with graphics —
for the UK101. Search through the
Labyrinth for the Golden Crown and othe
other treasures hidden within, but beware
of the Guardians!

Our other popular programs:

£3.00 each or £2.50 each for 2 or more.
8K: Nuclear Holocaust 8K; Home Finance
8K: Asteroid Runner 5K: Space Descender
4K: Alien Invaders 4K: UK101 Breakout
4K: Snakes & Ladders 4K: Fruit Machine
4K: The MymYgame 4K: Drawing Machine

UK101 Hardware

Build our sound unit and bring amazing
sounds to your programs. We supply P.C.B.
Manual describing Software and Hardware,
Construction details and software on tape
for only £9.50.

Cheques, PO or SAE for details to:
Marick Department 21,
1 Branksome Close, Paignton, Devon
TQ3 1EA.

*Special Offer: Snakes and Ladders and
MymYgame only £4.00

DELTA SYSTEMS LTD

Agents for DYNACOMP SOFTWARE
PET, APPLE II Plus, TRS 80 (Level II).

BRIDGE 2.0	£7.50	(TRS-80 only)	
Hearts 1.5	£6.25	Data	
Cribbage	£6.25	Smoother	£6.25
(TRS-80 Only)		Fourier	
Chessmaster	£8.30	Analyzer	£6.25
(TRS-80 Only)		Transfer	
Startrek 3.2	£4.00	Function	£8.30
Space Tilt	£4.50	Regression I & II	£8.30
(Apple only)		Black Hole	£6.25
Games Pack 1	£4.00	(Apple only)	
Games Pack 2	£4.00	Valdez	£6.25
Graphix	£5.50	Flight	
(TRS-80 Only)		Simulator	£6.25
Tidy	£4.50	Text Editor	£6.25

All programs on tape with
superb documentation.

VAT extra. Postage 20p.

Send for full detailed list.

32 Finch Road, Douglas, Isle of Man.
0624 27522

To advertise in
MICROMART

Please ring Jacquie Hancock
on 01-631 1682

PATTERNS

Continued from page 123

I hope you will implement this generalised program on your own machine. It will probably be easier with program A, but either of mine or a new version of your own may be used. This will allow you to solve the following puzzle that I will leave with you till next month.

The largest number of moves needed to get from any square to any other on a 4 x 5 board is four. What is the smallest square board on which five moves are needed to get from any square to any other? And then the same problem for six moves, and for as many more cases as you and your computer care to run.

Next month I shall be writing about a game that is a cross between chess and battleships. Each player moves a Queen (or other chess piece) round a board that the other player cannot see, trying to land on or at least pass through the square that the opponent's piece is on. Without further information that would be blind man's buff. But you are told where the other player was before the last move, as well as when a hit or a pass has been made. Try it.

MICRO MUSIC MAKING

Continued from page 89

mind and the eyes rebel after a while. Nascom's mode of entering machining code, where you can just enter one byte after another without having to step the cursor in eight places for each new line, is much easier.

The start of the toccata is a fast, rising octave scale in D major. With an instrument such as a harpsichord, the decay of each note continues after the next one has been struck, so I arranged to 'strike' each of the first four notes using voices one to four in mode one in turn, sustaining the ones that had been sounded. I had to come back to voice one after this and repeat the technique, but the effect of sustaining over four notes was quite pleasing. I used mode two to get a louder note at the bar line, and mode three to get a still louder effect for the next section, again with

good effect.

I have not been able to try out as many things as I would like, owing to editorial deadlines, but have done enough to convince myself that the MTU software provides a very powerful and versatile system, marred slightly by noise and limited frequency range in the sound, and by the complexity of writing a musical score in hex code. I look forward to the human interface which will overcome the last. Musicians would, of course, prefer to use a conventional piano keyboard for entry, but this would add considerably to the cost. And, a practical point, couldn't the booklet be decently bound with a spiral, instead of being stapled at one corner and punched with three holes for which you can't get an American ring binder?

Acknowledgements to the City University Microprocessor Laboratory, for the loan of a PET 3032.

TAKING THE LID OFF UNIX

Continued from page 63

but we have tried to look at Unix from the points of view of several sorts of users. At system programmer level the Unix system is wide-open, having been written in C and having commands and system calls which make accessible most of the system information and operations. This provides a particularly hospitable working environment for system programmers and, in consequence, it is probably within this group that Unix finds its most ardent admirers.

For the applications programmer, Unix provides a flexible and efficient interface to its development tools

although the commands are a bit curt for many tastes. On a busy system where many users are making demands on the system resources (although not necessarily simultaneously) some sort of housekeeping routines, as well as good accounting and rationing procedures, would have to be developed. On an educational system where new programmers are being introduced to programming and don't need to be confused by having to learn the operating system as well, a subset of the commands with some more obvious names would probably be an advantage. However, as the students gained familiarity with the system, Unix may become vulnerable to the 'malicious junkie' syndrome sooner than other, more restrictive operating systems might. Finally, for the commercial systems developer, Unix affords a straightforward mechanism for implementing a reliable, multi-user turnkey system.

BLUDNERS

Last month's 'Greenfingers' program has been causing consternation among PET aficionados. Rumour has it that POKE-ing 59458 causes an internal conflict in PET resulting (sometimes) in chip damage. We spoke to the program's writer who tells us that he uses it without problems. He also tells us that Commodore used to market the program on his behalf. You have been warned.

Sheridan Williams mentioned that to convert from an old ROM to new ROM involves the substitution of a single chip. In fact, depending on your precise model, four or seven chips are involved. Hence the price of £38 plus VAT.

Last month we announced the winners of a 'Printer Survey' — it should, of course, have been Reader Survey.


NEW

the incredible **BIGBOARD** Single Board Computer

**Z-80 CPU! 64K RAM! FLOPPY
DISK CONTROLLER! 24x80VDU!
PFM 3.3 2K SYSTEM MONITOR!**

**ALL THIS ON ONE
BOARD COMPLETELY
ASSEMBLED AND
TESTED AND JUST**

£450! plus £5
p&p and
VAT



(measuring just 8 1/2" x 18 3/4")

Buy in confidence! Full technical back-up provided in UK

Requires + 5V @ 3 Amps +/- 12V @ 0.5 Amps.

**Twice as much on ONE BOARD
at around HALF THE PRICE!**

Three years' development went into BigBoard, designed from scratch to run the latest version of CP/M, so just imagine what software you could run WITH NO MODS! Add a couple of 8" Disk Drives, a Video Monitor and Keyboard, an enclosure and the Power Supply option – and you've got a complete business system for about ONE THIRD the COST!

That's what BigBoard can offer – flexibility, power, and incredible economy! Send for your BigBoard TODAY!

YOU GET ALL THESE ON A SINGLE BOARD

64K RAM	That's full 64K of RAM using industry-standard 4116s. All 64K is available to the user, (video and EPROM sections do not make holes in it, for example), and extra special care has been taken to ensure that the RAM array PC layout eliminates potential noise and malfunction.	80 x 24 Character Video	Gives a crisp, flicker-free, sharp display even on the smallest monitors. Hardware scroll, full cursor controls, composite or split video and sync. The character set is supplied on a 2716 style ROM (makes customised fonts that much easier!), and sync. pulses can be any desired length or polarity. Video can be inverted or true Memory-mapped VDU.
Z-80 CPU	Handles all 4116 RAM refresh and supports all MODE 2 INTERRUPTS. Fully buffered, the Z-80 runs all 8080 software.	Standard I/O	A separate parallel port (Z80 P10) for use with an ASCII encoded keyboard for input. Output on the 80 x 24 character video display.
Floppy Disk Controller	Uses the WD1771 controller chip with TTL Data Separator for reliability. IBM 3740 compatible, it will support up to four 8" drives and is directly compatible with standard Sugart drives such as the SA800 or SA801. Drives can also be configured for remote AC off-on. Runs CP/M 2.2.	PFM 3.3 2K System Monitor	The on-board PFM 3.3 is the real power behind the BigBoard. PFM commands include Dump Memory, Boot CP/M, Copy, Examine, Fill Memory, Test Memory, Go To, Read and Write I/O Ports, Disk Read (Drive, Track, Sector) and Search. But, PFM occupies one of the four 2716 EPROMs, so it doesn't occupy any of the 64K of usable RAM!

PLUS THESE OPTIONS ON THE BOARD AS WELL

Serial I/O	Full 2 channels using the Z-80 S10 and the SMC 8116 Baud Rate Generator. You get FULL RS232C! For synchronous or asynchronous communication, and clocks can be transmitted or received by a modem in the former. Both channels can be set up for either data communication or data terminals. Supports mode 2 Int. PRICE JUST £70 (inc. p&p)
Two Port Parallel I/O	Uses Z-80 P10 to give full 16 bits, fully buffered and bi-directional. User selectable hand-shake polarity. ONLY £35 (inc. p&p)
Real Time Clock	Uses Z-80 CTC and can be configured as a counter on Real Time Clock. ONLY £22 (inc. p&p)
CP/M 2.2	The popular CP/M D.O.S. as modified by Micronix Systems to run on the BigBoard is just £99 (inc. p&p)
Power Supply	Complete assembled and cased £60 (£2 p&p)

Please send me _____ completely assembled and tested BigBoards at **£523.25 (inc. £5 INSURED DELIVERY and £68.25 VAT)** each, total £_____

_____ Serial I/O at **£80.50 (inc. £10.50 VAT)** each, total £_____

_____ Two Port Parallel I/O at **£40.25 (inc. £5.25 VAT)** each, total £_____

_____ Real Time Clock/s at **£25.30 (inc. £3.30 VAT)** each, total £_____

_____ CP/M 2.2 at **£113.85 (inc. £14.85 VAT)** each, total £_____

_____ Completely assembled and cased Power Supply/ies at **£71.30 (inc. £2 p&p and £9.30 VAT)** each, total £_____

Complete with technical Manuals

I enclose cheque for £_____
or PAY BY ACCESS, giving card number and signature.

ME

Maclin-Zand
Making state-of-the-art affordable.

Cheques payable to Maclin-Zand Electronics Ltd., please. Cash with order.

Name _____

ACCESS NO _____

Address _____

Signature _____

Sole European Distributor.
Distributors wanted for UK and Europe
Maclin-Zand Electronics Limited,
38 Mount Pleasant, London WC1X 0AP.
Tel: 01-837 1165/01-278 7369 Telex 8953084 MACLIN G.

PCW03

IF YOU WANT TO BE CONVERTED... READ ON

FAST 12 BIT A/D AND D/A CONVERTERS FOR A VARIETY OF MICROS:

FOR APPLE LOM 10

- * 16 SINGLE ENDED OR 8 DIFFERENTIAL INPUTS
 - * 30 KHZ DATA THROUGHOUT
 - * INPUT RANGES $\pm 10V$, $\pm 5V$, $0-5V$, $0-10V$
 - * EXTERNAL TRIGGER UNDER SOFTWARE CONTROL
 - * A/D's CAN BE SYNCHRONISED.
- £375.00

FOR S100 LOM 11

- * AS FOR APPLE, PLUS POWERFUL TIMER
 - * EVENT TIMER, TIME OF DAY, AUTO INTERRUPT ETC.
 - * AUTOCHANNEL INCREMENTING.
- £495.00

D/A

FOR ANY MICRO WITH DUAL PARALLEL I/O PORT (380Z, ETC)

12 BIT A/D WITH 20 MICROSEC DATA THROUGHPUT - LOM 30

- * GIVES 8 CHANNELS ON APPLE WITH CCS DUAL PARALLEL I/O CARD
 - * GIVES 4 CHANNELS ON 380Z, ETC.
 - * INPUT RANGES $0-1V$, $0-5V$, $0-10V$, SWITCH SELECTABLE
 - * A/D STANDS OUTSIDE COMPUTER FOR GREATER STABILITY
 - * OWN INDEPENDENT POWER SUPPLY.
- £295.00

FOR APPLE LOM 20

- * 2 INDEPENDENT D/A's
 - * 3 MICROSEC SETTLING TIME
 - * 8 BIT PARALLEL PORT FOR PEN DOWN, ETC.
 - * OUTPUT RANGES $\pm 2.5V$, $\pm 5V$, $\pm 10V$, $0-5V$, $0-10V$.
- £255.00

FOR S100 LOM 21

- * 4 INDEPENDENT D/A's
 - * 3 MICROSEC SETTLING TIME
 - * OUTPUT RANGES $\pm 2.5V$, $\pm 5V$, $\pm 10V$, $0-5V$, $0-10V$.
- £275.00

PRICES FOR COMPLETE APPLE, ALTOS, AND S100 SYSTEMS (PLUS SOFTWARE)
ON APPLICATION ALL PRICES EXCLUSIVE OF V.A.T. INCLUSIVE OF POST AND
PACKING CASH WITH ORDER

LOMBARDY COMPUTERS

121, HIGH STREET, BERKHAMSTED, HERTS HP4 2DJ. TEL (04427) 4247

Try us!

2732	450ns	£12.60
2716	450ns	£ 4.50
2708	450ns	£ 3.50
2114	300ns	£ 2.46
2114	450ns	£ 2.50
16K DRAM	200ns	£ 2.50

5101		£ 1.25	74LS09	£0.15
8216		£ 1.33	74LS90	£0.35
5623	40ns	£ 1.42	74LS163	£0.67
2 x 8 CMOS SRAM	150ns	£23.50	74LS174	£0.44
7404		£ 0.15	74LS175	£0.44
74175		£ 0.46	74LS257	£0.50
4049		£ 0.21	4001	£0.16
			4011	£0.16

Please add 50p for postage and packing for orders under £50.00. Prices include VAT. Minimum order £15.00.

Calona Limited

Third Floor Broadway House 112-134 The Broadway
Wimbledon London SW19 1RH
Telephone 01-543 1008 Telex 923416 CLNLDN G

MICROS MEMORIES TTL's & INTERFACE DEVICES

Z80	£6.50	6800	£6.00	6502	£6.50
Z80A	£8.50	6802	£8.50	8080A	£4.50
8085A	£11.00	6809	£16.00	2650A	£16.00

LARGE RANGE OF PERIPHERAL DEVICES AVAILABLE.

SPECIAL OFFERS

	1-24	25-99	100
2114L-450ns	£2.00	£1.80	£1.60
2708	£3.90	£3.60	£3.40
2716 (+5v)	£5.00	£4.50	£4.00
2732 (+5v)	£15.00	£12.00	£10.00
4116L-200ns	£2.00	£1.80	£1.60

Please add P&P 40p and VAT at 15%

TECHNOMATIC LIMITED

Retail Shops:

17 Burnley Road,
London NW10

367 Edgware Rd., W2

Mail Order

17 Burnley Road,
London NW10

Tel: 01-452 1500/

450-6597

Telex 922800



TRITON — TUSCAN

WE — SUPPLY any TRITON or TUSCAN system. Built, customised or in kit form.

WE — ADVISE and can write any business suites based on these systems.

WE — PROVIDE Standard Suites for Estate Agents, Insurance Agents, Business Accounting and Word Processing.

KIT ENHANCEMENTS FOR TRITON

- VDU RAM Peek, Reverse Display, Screen Antiflash, Bleeper. REF. 502/1 **£23.00**
- FOLLOWING PLUG DIRECT INTO MOTHERBOARD (On D/S. PCB) — NO MESSY CABLEFORMS
- 2708 EPROM Programmer. (L7.2 & L8.2 Monitor). REF. 501/1 **£29.50**
- Modified BIOS ROM for 9.2 SYSTEMS TO USE 501/1. REF. 504/1 **£10.00**
- S100 Converter and "CONDUCTOR" Socket on D/S PCB. REF. 503/1 **£25.00**

ALL KITS SUPPLIED **COMPLETE** AND WITH FULL INSTRUCTIONS.
KITS READY-BUILT AND TESTED POA.

ALL PRICES EXCLUDE VAT & CARRIAGE

PURLEY COMPUTER SYSTEMS LTD

21 BARTHOLOMEW STREET
NEWBURY, BERKS. Tel: 0635-41784



P. & R COMPUTER SHOP

EPSON MX-80 80.GPs. DOT MATRIX PRINTER WITH SPECIAL INTERFACES. 3982 IBM I/O PRINTERS. VDU's. ASCII KEYBOARDS. ASR. KSR, TELETYPES. PAPER TAPE READERS PAPER TAPE PUNCHES. SCOPES. TYPEWRITERS. FANS 4" 5" 6". POWER SUPPLIES. STORE CORES, TEST EQUIPMENT, AND MISCELLANEOUS COMPUTER EQUIPMENT. OPEN:— MON TO FRI 9am—5pm SATURDAY TILL 1pm.

COME AND LOOK AROUND

SOLCOTT MILL, GOLDHANGER RD,
HEYBRIDGE, ESSEX.
PHONE MALDON 57440

2716


450ns SINGLE RAIL EPROMS
£3.95 EACH UP TO 100.
£2.95 1000
LARGER QUANTITIES POA.

EPROMS ERASED AND COPIED FROM YOUR MASTERS WHILE-U-WAIT.

(All other memory devices available)

Erasing 45p Copying £4.00 per unit.

Various Video Game Conversions available from £65.00 upwards.



THIS COULD BE FUN (LEISURE) LTD.

307 NEW KINGS ROAD, LONDON SW6 4RF
01-736 5503


(PRICES EXCLUSIVE OF VAT)

LONDON COMPUTER CENTRE

NEW! Revolutionary! Epson MX80F/T £425
the PRINTER with FRICTION & ADJUSTABLE

Removeable TRACTOR FEED

Dual print modes letter quality standard dot matrix



ULTRA QUIET.
LOWER CASE DECENDERS
BI DIRECTIONAL, LOGIC SEEKING PRINT HEAD
40,80,66,132 Columns per line
UNIQUE BOLDING BUILT IN FEATURE
64 Graphic Characters (TRS 80 & Prestel)
9 x 9 PRINT MATRIX. £ sign
Forms Handling; Top of Form
Horizontal and Vertical Tabs.
Centronics parallel interface standard.
Optional extra Serial PET & APPLE interfaces.
Easily replaceable head.
After 50,000,000 to *100,000,000 characters
the head can be replaced without technical
knowledge or assistance for £15.00
* Approx. 38,000 copies of A4 letters.

43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)
Tel: 388 6991/2 OPENING HOURS: 11-7 MON-FRI 12-4 SAT
24 hour answer phone: 01-388 5721

programming FOR THE SINCLAIR ZX 80 course

ZX80

NEW EDITION
MORE PROGRAMS

This popular course designed for the ZX80 is now available in a new enlarged edition. It consists of a book together with a cassette of ready-to-run programs, which are explained in the text together with many other useful programming examples. It is not just a book of programs - the emphasis is on understanding the examples given and writing your own. FEEK and POKE, USR and machine code, arrays, flowcharts etc. are all dealt with, together with a section on problems, and a useful introduction to the workings of the Z80 microprocessor.

PRICE £8.95 INCLUSIVE

FREE

BLANK C12 CASSETTE WITH ALL PROGRAMMING COURSE ORDERS
RECEIVED BEFORE APRIL 1st

SEND SAE FOR OUR LATEST CATALOGUE OF ZX80 SOFTWARE

Acorn Atom

ACORN ATOM SOFTWARE ON CASSETTE. FIGURES REFER TO TOTAL MEMORY REQUIRED.

ATOM INVADERS (12K) Exciting machine code game using graphics mode 4 and sound output. 1 or 2 players, high score, 3 invader types, 11 columns x 5 invaders and all the usual features. **PRICE £12.00**

ATOM BREAKOUT (4K) Another fast and entertaining machine code game with 9 levels of play, advancing wall, high score etc. Sound output **PRICE £5.00**

PINBALL (6K) See if you can light up all the letters and win a free ball. High score, 1 or 2 players, gravity simulation, sound output, graphics mode 2. Fast moving machine code game **PRICE £6.00**

THE FOLLOWING PROGRAMS REQUIRE 4K MEMORY AND ARE PRICED AT £3.50 EACH:-
PONTON; BIO-RHYTHMS; BATTLESHIPS; ALIEN DESTROY; MINEFIELD; HORSE RACE.
Cassette of four 2K programs: Torpedo; Lunar lander; Reaction test; Hangman £5.

ALL PRICES INCLUSIVE

MAIL ORDER ONLY

**BUG-BYTE
Software**

251 HENLEY ROAD
COVENTRY
CV2 1BX

Switch this data terminal off-line...



...and you've got a daisywheel typewriter.

SCRIPTA £998 + VAT
(RO Version £836 + VAT)

Manufactured in W. Germany by **OLYMPIA INTERNATIONAL**
SOLE UK DISTRIBUTOR: **DATAPLUS LTD.**,
39-49 Roman Road, Cheltenham GL51 8QQ.
DATAPLUS Telephone 0242-30030 or 37373. Telex 43594

KRAM ELECTRONICS

30 HAZELHEAD ROAD, ANSTEY, LEICESTER 053 721 3575

**CENTRONICS 737
PROPORTIONAL SPACING
PRINTER £395**



**RS232 – CENTRONICS
INTERFACE £60**



**PHONE – MATE
TELEPHONE ANSWERING
MACHINE £85**

**UK101/SUPERBOARD
CASE £24**

**TRS80 DISK-DRIVE
£205**

**UK101 NUMERIC
PAD £12**

**VIDEO GENIE – CENTRONICS
INTERFACE £35**

**VIDEO GENIE
16K WITH MODULATOR
POWER SUPPLY
AND CASSETTE £279**

**UK101 MEMORY
UPGRADE (4K)
£25**

**DUAL TRS-80
DISC-DRIVE
INC. POWER SUPPLY
£350**

**DECODED
PET – CENTRONICS
INTERFACE £50**



ALL PRICES INCLUDE POSTAGE BUT VAT IS EXCLUDED



Memories

2114-300ns	1k x 4 SRAM	1.89
4116-200ns	16k x 1 DRAM	2.41
2708-450ns	1k x 8 EPROM	3.46
2516-450ns	2k x 8 EPROM	4.62
2716-450ns	2k x 8 EPROM	4.62

Please add 50 pence for postage.
Send SAE for price list.
Prices not inclusive of VAT.

STRUTT LTD

3c, BARLEY MARKET STREET,
TAVISTOCK,
DEVON, England, PL19 0JF.
Tel: TAVISTOCK (0822) 5439/5548
Telex: 45263



VISICALC £95

A program which can generate complex models using simple steps, for virtually any financial application.

APPLE PLOT £42

This program allows the user to take advantage of Apple's high resolution graphics by plotting numeric data in a variety of ways. Links directly to Visicalc.

Order both of these superb programs for only £120

ARISTOCARDS ONLY £65 EACH

A range of plug compatible boards for Apple II or ITT 2020

HIGH SPEED SERIAL INTERFACE
PARALLEL INTERFACE
CENTRONICS INTERFACE

*Manuals available separately at £2 each
DEALER ENQUIRIES WELCOME

ALL PRICES EXCLUDE VAT

WE STOCK AN EXTENSIVE RANGE OF HARDWARE AND SOFTWARE FOR THE APPLE II, INCLUDING COMPLETE BUSINESS SYSTEMS

FOR FURTHER DETAILS OR A DEMONSTRATION OF OUR PRODUCTS
RING 01-680 4646

SIMON COMPUTERS LIMITED
28 LOWER ADDISCOMBE ROAD, CROYDON,
SURREY CR0 6AA



TRS-80 OWNERS!



LEVEL II CASSETTE

GAMES

Adventures:	
Adventureland*	£9.50
Pirates Cove*	£9.50
Mission Impossible*	£9.50
The Count*	£9.50
Voodoo Castle*	£9.50
Strange Odyssey*	£9.50
Mystery Fun House*	£9.50
Pyramid of Doom*	£9.50
Ghost Town*	£9.50
Adventure Sampler*	£6.50
Air Raid*	£8.50
Air Traffic Control	£6.50
Alien Invaders	£8.50
Android NIM	£9.50
Backgammon	£6.50
Ballon Race	£6.50
Barricade*	£8.50
Baseball	£6.50
Battleship	£7.50
Bee Wary	£9.50
Bingo	£4.50
Bowling (Ten Pin)	£6.50
Bridge Challenger	£9.50
Challenge	£6.50
Cribbage	£6.50
Dogstar	£6.50
End Zone II	£6.50
Fastgammon*	£12.00
Galactic Blockade	£6.50
Galactic Empire	£9.50
Galactic Revolution	£9.50
Galactic Trader	£9.50
Game of Life*	£6.50
Gammon Challenger*	£9.50
Gangster	£5.50
Hangman	£4.50
I Ching	£6.50
Invaders from Space*	£9.50
Kamikaze	£6.50
Kreigspiel II	£9.50
Lost Dutchmans Gold	£6.50
Mastermind II*	£5.50
Mean Checkers*	£4.50
Noughts & Crosses	£4.50
Othello III	£6.50
Pentominoes	£6.50

Pinball*	£9.50
Pork Barrel	£6.50
Pre School Games	£6.50
PR Dogfight	£6.50
Robots	£4.50
Round The Horn	£6.50
Safari	£6.50
Santa Paravia	£6.50
Sargon II*	£18.50
Space Battles	£9.50
Star Trek III.5	£9.50
Taipan	£6.50
Time Trek*	£9.50
Ting Tong*	£6.50
Trek '80	£6.50
Trolls Gold	£4.50
Tycoon	£5.50
Warfare I	£5.50
X-Wing Fighter II	£6.50

UTILITIES

APL-80*	£9.50
Accounts REC II	£13.50
Appointment Log	£6.50
Astronomy II	£7.50
Basic IP*	£11.50
Basic Toolkit*	£11.50
Biorythms	£4.50
Calendar Functions	£7.50
Copys	£9.50
Data Base II	£17.50
Debug*	£12.50
Dosort*	£23.00
Electric Pencil*	£50.00
Electronics Asst.	£6.50
EMU 6502	£16.00
ESP Tester	£4.50
File Handling	£7.50
Finance I	£7.50
Finance II	£7.50
Forth (Incl. Primer)	£37.50
Fourier Transforms	£7.50
Graph Builder	£9.50
G.S.F.*	£17.50
General Accounting	£8.50
Ham Radio	£6.50
Histogram/Scattergram	£6.50
Home Finance	£6.50
Infinite Basic*	£31.00
Infinite Business*	£18.50
Inst. Calculator	£7.50
Inventory 'S'	£16.00

MODEL I

Inventory Control	£11.00
IQ Builder (Vocab)	£9.50
IQ Builder (Spelling)	£10.00
IQ Builder (Stories)	£9.50
IQ Builder (Pre School)	£9.50
IQ Builder (Numbers)	£9.50
IRV*	£16.50
Keyboard 80*	£7.50
KVP*	£9.50
Level III Basic*	£30.00
Linear Programming	£7.50
Magic Paper Calculator	£9.50
Math Drill	£5.00
Math Library I	£8.50
Math Library II	£8.50
Medump*	£8.50
Microtext Editor	£6.50
Minicrossword	£9.50
Mortgage Calculator	£5.00
Multi-Choice	£9.50
Pascal*	£26.00
Penmod*	£11.50
Personal Finance	£6.50
Personal X-REF	£9.50
Pilot 2.2*	£9.50
Pre Flight	£11.00
Renumber*	£6.50
Remodel+Proload*	£23.00
RPN Calculator	£6.50
RSM 2 Monitor*	£15.50
Statistics	£6.50
S.T.A.D.*	£16.00
Star Finder	£7.50
Super Simon	£6.50
Super T-legs*	£6.50
T-Step*	£7.50
System Copy*	£8.50
Timer	£9.50
T-Short*	£6.50
T-Short+*	£12.50
Tarot Cards	£6.50
Teachers Assistant I	£9.50
Teachers Assistant II	£9.50
Tiny Comp*	£12.50
TRS-80 Opera	£6.50
Typing Tutor	£11.50
X-ref	£9.50
Yybar	£9.50
76 Basic Programs	£23.00
Manual for Above	£7.00
Library 100	£40.00

DISK

A.P.L. 80*	£30.00
Accounts Receivable II	£40.00
Advanced Personal Finance	£15.50
Amateur Radio System	£15.50
Auto Disk Directory	£9.50
C.C.A. Data Management	£52.50
Compress It	£15.00
Data Base III	£30.00
DCV-1	£8.50
Dynamic Data Base	£22.50
Electric Pencil*	£75.00
File Manager 80	£30.00
Forth* (Incl. Primer)	£45.00
General Ledger II	£40.00
Inventory 'S'	£40.00
Inventory II	£50.00
KVP Extender*	£16.00
Level I in Level II*	£16.00
Mailist IV	£45.00
Newdos Plus*	£47.50
Newdos 80*	£87.50
Payroll (Tridata)	£249.00
Print Spooler*	£16.50
Roots	£14.50
RSM 2D Monitor*	£16.00
Simplify-It	£15.00
SCRIPSIT*	£65.00
SUPERSCRIP*	£17.50
ST-80D* Terminal	£45.00
ST-80 III* Terminal	£85.00
Visicalc*	£65.00

Taranto & Associates Conversion of Osborne & Associates Business Programmes
 Accounts Payable £90.00
 Cash Journal (for G/L) £40.00
 Invoicing £90.00
 Accounts Receivable £90.00
 General Ledger £90.00
 Complete Co-ordinated System with Manuals £350.00

*Denotes Machine Language
 TRS-80 Trademark of Tandy Corp.
 CP/M Trademark of Digital Res.
 C-Basic Trademark of Compiler Systems.

MODEL II

CPM 2.2X	£165.00
CBasic 2 (CP/M)	£80.00
Postmaster (CP/M)	£85.00
Supersort III (CP/M)	£80.00
RSM II	£35.00
T/Maker (CP/M)	£175.00
DSM II	£87.50
GSF II	£30.00
Development System	£70.00
Utility Package	£87.50
Basic X-ref Utility	£30.00
Hard Disk Operating Sys.	£250.00

WORD PROCESSORS

Electric Pencil II (CP/M)	£200.00
Electric Pencil II TRSDOS	£225.00
Magic Wand (CP/M)	£230.00
Wordstar (CP/M)	£275.00

BUSINESS SYSTEMS

Osbourne & Associates Programmes in CBasic:	
Accounts Rec & Payable	£150.00
General Ledger	£150.00
In TRSDOS:	
Accounts Rec & Payable	£200.00
General Ledger	£200.00

CP/M USERS GROUP

23 Volumes	Each £12.00
------------	-------------

ALL PRICES INCLUDE VAT AT 15%, PACKING & RETURN POSTAGE TO U.K. ADDRESSES. PRICES TO OVERSEAS ADDRESSES INCLUDE RETURN AIRMAIL. SEND 50p FOR DESCRIPTIVE CATALOGUE.



MICROCOMPUTER APPLICATIONS

11 RIVERSIDE COURT,
 CAVERSHAM,
 READING RG4 8AL,
 ENGLAND.
 TEL: (0734) 470425

TRIDATA COMPLETE BUSINESS SOFTWARE PACKAGES

- * SALES INVOICING for use on
- * SALES LEDGER * TANDY TRS 80
- * PURCHASE LEDGER * TANDY TRS 80 Mk. II
- * NOMINAL LEDGER * SHARP MZ-80K
- * PAYROLL * PET AND SUPERPET
- * STOCK CONTROL * APPLE

Our business packages are supplied with master diskettes, detailed operating manuals and training procedures. For small businesses and traders with up to 700 employees, 9,999 customers and 9,999 suppliers, our proven programs written by experienced DP professionals provide fast, simple control, with built in security routines for prevention of unauthorised use, abuse or mishandling. Over 550 Tridata business systems are now in use.


TRIDATA WARRANTY

Every Tridata program has a written 12 month warranty and can be automatically updated to conform to any legislation that may alter your accounting procedures.

SEND THE COUPON TODAY
 OR TELEPHONE
021-622 6085



TRIDATA MICROS LTD., Smithfield House, Digbeth, Birmingham



Send me details of the Tridata Business Software Systems. I am interested in
 PURCHASE LEDGER For TANDY TRS 80
 SALES LEDGER TANDY TRS 80 Mk. II
 PAYROLL SHARP MZ-80K
 NOMINAL LEDGER PET
 SALES INVOICING SUPERPET
 STOCK CONTROL APPLE
 Name _____
 Company _____
 Address _____

TRIDATA MICROS LTD., Smithfield House, Digbeth, Birmingham B5 6BS

Xitan

South Coast Leaders in Microcomputer Support Application and Service



Xitan – First for Business & Commercial Systems

Xitan's specialised Administrative and Operational Microcomputer Systems provide cost effective computer support for wide ranging business organisations; from low entry level, stand alone systems for the smaller business, to integrated multiuser/multitasking systems to meet the more specific needs of the larger business enterprise.

Xitan – First in Science and Research

Xitan support the more personalised requirements of the scientific and research users universities and colleges, and in government and independent research establishments with comprehensive practical experience embracing hardware, system, and applicational software.

Xitan – First in Industry

Xitan's depth in microcomputer experience is playing an increasing role in the rapidly developing industrial applications for production and process control, and in product and production development operations.

Xitan – First for Service

Xitan's local reputation is founded securely on Service – both in system development – software and hardware support, and service in the field.

XITAN

SYSTEMS

Xitan Systems Ltd 23 Cumberland Place Southampton SO1 2BB Tel: 0703 38740

Cromemco SHARP North Star Horizon comart

CASH AND CARRY SUPERDEALS

SUPERBRAIN 64K	£1650
QUAD DENSITY SUPERBRAIN	£2250
NEC SPINWRITER	£1600
DIABLO 630	£1600
CROMENCO— (All hardware and software in stock for immediate delivery)	

MATRIX PRINTERS

**ANADEK
OKIDATA
EPSON**

The quietest, most reliable printers available — 40, 80 or 132 characters per line with graphics

Telephone: 01-840-1926

SUPERSOFT

WORDSTAR	£250
DATASTAR	£180
MAILMERGE	£80
SUPERSORT	£125

Dealers: Best Discounts

Telephone: 01-840-1926

Floppy disc File



Easy reference filing system for your flexible computer discs, files 20 discs per binder. File sheets retain 4 discs, have reinforced binder edge and file reference tab. Leaves punched for 2 and 3 hole binders. Also available for 8" discs, files 10 discs per binder.

—Please state size when ordering

Binder complete with 5 leaves £4.95 + VAT

Pack of 5 leaves only £1.55 + VAT

BASF and Memorex mini discs £27 + VAT per box (10)

Clean your monitor screen with the revolutionary Quick Wipes, Anti-Static tissue. Removes dirt, dust and static in one wipe. £2.75 per can + VAT

LEICESTER
computer centre limited
67 Regent Road, Leicester LE1 6YF.
Tel: 0533 556268

Machine-Independent Organic Software Tools (MINT)

M.D. Godfrey, H.J. Hermans, D.F. Hendry and R. Hessenberg
July 1980, xviii + 438pp., £12.00 (UK only) / \$28.00, 0.12.286980.X

MINT (*Machine-Independent Organic Software Tools*) is a novel means for communicating with and controlling computers. It provides all the information required to use and implement software tools. Example implementations are given for two computer systems. The level is such that it can be understood and used by anyone with a serious interest in computing, ranging from home computers to major industrial or scientific systems.

Computers and People Series

Communicating with Microcomputers

An Introduction to the Technology of Man-Computer Communications
Ian H. Witten

July 1980, xii + 164pp.
Hardback: £8.80 (UK only) / \$18.00, 0.12.760750.1
Paperback: £4.95 (UK only) / \$10.50, 0.12.760752.8

With the controversial and much heralded microprocessor revolution upon us there is an urgent need to unveil the mystery dividing Man from machine. This book is about communication both within the system and between it and the outside world.

Computers and People Series

On Becoming a Personal Scientist

Interactive Computer Elicitation of Personal Models of the World
Mildred L.G. Shaw

1980, xvi + 332pp., £23.20 (UK only) / \$56.00, 0.12.639280.3

Personal construct psychology was developed by George Kelly in the early fifties to explain how similar events could produce different behaviour in different people. Central to his theory was a view of man as a *personal scientist* forming theories about his world, testing and revising them against personal experience, and acting on the basis of them. He devised the *repertory grid* technique to elicit the unique dimensions along which each individual classifies his world. Using the basic philosophy of personal construct theory and the *repertory grid*, the author of this book has developed novel computer techniques which interact with the individual's ideas to produce, objectively and explicitly, a model of his view of the world and his attitudes towards it.

**Academic
Press**



A Subsidiary of Harcourt Brace Jovanovich, Publishers
London New York Toronto Sydney San Francisco
24-28 Oval Road, London NW1 7DX, England
111 Fifth Avenue, New York, NY 10003, USA

THE BASIC HANDBOOK

An Encyclopedia of the Basic Computer Language

By Dr. DAVID A. LIEN

360 pages Softback Price £11.70

"Everything you need to know about the most important statements, functions, operators, and commands." (Book Reviewer)

"This book provides the key that can open your computer to programs written in BASIC dialects supplied with more than 50 of the world's most popular computers." (Kilobaud Microcomputing)

"The book is a very useful tool, which covers not only the possible uses, but test methods as well for each command or statement."

"The BASIC Handbook fills a void in the hobby computer field and does it well."

"This book is what has been needed as a universal guide for those like me who are not familiar with all of the various 'dialects' of BASIC."

"This is the only book now available to help software fans convert 'foreign' programs for use on their own computers." (Creative Computing)

Available at bookshops or your local computer store. In case of difficulty, send Cheque/P.O. for £11.70 to the U.K. Distributor



The Computer Bookshop

Temple House, 43/48 New Street,
Birmingham B2 4LH

PRICES SLASHED

Commodore Computers

3032	32K. Basic 2.0	625
3040	Disks. Dos 1.2	625
3022	Printer	405
4032	32K. Basic 4.0	640
4040	Disks. Dos 2.1	640
8032	32K. Basic 4.0	855
8050	Disk. Dos 2.1	855
8024	Printer. 160 cps	1095

(Prices Ex. VAT)


We also have ready made packages for Accountancy applications, Business planning, Database Handling and Word Processing. As experienced data processing professionals we are the best people to help you.

LOGIC BOX LTD
31 PALMER STREET
LONDON SW1

Tel: 01-222 1122/5492



WESTEREN COMPUTERS LIMITED, of BLACKPOOL



WESTERN COMPUTERS stock the full range of Apple products and Apple compatible peripherals

48K APPLE with video output	695.00
DISK DRIVE with controller (DOS 3.3)	383.00
DISK DRIVE W/O controller	299.00
PARALLEL PRINTER CARD	104.00
SERIAL INTERFACE CARD	113.00
PASCAL language system	299.00
FORTRAN for language system	120.00
12 inch VIDEO monitor (green screen)	162.00

CP/M



Z-80 SOFTCARD for CP/M and Mbasic version 5.0	195.00
BASIC COMPILER compatible with Mbasic V 5.0 and 3-10 times faster execution. Includes Macro-80 assembler.	195.00
FORTRAN-80 ANSI-66 (except for complex) Much faster than Apple Fortran. Includes Macro-80.	205.00
COBOL-80 Ansi-74 Includes I.S.A.M.	325.00
BUSINESS SOFTWARE for APPLE CP/M.	
SALES LEDGER 500+ accounts	295.00
PURCHASE LEDGER with nominal	345.00
STOCK CONTROL	295.00
PAYROLL (up to 300 employees)	345.00

(All prices exclusive of VAT)

Please give us a ring or send for our catalogues.
WESTERN COMPUTERS LIMITED,
BLACK POOL AIRPORT,
BLACKPOOL, LANCS.

Tel: (0253) 42660/41879 Telex 67162

Applesoftware from Leicester Computer Centre

the correspondent

by R. Wagner

★ Now with mathematics routine ★

THE CORRESPONDENT is sure to be one of the most versatile programs in your library! It can be used as:

A Text Processor: Upper/lower case, 1-80 cols. (4-way scrolling). Text move/copy/insert/delete, tabbing, justify text, auto-centering and more!

A Database (with or without printer!) Extremely fast find routine and easy editing make it a natural for free-form data files. Create and fill out forms, access phone lists or index your magazines.

A Programming Utility: (printer or not). Examine, edit, transfer random or sequential text files. Create versatile exec. files. Even put bi-directional scrolling in your own programs!

Use the Correspondent to print-out your **Visicalc** formula. Apple disk £29.95 + VAT

SUPER DISK COPY III

48K & DISK II required, APPLE II or APPLE II PLUS
SDC is a menu-driven programme that allows manipulation of all types of files under DOS 3.1, 3.2 and 3.3. SDC is the only disk utility available for the APPLE that combines these features: COPY single files (Integer, Applesoft, Binary, or Text), COPY DOS, COPY entire disk, UNDELETE deleted files, LOCK or UNLOCK files, PLOT of disk usage, and optional rearrangement of files so that they occupy contiguous sectors for improved access times. SDC supports the wildcard character "*" in file specifications. SDC makes the conversion to DOS 3.3 less painful (than MUFFIN) and also allows files to be transferred back to DOS 3.2 since both 13 and 16 sectored disks can be accessed at the same time. £24.95 + VAT

Apple-Doc

By Roger Wagner

An Aid to the Development and Documentation of Applesoft Programs

This 3 program set is a must to anyone writing or using programs in Applesoft! It not only provides valuable info. on each of your programs, but allows you to change any element throughout the listing almost as easily as you would change a single line!!

With Apple-Doc you can produce a list of every variable in your program and the lines each is used on, each line called by a GOTO, GOSUB, etc., in fact, every occurrence of almost anything! You can rename variables, change constants and referenced line numbers or do local or global replacement editing on your listing.

Apple-Doc is a must for the serious Applesoft programmer.

Diskette complete with full documentation £24.95 + VAT

tridee

©Robin L. Frost

PASCAL—FORTRAN COMPATABLE An exciting new addition to your Pascal library — enables you to create 3D graphics, viewable from any angle and distance. As easy to use as Turtlegraphics. Procedures include Ortho, Perspec, Rotate, View, Move to-3, View-from. Complete with comprehensive instructions £49.95 + VAT

Apple World

is here. The fast 3D graphics package that runs on your Apple II plus. Zoom, pan, tilt and scale your own designs on the Apple screen, at only £24.95 + VAT

Plus a complete range of "off the shelf" programs for finance, commercial, scientific and education. Keep yourself up to date, send for our "Fact Sheets" giving full program details.

Now available Apple FORTRAN, Dos 3.3, Apple Plot

LEICESTER


computer centre limited

67 Regent Road, Leicester LE1 6YF. Tel: 0533 556268



apple computer
Sales and Service

Apple III! Send for details now



DEVELOPED BY G.W. COMPUTERS LTD
NOW AVAILABLE FOR DEMONSTRATION IN THE NORTH.
Freshfield Computer Services

MAIN MENU DISPLAY

* PROGRAMS ARE INTEGRATED ...

:SELECT FUNCTION BY NUMBER ...

- | | |
|-------------------------------|--------------------------------|
| 01=*ENTER NAMES AND ADDRESSES | 13=*PRINT CUSTOMERS STATEMENTS |
| 02=*ENTER/PRINT INVOICES | 14=*PRINT SUPPLIER STATEMENTS |
| 03=*ENTER A/C RECEIVABLES | 15=*PRINT AGENT STATEMENTS |
| 04=* ENTER PURCHASES | 16=*PRINT TAX STATEMENTS |
| 05=*ENTER A/C PAYABLES | 17=LETTER TEXT AREA |
| 06=*ENTER/UPDATE INVENTORY | 18=ALTER VOCABULARIES |
| 07=*ENTER/UPDATE ORDERS | 19=PRINT YEAR AUDIT |
| 08=*ENTER/UPDATE BANKS | 20=PRINT PROFIT/LOSS A/C |
| 09=*REPORT SALES LEDGER | 21=OPEN AREA |
| 10=*REPORT PURCHASE LEDGER | 22=PRINT CASHFLOW FORECAST |
| 11=*INCOMPLETE RECORDS | 23=ENTER PAYROLL (NO RELEASE) |
| 12=*USER DBMS AREA | 24=DISK SWAP/EXIT |

FOR FULL DETAILS SEE GW COMPUTERS AD

SUPERBRAIN + SUPERBRAIN + SUPERBRAIN
SUPERBRAIN 320K 1695.00
SUPERBRAIN 800K 2195.00
PRINTERS + PRINTERS + PRINTERS + PRINT
NEC-5530PRINTER 1595.00
MICROLINE 80 120CPS 475.00

SOFTWARE + SOFTWARE + SOFTWARE
BUS VER 6.00 CP/M 775.00
BUS VER 7.00 CP/M 875.00
BUS VER 8.00 CP/M 975.00
BUS VER 9.00 CP/M 1075.00

PLUS: Word Star — Mail Merge — MBasic 80 —
Supersort

PLUS: Graham Dorian Software Systems —
Payroll, Stock Control, Ledgers etc.

Demonstrations by Appointment only

CONTACT DAVID MAWDSLEY ON FORMBY (07048) 79186
RIPLEY HOUSE, 56 FRESHFIELD ROAD, FORMBY, MERSEYSIDE L37 3HW

ADD SPEECH TO YOUR COMPUTER SYSTEM MICROSPEECH 50 SPEECH OUTPUT BOARD

LOW COST £99.50 + VAT

Price includes software on mini floppy disc (6800 Flex 1), operators manual, circuit diagrams and postage (in the UK).

MICROSPEECH 50 enables your computer system to generate a speech output. The text to be spoken is entered in the form of phonetic spelling. Using the 'Synthesis by Rule' technique, the MSP5 software converts the phonetic code into control parameters that drive an electronic model of the vocal tract. The output of this model is synthetic speech. Unlike other techniques, this method has very low memory requirements for the text, and is capable of generating an unlimited amount of speech.

FEATURES

- Plugs into the SS50 bus on the SWTP 6800 computer system. It fits into the main 50 way slot, being the same size as a memory board.
- MSP5 software uses only 4K of memory.
- 9 parameter vocal tract model.
- Real time software converts phonetic spelling to speech.
- External input for special musical effects.
- Software includes male/female voice option, repeat function, and text editing.

AVAILABLE FROM:

TIM ORR Design Consultant
55 Drive Mansions, Fulham Road, London SW6
Tel: 01-731 2077

Euro-Calc Ltd

MAIL ORDER
55/56 HIGH HOLBORN, LONDON WC1
01-405 3113 '01 405 3223 MON-FRI

224 TOTTENHAM COURT ROAD, LONDON W1
01 636 55601/01 636 8161 MON-SAT



MZ 80K

48K	460.87
PRINTER	417.39
I.O.	96.42
DISC	642.61

NEW LOW PRICES



RING FOR DETAILS



PRICES SLASHED

PC1211	82.57
CE121	11.26
EL6200	48.65

PRINTERS

CENTRONICS 730	395.00
CENTRONICS 737	345.00
CENTRONICS 779	565.00

commodore

32K	550.00
3040	635.00
C2N	50.00
8050	850.00
8032	850.00



HP.HIC	130.39
CARD.READER	113.04
PRINTER	200.00
MEM.MODULE	15.65
QUAD RAM	46.95

HP.85	1732.00
HP.83	1210.00
16K UPGRADE	165.00
HP.B	213.00

TEXAS

TI-59	139.09
PC100C	121.70
TI-58	56.48
TI-58C	60.83
TI-57	22.57
TI-51-III	21.70

CASIO

FX 502P	57.35
FX 501P	43.43
FAI	17.35
NEW	
FX 3500	19.96
FX 2700	17.35

GTMC

Ansaphone

ONLY £117.39

REMOTE PLAYBACK
FROM ANYWHERE
IN THE WORLD

Visicalc 72.00

SPECIAL OFFER


ACCUTRACK DISC IN
LIBRARY BOX
ONLY 21.74

All orders received dealt with on same day. Most items ex stock.
WE WILL MEET OR BEAT ANY COMPETITORS PRICE ON MOST ITEMS IF HE HAS GOODS IN STOCK.
NOTE PRICES DO NOT INCLUDE DELIVERY.
ACCESS BARCLAYCARD AMEX ALL PRICES SUBJECT TO 15% VAT.

ALSO DEALERS SEIKO, SILVER REED, SYSTEMS
ATARI, MATTEL, PHILLIPS PEARL RECORDERS CANON

NEW

TRS 80 MODEL III



The Model III has arrived in the U.K.

★ NEW FEATURES AVAILABLE ★

★ Upper and Lower Case characters (standard) ★ Real Time Clock ★ 500 or 1500 Baud Cassette ★ Parallel Printer Interface (standard) ★ Auto Repeat keys ★ Flashing Cursor ★ New Characters, Greek, Japanese Kana ★ Numeric Keypad ★ 16, 32 or 48K ★ Room for two D.D. Disc Drives & Interface ★ 12" VDU
★ All in stylish cabinet.

16K **£649** INCLUSIVE

S a e Enquiries Delivery 4-6 weeks



N.I.C.

Unit 7, 61 Broad Lane, London N15 4DJ
Daytime 01-808 0377 Evenings 01-889 9736



PortaTel

14" COLOUR MONITORS
Colour display from EuroApple
WITHOUT Colour card



model AM 3781
£299 + VAT

Attractive trade
terms available

Model TMTV 3781 £299 + VAT

TV Programmes
PLUS

American Standard Video
PLUS

European PAL Video

FULLY GUARANTEED
LARGER SIZES AVAILABLE

PortaTel

Conversions Limited

25 SUNBURY CROSS CENTRE
SUNBURY ON THAMES MIDD
TEL. No. SUNBURY (09327) 88972

VIDEO MODIFICATION SPECIALISTS

ACCESS & BARCLAYCARD WELCOME

INTELLIGENT ARTEFACTS LTD

MiCROS & MiCROSYSTEMS

Home Computers £

Commodore VIC 5K	299
PET 8K 4008	375
PET 16K 4016	459
PET 32K 4032	559
Cassette	39
Toolkit	24
Super Pet	799
8050 Disk	799

Printers

Epson MX80B	359
Centronics 737	349

IA Software for North Star Horizon Automated Accounts — 520 and
Stock Control/Invoicing — 299 integrated with
Automated Accounts

Easily installed into existing Automated Accounts users systems

1 year Guarantee

Prices Ex VAT.

Professional Computers

Superbrain	
32K RAM + 320K	1299
64K RAM + 320K	1399
64K RAM + 688K QD	1699

North Star Horizon

32K DD dual drive	1399
32K QD dual drive	1549
48K DD dual drive	1549
48K QD dual drive	1799

Printers

Diablo	1199
Spinwriter	1399

INTELLIGENT ARTEFACTS LIMITED
Discount Hardware and Software

Cambridge Road, Orwell, Royston, Herts.
Telephone: Arrington (022020) 689

intracept

USER-DEFINED GRAPHICS

For Nascom 1 & 2 (or similar Microcomputer)


- * 64 Defineable characters (16x8 dot matrix) — expandable to 128
- * No soldered connections to Nascom 2 — simply plug in. (Details given of minor modification required for Nascom 1).
- * May be used in conjunction with existing graphics ROM. (Software options allow 256 characters to be displayed from all three sources [i.e. Alpha-numeric, Graphic ROM & user-defined] at the same time).
- * Bus expansion NOT required. (May be used on unexpanded Nascom 1!) — characters are programmed through the parallel ports.

USER-DEFINED COLOUR GRAPHICS

- * Used in conjunction with above, enables each of the 256 characters (including alphanumeric) to be INDIVIDUALLY programmed with 16 foreground and 16 background colours.
- * On-board expansion to maximum 128 user-defined characters. Price to be announced.



INTRACEPT ELECTRONICS LTD
(Dept PLW) 203 Picton Road, Liverpool
L15 4LG.
Tel: 051-733 3042. Extn. 143




MICROTYPE MODEL 3 CASE

Ready cut for SUPERBOARD/UK 101, NASCOM 2
and blank for HOMEBREWS

Produced in black ABS Plastic, complete with fixings and instructions,
space for PSU, expansion, force feed fan, numeric pad and
additional keys.

£24.50 + p&p + VAT



NPS1 NUMERIC PAD

for SUPERBOARD/UK101 only

A 0-9 numeric pad in kit form, complete with
switches, caps, PCB, plug and socket, cable and
full instructions.

£11.95 + p&p + VAT

- ✂
- ☐ Please send me a Model 3 case at £29.90 inc.
My micro is
 - ☐ Please send me a NPS1 numeric pad for my Superboard/
UK101 at £14.32 inc.
 - ☐ Please send me your full literature. I enclose SAE.
(Please enclose your name and address with cheque or P/O)




MICROTYPE
PO BOX 104 HEMEL HEMPSTEAD HP2 7QZ



Mine of Information Limited

Microcomputer Consultancy & Booksellers



BOOKS FOR Z80 & 8080 SYSTEMS

- 3.00 The Z80 Instruction Handbook by Nat Wadsworth
- 3.90 The 8089 I/O Processor Handbook (+8289) by Adam Osborne
- 4.90 Z80/8080 Assembly Language Programming by Kathe Spracklen
- 5.90 The 8086 Primer by Stephen Morse
- 6.50 8080/8085 Software Design Book 1 by Titus et al
- 6.50 8080/8085 Software Design Book 2 by Titus et al
- 6.50 The Z80 Microcomputer Handbook by William Barden
- 6.90 Using CP/M: A Self-Teaching Guide by Fernandez & Ashley
- 7.50 Z80 Microprocessor Book 1 (Programming) by Nichols & Rony
- 7.90 8080A/8085 Assembly Language Programming by L Leventhal
- 8.50 Z80 Microprocessor Book 2 (Interfacing) by Nichols & Rony
- 8.50 Programming the Z8000 (C281) by Richard Mateosian
- 8.90 The CP/M Handbook (C300) by Rodney Zaks
- 8.90 Z80 Software Gourmet Guide & Cookbook by Nat Wadsworth
- 9.50 Programming the Z80 (C280) - 2e by Rodney Zaks
- 9.50 The S-100 Bus Handbook by Dave Bursky
- 10.50 The 8086 Book by Rector & Alexy
- 10.50 Z80 Assembly Language Programming by Lance Leventhal
- 11.50 The 8080/8085 Microprocessor Book by INTEL
- 12.50 Z8000 Assembly Language Programming by Leventhal et al

OTHER USEFUL BOOKS

- 3.60 Illustrating Basic by Donald Alcock
- 5.50 More Basic Computer Games edited by David Ahl
- 6.90 Beginner's Guide for the UCSD Pascal System by Ken Bowles
- 7.50 Pascal User Manual & Report - 2e by Jensen & Wirth
- 7.50 Programming in Pascal (Revised 1980) by Peter Grogono
- 8.50 Intro to Pascal Including UCSD Pascal (P310) by Rodney Zaks
- 9.50 Microcomputer Problem Solving Using Pascal (UCSD) by Bowles
- 9.90 The Basic Handbook by David Lien
- 10.50 6502 Assembly Language Programming by Lance Leventhal
- 11.20 Writing Interactive Compilers & Interpreters by Peter Brown
- 14.90 The Byte Book of Pascal edited by B W Liffick
- 8.50 Volume 1: Basic Concepts - 2e by Adam Osborne
- 29.50 Volume 2: Some Real Microprocessors + updates by Osborne
- 29.50 Volume 3: Some Real Support Devices + updates by Osborne

SEND FOR OUR FREE CATALOGUE OF 100 SELECTED MICROCOMPUTER BOOKS

Prices include P+Pin UK.

Orders to: Mol (PW2) 1 Francis Avenue · St Albans · Herts AL3 6BL · England · Phone 0727 52801 · Telex 925859

For overseas delivery add 10% (surface mail) or 20% (air mail)

SHARP MZ-80K SOFTWARE

For Games
Business
Education

Send now for our
FREE CATALOGUE



MAP-2/LTO

9 Herbert Road, London N11

Tel: 01-889 7615 (24 hours)

TRADE ENQUIRIES WELCOME

**SPECIAL
OFFER**

AS RECOMMENDED BY COMPUTING TODAY – THE CENTRONICS ‘MICRO-PRINTER’

Ask most people what they would like as their first peripheral and the chances are they will say ‘Printer’. Here is an attractive electrostatic printer from the famous firm of Centronics. Capable of printing in three sizes of typeface it is easily attached to your machine by way of the parallel interface. The logic is fully TTL compatible and STROBE, Acknowledge and Busy lines are provided to make life easy.

“Cost of this wonderful peripheral is a mere **£195.00 + VAT** The printer comes complete with documentation, connector and cleaning paper as well as a roll of the printing paper.” (extract from COMPUTING TODAY).

Ex-STOCK from HENRY’S
Ideal for PETS-TANDY-NASCOM’s

Specification

- 150 lines per minute
- Selectable 20 40 80 columns
- 120 m/m aluminium – Finish paper unaffected by Heat, Light or Humidity.
- Full character ASC II set.
- Paper Feed, 220-240AC mains.
- On-Off Print Select.
- Paper Advance – Empty Controls.
- Size 10½ x 13½ x 4½” Weight 10lbs

Ideal for Home or Small Business use.

LIMITED QUANTITY DON’T DELAY

Brand new boxed fully
guaranteed list price of
this machine. **£459.95 inc.**
VAT.

OUR PRICE

£195.00
inc of VAT

POST PAID



Complete with Full documentation
connector & Printing Paper –

HALF PRICE OFFER

Just Plug in and it’s ready to go!

AS RECOMMENDED BY “COMPUTING TODAY” MARCH/MAY 1980

Your London & National Nascom Distributor.
Export Orders deduct VAT, but add 5% carriage
Official Export & Educational Orders welcome
Our Telex 262284 Mono Ref. 1400 Transonics

COMPUTER SEND
BROCHURE 15p
FREE STAMP



HENRY’S



Computer Kit Division
404 Edgware Road, London, W2, England
01-402 6822

TRS-80 + VIDEO GENIE = MICRO 80

An equation that solves your micro problems

More and more owners of these two computers are finding that a subscription to MICRO-80 helps them to get the best out of their equipment. MICRO-80 is a specialist magazine devoted solely to these systems. It is full of programs, hardware hints, problem solving and other articles on the TRS-80 and Video Genie.

Find out what you have been missing by completing the coupon and sending with your remittance.

TO: MICRO-80 (UK SUB DEPT)
24 WOODHILL PARK
PEMBURY
TUNBRIDGE WELLS
KENT TN2 4NW

PLEASE SEND ME A SAMPLE
COPY OF MICRO-80. I ENCLOSE
CHEQUE/P.O. FOR £1.50.

NAME.....

ADDRESS.....

.....

.....

.....

PCW 3/81

aculab

floppy tape,

The tape that behaves like a disc,
For TRS-80 LEVEL II and Video Genie.

Connects directly to TRS-80 Level 2 Keyboard. Operating and file handling software in ROM. 8 commands add 12 powerful functions to Level 2 BASIC. No buttons, switches or volume controls. Full control of all functions from Keyboard or program. Daisy chain multiple drives. Certified digital tape in endless loop cartridges. Reads and writes in FM format at 9000 Baud. Soft sectored with parity and checksum error detection for highly reliable operation—just like discs. Maintains directory with up to 32 files on each tape, tapes may be write-protected. Supports Basic and machine-language program files, memory image and random access data files. 12 character filespecs—: "FILENAME/EXT:d" (d is drive no. 0-7). Automatic keyboard debounce. Full manual with programming examples and useful file-handling routines.

COMMANDS (usually followed with a filespec and possible parameter list).


@SAVE, @LOAD, @RUN —for BASIC programs, machine language programs and memory image files. **@GET, @PUT** —moves a 256-byte record between a random access file and BASIC's data buffer. **@KILL** —removes a file from the directory and releases tape sectors for immediate re-use. **@LIST** —displays file directory along with sector allocation and free sectors. **@NEW** —formats tape and creates a blank directory.

Master drive with PSU, Manual and a selection of tapes.

For TRS-80 £169-00, for Video Genie £174-00.


Slave drives £125-00. (add £2-00 p.p. + vat).

(Export orders pp charged at cost)



For further
information,
Telephone
0525 371393

aculab Ltd.
24 Heath Road,
Leighton Buzzard,
Beds. LU7 8AB



You stand out in a crowd

Your business is not exactly the same as any other and neither are its problems. Any solutions are probably unique and must be tailored exactly for you.

You know your business better than anyone else and any system designed should use your knowledge. The micro-computer specialist should show you how to use the computer to meet your business requirements.

You should be able to get the micro-computer which best suits your business. It should be chosen after your requirements are specified.

You and your staff have a right to know all about YOUR system, including helping to program it if you want to. Training is your right — not an additional service.

If microcomputers cannot satisfy your business needs, you want to know — you don't want false promises.

67 Nova Road, Croydon, Surrey CR0 2TN.
Telephone: 01-688 6013

MIKE ROSE MICRO

ANGLIA COMPUTER CENTRE

MICROCOMPUTERS FOR BUSINESS,
EDUCATION AND HOME

FOR ALL YOUR BUSINESS, EDUCATION & LEISURE
COMPUTER REQUIREMENTS!!!



APPLE II
TRS-80
SHARP
NORTH STAR
HORIZON
TANGERINE
J.K. 101
NASCOM

+PRINTERS AND
OTHER PERIPHERALS
BOOKS**
SOFTWARE*
MAGAZINES**
STATIONERY***

BUSINESS+
INDUSTRIAL
CONTROL

WE ARE HERE!!!

88 St. Benedict's Street
NORWICH NR2 4AB
Tel. (0603) 29652
24hr. Answering Service.



Intex DATALOG LTD COMPUTERS

MICROPAY-200 £195.00 + VAT

Micropay-200 is a complete payroll System designed to run on a COMMODORE 32K PET microcomputer, interfaced to dual floppy disk drives and a printer.

The System provides:

1. Weekly/monthly pay slips
2. Summary page of all payments and deductions that month
3. Summary page of all payments and deductions for the tax year to date.
4. Weekly/monthly cash analysis slip for all cash payments made.
5. Monthly summary of all payments and deductions
6. Year end summary of all payments and deductions

STOCK CONTROL 3750

Stock Control 3750 is a complete stock control system designed and written to meet the needs of a small business. It will accommodate up to 3747 stock items and runs on a COMMODORE PET micro-computer interfaced to a printer and COMPU/THINK disk drives.

The System incorporates programs to:

1. Set up a Supplier file
 2. Set up Stock files
 3. Copy Data files
 4. Insert/delete stock records
 5. Insert/delete supplier records.
 6. Update/display stock file.
 7. Update/display supplier file.
 8. Print stock list.
 9. Print supplier list.
 10. Print reorder report.
 11. Print stock movement report.
 12. Print stock valuation report.
- And perform other useful routines.

Stock Control 3750 is fully protected from misuse and can easily be used by someone with no knowledge of computers or their operation.

The System costs £195.00 + V.A.T. and this price includes a full back-up and advisory service from INTEX DATALOG.

FOR FULL SPECIFICATION WRITE TO:
INTEX DATALOG LTD, DEPT PCW 0281
EAGLESCLIFFE IND. EST., EAGLESCLIFFE
CLEVELAND TS16 0PN. TEL: 0642 781193

MAIL ORDER SERVICE

BARCLAYCARD — ACCESS

INDEX	PRICE	TOTAL INC. VAT
***DUSTCOVERS		
PET — ALL MODELS	5.75	6.90
T/T43 PRINTER	5.75	6.90
ANADEx DP8000	3.50	4.35
CBM 3040 DISK	3.50	4.35
CBM 3022 PRINTER	3.99	4.80
COMPUTHINK DISK	3.00	3.75
ACCOUSTIC COVER FOR CBM 3022 PRINTER	49.00	62.00
*** D/D DISKETTES IN FREE CASE		
BASF	35.00	40.83
ACCUTRAK	30.00	35.08
LIBRARY CASE	3.50	4.60
***BLANK CASSETTES		
C15 (PER 10)	4.00	5.75
C60 (PER 10)	6.00	8.05

*** CONNECTORS		
USER/EEE PORT	1.30	1.78
CASSETTE PORT	99	1.43
USERPORT COVER	2.50	3.16
MALE 'D' PLUGS	2.50	3.16
FEMALE 'D' SOCKETS	3.50	4.31
'D' CONNECTOR COVERS	2.50	3.16
***RIBBONS		
TELETYPE 43	7.72	9.17
ANADEx DP8000	2.75	3.45
ANADEx DP9500/1	15.00	18.40
CBM 3022	2.75	3.45
QUME (FABRIC)	4.25	5.18
QUME (CARBON M/S)	4.50	5.46
QUME (CARBON S/S)	5.00	6.04
DAISY WHEELS		
QUME SPRINT 5	6.50	7.76
***PROGRAMMERS TOOLKIT		
***SPECIAL OFFER		
OLD ROMS 8K	65.00	75.90
NEW ROMS 8K	65.00	75.90
NEW ROMS 8/16/32K	45.00	52.90

PROKIT 1

PROKIT 1 — PROGRAMMERS AID.

ADDS THAT TOUCH OF PROFESSIONALISM TO EVERY PROGRAM YOU WRITE.

NUMERIC INPUT ROUTINES — AUTOMATICALLY ADD LEADING AND TRAILING ZERO'S AND RESPOND ONLY TO MERIC KEYS AND DECIMAL POINT.

GENERAL INPUT ROUTINES — SET THE LENGTH OF FIELD REQUIRED, SPECIFY WHICH CHARACTERS YOU WANT PET TO RESPOND TO AND ALL OTHERS WILL BE IGNORED.

DATE INPUT ROUTINE —THE PROGRAM WILL NOT CONTINUE UNTIL YOU HAVE ENTERED A VALID DATE.

STRING SEARCH ROUTINE — FINDS A MATCHING SUB-STRING WITHIN A STRING ENABLES YOU TO USE ON GOTO WITH ANY CHARACTERS, NOT JUST NUMBERS.

SCREEN ROUTINES — CAN STORE SCREEN DISPLAYS IN MEMORY AND RETRIEVE THEM IN A FLASH — SUPER FOR MENUS AND GAMES!

PROKIT 1, DEFINITELY THE BEST THING FOR PROGRAMMERS SINCE THAT OTHER KIT! AVAILABLE ON DISK OR TAPE READY TO INCORPORATE IN YOUR OWN PROGRAMS.

PRICE £40.25 INC. VAT AND POSTAGE

Intex

MAGTRONICS

MAGTRONICS LTD
3 GOLDHURST TERRACE
LONDON
N.W.6.
TELE. 01-624-9847

74LS SERIES

74LS00	.18	74LS114	.35	74LS242	1.90
74LS01	.18	74LS122	.70	74LS243	1.90
74LS02	.18	74LS123	.75	74LS244	2.10
74LS03	.18	74LS124	1.40	74LS245	2.50
74LS04	.22	74LS125	.40	74LS247	1.20
74LS05	.22	74LS126	.40	74LS248	1.80
74LS08	.20	74LS132	.65	74LS249	1.25
74LS09	.22	74LS133	.40	74LS251	1.10
74LS10	.18	74LS136	.40	74LS253	1.10
74LS11	.22	74LS138	.70	74LS257	1.10
74LS12	.22	74LS139	.70	74LS258	0.95
74LS13	.40	74LS145	1.10	74LS259	1.65
74LS14	.70	74LS148	1.70	74LS260	.30
74LS15	.22	74LS151	.85	74LS261	3.50
74LS20	.20	74LS153	.55	74LS266	.40
74LS21	.22	74LS154	1.40	74LS273	1.75
74LS22	.22	74LS155	.75	74LS279	.65
74LS26	.22	74LS156	.75	74LS280	1.75
74LS27	.22	74LS157	.60	74LS283	1.00
74LS28	.22	74LS158	.65	74LS290	0.95
74LS30	.20	74LS160	1.10	74LS293	0.95
74LS32	.26	74LS161	.80	74LS295A	1.45
74LS33	.28	74LS162	1.10	74LS298	1.40
74LS37	.26	74LS163	.80	74LS324	1.80
74LS38	.26	74LS164	1.10	74LS325	2.55
74LS40	.22	74LS165	.80	74LS326	2.55
74LS42	.65	74LS166	1.70	74LS327	2.55
74LS47	.85	74LS168	1.70	74LS352	1.35
74LS48	.85	74LS169	1.70	74LS353	1.35
74LS49	1.00	74LS170	1.70	74LS365	.60
74LS54	.20	74LS173	1.10	74LS366	.60
74LS55	.20	74LS174	.95	74LS367	.60
74LS63	1.50	74LS175	.95	74LS368	.60
74LS73	.35	74LS181	2.75	74LS373	1.75
74LS74	.35	74LS190	1.20	74LS374	1.75
74LS75	.42	74LS191	1.20	74LS375	.75
74LS76	.35	74LS192	1.10	74LS377	1.75
74LS78	.35	74LS193	1.10	74LS378	1.30
74LS83A	.85	74LS194A	1.00	74LS379	1.40
74LS85	1.00	74LS195A	.90	74LS381	3.65
74LS86	.35	74LS196	.95	74LS386	.60
74LS90	.58	74LS197	.95	74LS390	1.75
74LS91	.99	74LS424	4.50	74LS393	1.50
74LS92	.90	74LS445	1.25	74LS395	1.80
74LS93A	.65	74LS447	1.25	74LS396	1.70
74LS95A	1.00	74LS490	1.95	74LS398	2.70
74LS96	1.25	74LS221	1.20	74LS399	1.60
74LS107	.35	74LS240	2.10	74LS668	.95
74LS109	.35	74LS241	1.90	74LS669	.95
74LS112	.35			74LS670	.95
74LS113	.40				

DISKETTES

UNCONDITIONAL GUARANTEE

5.25" MINI-DISKETTES	SINGLE SIDED	
1 SECTOR	PER £10	£20.00
(SOFT)		
5.25" MINI-DISKETTE	SINGLE SIDED	
10 SECTOR	PER 10	£20.00
5.25" MINI-DISKETTE	SINGLE SIDED	
16 SECTOR	PER 10	£20.00
8" SINGLE SIDED	SINGLE DENSITY	
26 SECTOR	PER 10	£20.00
8" SINGLE SIDED	DOUBLE DENSITY	
26 SECTOR	PER 10	£24.00
8" DOUBLE SIDED	SINGLE DENSITY	
26 SECTOR	PER 10	£30.00
8" DOUBLE SIDED	DOUBLE DENSITY	
26 SECTOR	PER 10	£30.00

All orders under £50 add 50 p P&P. Add 15% VAT to total.

Many other types of hard and soft sector diskettes available. Phone for quotation.

Magnetic cards, data cartridges, digital cassettes are also stocked.

Official orders from schools, colleges, universities and Govt. Bodies accepted.

E. PROMS		MEMORIES		C PUS.		SOCKETS	
1702A	500p	2114L	400p	6502	800p	L.P.	
2708	450p	2114L-2	500p	6800	700p	8 PIN	9p
2716(+5v)	900p	2114L-3	500p	6802	1200p	14 PIN	10p
2532(+5v)	2700p	4116L-2	500p	8080A	450p	16 PIN	11p
		6810	350p	8085A	1100p	24 PIN	22p



COMPUTER WAREHOUSE

NOW OPEN
MONDAY-SATURDAY
9.30-5.30


RAM AND EPROM NEW LOW VAT INCLUSIVE PRICES

2716 5v Rail	£9-50	4116	200 NS 16KX1 DYN.	8 for £19-95
2716 3 Rail	£8-50	2114L-3	300 NS 1KX4 ST.	8 for £22-50
2708 450 NS	£4-50	2102L-3	650 NS 1KX1 ST.	8 for £ 5-50
2708 Ex Equip	£2-25	TMS4030JL	300 NS 4KX1 DYN	8 for £ 9-95

All devices full spec. and guaranteed. Bulk enquiries welcome.

In stock now test equipment, microprocessors, teletypes, transformers, power supplies, scopes, sig. gen's, motors, peripheral equipment, I.C.'s, tools, components, variacs, keyboards, transistors, microswitches, V.D.U.'s sub-assemblies + thousands of other stock lines. Just a mere fraction of our vast range, is displayed below: 100's of bargains for callers.


TELETYPE ASR33 I/O TERMINALS



£235 + CAR
+ VAT

Fully fledged industry standard ASR33 data terminal. Many features including: ASCII keyboard and printer for data I/O, auto data detect circuitry, RS232 serial interface, 110 baud, 8 bit paper tape punch and reader for off line data preparation and ridiculously cheap and reliable data storage. Supplied in good condition and in working order. Options: Floor stand £12.50 + VAT
Sound proof enclosure £25.00 + VAT


ICL TERMIPRINTER 300 BAUD TERMINALS



£325 + CAR
+ VAT

Made under licence from the world famous GE Co. The ICL Termiprinter is a small attractive unit with so many features it is impossible to list them in the space available! Brief spec. as follows: RS232 serial interface, switchable baud rates 110, 150, 300, (30 cps), upper and lower case correspondence type face, standard paper, almost silent running, form feed, electronic tab settings, suited for word processor applications plus many more features. Supplied in good condition and in working order. Limited quantity.

SCOOP PURCHASE 12" VIDEO MONITORS



**CONNECT
DIRECT TO
YOUR MICRO**

Made by the "BALL MIRATEL" CORPORATION USA the CD12 is a self contained, mains powered chassis professional monitor. All controls are inbuilt on a single PCB with exception of the brightness control which can be brought out for external use. Many features such as composite video, quoted bandwidth of 19 Mhz, superb linearity and definition make this a must for any MICRO/CCTV application.

Brand new and boxed only
+ carriage £7.50 + VAT. **£97.50**
Input harness, brightness pot and connector £2.50
+ VAT. Dimensions 9"H x 11"D x 11 1/2"W
HURRY WHILE STOCKS LAST

EX STOCK SOFTY

EPROM BLOWER


Software development system invaluable tool for designers, hobbyists, etc. Enables open heart surgery on 2716, 2708 etc. Blows, copies, reads EPROMs or emulates EPROM/ROM/RAM in situ whilst displaying contents on domestic TV receiver. Many other features. **£115 + carr. + VAT.** Optional 2716, 2716 Function Card **£40 + VAT.** PSU **£20 + £1.50 carr. + VAT.**
Write or phone for more details.

3K x 8 STATIC RAM CARDS

BRAND NEW PCB organised as a 3K x 8 page memory with 24 socketed 2102-L 650ns Rams, 4 Eprom Sockets and 16 TTL Chips for decoding. All IC's guaranteed.

Complete with circuit only
£24.50 + £1.75 P.P.
Dimensions 264 x 195mm.
0.1" connector.

EQUIPMENT CASES




**GIVE
YOUR
M.P.U.
A HOME
ONLY**

£9.95
+ 1.85 pp

Superb professional fully enclosed, made for the G.P.O. to the highest standard, offered at a fraction of their original cost they feature aluminium sides, hinged removable front panel, which can be secured by 2 screws to prevent prying fingers. All are finished in two tone G.P.O. grey and although believed brand new may have minor scuff marks/scratches due to bad storage. Dimensions 16"D x 6 1/2"H x 14 3/4"W

NATIONAL MA1012 LED CLOCK MODULE

- ★ 12 HOUR
- ★ ALARM
- ★ 50/60 HZ



The same module as used in most ALARM/CLOCK radios today, the only difference is our price! All electronics are mounted on a PCB measuring only 3" x 1 1/2" and by addition of a few switches and 5/16 volts AC you have a multi function alarm clock at a fraction of cost. Other features include snooze timer, am pm, alarm set, power fail indicator, flashing seconds cursor, modulated alarm output etc. Supplied brand new with full data only
Suitable transformer £1.75. **£5.25**

SEMICONDUCTOR 'GRAB BAGS'

Amazing value mixed semiconductor, include transistors, digital, linear I.C.'s, triacs, diodes, bridge recs. etc. etc. All devices guaranteed brand new, full spec. with manufacturers markings, fully guaranteed.

50 + BAG £2.95 100 + BAGS £5.15

MUFFIN FANS

Keep your equipment Cool and Reliable with our tested ex-equipment "Muffin Fans" almost silent running and easily mounted. Available in two voltages. 110 V.A.C. £5.05 + pp 90p OR 240v A.C. £6.15 + pp 90p DIMENSIONS 4 1/2" x 4 1/2" x 1 1/2"

ELECTRONIC
COMPONENTS
& EQUIPMENT

66%
DISCOUNT

Due to our massive bulk purchasing programme which enables us to bring you the best possible bargains, we have thousands of I.C.'s, Transistors, Relays, Cap's., P.C.B.'s, Sub-assemblies, Switches, etc. etc. surplus to our requirements. Because we don't have sufficient stocks of any one item to include in our ads., we are packing all these items into the "BARGAIN PARCEL OF A LIFETIME" Thousands of components at giveaway prices! Guaranteed to be worth at least 3 times what you pay plus we always include something from our ads. for unbeatable value!! Sold by weight

2.5kds £ 4.75 + pp £1.25 5kls £ 6.75 + pp £1.80
10kds £11.75 + pp £2.25 20kls £19.99 + pp £4.75

OP PRESS - STOP PRESS - STOP PRESS - ST

STEP INTO THE 80's EX STOCK

WITH TOMORROW'S WORLD TECHNOLOGY
TODAY

The "TANTEL" Post Office approved PRESTEL - VIEWDATA ADAPTOR

At last this amazing piece of micro technology is available at a price you can afford. Just connect to the aerial socket of any colour or black and white domestic TV receiver and to your Post Office installed jack socket and you are into the exciting world of PRESTEL. Via simple push button use you are able to view a staggering 170,000 pages of up to the minute information on many services and utilities, order goods from companies, even play games!! All this and more without ever leaving your armchair!

ONLY £170 + £1.75 carr
+ VAT Send £197.50p

Note: When ordering please give the address and telephone number where the Tantal adaptor is to be used, we will arrange all details with the Post Office for installation of the jack socket (normally within 7 days).

WE'VE BOUGHT ANOTHER SHIPMENT! SAVE OVER £1300!! DZM 180 CPS HIGH SPEED MATRIX PRINTERS

NOW ONLY
£499 + Carr
+ VAT

This must be one of our greatest bulk deals, this fabulous printer is listed at over £1800 and judging by the construction we are not surprised. Made under license from the LOGABAX Co. the DMZ180 is an exceptionally sturdy high speed 180 cps matrix printer, capable of printing up to 132 characters per line on standard "Fan Fold" sprocket fed paper. A precision 7 x 7 matrix head using ruby bearings, gives a clear concise type font. Many other features include internal buffer for high throughput, standard ink ribbon, software controllable form and tab functions, standard "CENTRONICS" ASCII parallel interface etc. etc.

Optional extras Floor Stand £30.00 + VAT, Paper Stand £18.00 + VAT



DATA ELECTRONICS

Dept. P.C.W. 64-66 Melfort Rd., Thornton Heath,
Croydon, Surrey. Tel: 01-689 7702 or 01-689 6800

**MAIL ORDER
INFORMATION**

Unless otherwise stated all prices inclusive of V.A.T. Cash with order. Minimum order value £2.00. Prices and Postage quoted for UK only. Where post and packing not indicated please add 50p per order. Bona Fida account orders minimum £10.00. Export and trade enquiries welcome. Orders despatched same day where possible. Access and Barclaycard Visa welcome.

DIABLO S30 2.5MB HARD DISK DRIVES

Limited quantity of these ultra high speed access hard disk drives type Diablo 30. They accept interchangeable 200 TP1 disk packs and require only a + and -15v DC supply. Fully DEC RK05 compatible, supplied second hand and in excellent condition.

Only £425 + carr + VAT
Dimensions 7"H x 17 1/2"W x 22 1/2"D

"THE MULTIVOLT PSU"

The PSU to end all your MPU/LAB requirements, made by "Weir" Electronics at over £200.00. The supply features full regulation, current limit, and overvoltage protection on all 7 outputs, just look at the spec.

+5v @12 amps, +5v @4.5 amps, +5v @4 amps, +30v @2 amps, +12v @2.5 amps, -12v @2.5 amps and -9v @1 amp.

A superb unit supplied in two grades, complete with data.

Brand New, Fully Tested **£59.99**
Used and Untested **£39.99**
Carriage and Insurance **£7.50**

KEYBOARDS

★ LOW PRICE CHASSIS ★



A special bulk purchase enables us to offer the above keyboard at a lowest ever price. 49 coded keys encoded into a direct TTL compatible 7 bit output. Features such as delayed strobe, 5 volt DC single rail operation and rollover protection make this an absolute must for the MPU constructor! Supplied complete with connection diagram and edge connector, at a secondhand, "no time to test" price of only

£20 + P.P.
£1.85

SUPER CASED VERSION Same as above spec but housed in attractive two tone moulded, free standing case. Unit also includes an all TTL parallel to serial converter (no details) etc.

£27.50 + P.P.
£1.95

5v D.C. POWER SUPPLIES

Following the recent "SELL OUT" demand for our 5v 3 amp P.S.U. we have managed to secure a large quantity of ex-computer systems P.S.U.'s with the following spec.: 240 or 110v A.C. input. Outputs of 5v @ 3-4 amps, 7.2v @ 3 amps and 6.5v @ 1 amp. The 5v and 7.2v outputs are fully regulated and adjustable with variable current limiting on the 5v supply. Unit is self contained on a P.C.B. measuring only 12" x 5" x 3". The 7.2v output is ideal for feeding "on board" regulators or a further 3 amp LM323K regulator to give an effective 5v @ 7 amp supply.

Supplied complete with circuit at only **£10.95 + £1.75pp.** Believed working but untested, unguaranteed.



'THIS BOOK IS EXCELLENT'

- Clive Sinclair

This unique book contains 30 programs all designed to fit in the Basic 1k version of the SINCLAIR ZX-80!! With this book you will realise that the ZX-80 is more powerful than you ever imagined!

112 pages packed with solid information!

BLACKJACK — actually contains a full pack of cards, shuffles them, keeps track of the dealer and players card totals, and the money bet, all within 1k.

MEMORY LEFT — an incredible routine especially useful as it enables you to know exactly how much memory is left, even during the running of a program. This also illustrates USR routines.

DR. ZX-80 — A conversational program with the computer as analyst which uses an ingenious method of storage.

GOMOKU — the computer challenges you to this complex Japanese game, Incredibly this program including display of the 7 x 7 board fits into 1k — it only does so because it uses the display as memory!

Other programs included are HORSE RACE, LUNAR LANDER (with moving spaceship), NOUGHTS AND CROSSES, NIM, SIMPLE SIMON, HANGMAN, LIFE, MASTERMIND, PINCH and seventeen others.

As well as the programs, the book illustrates programming techniques you can use in your own programs — space compression, PEEKs and POKEs, USRs and so on.



£6.95 (plus 50P p&p)

available by mail order only

Please send me . . . copies of 30 programs for the Sinclair ZX-80 1k

NAME

ADDRESS

MELBOURNE HOUSE PUBLISHERS

Orders to: 131 Trafalgar Road, London SE10
Correspondence: Glebe Cottage, Glebe House, Station Road,
Cheddington, Leighton Buzzard, Bedfordshire.

Please enclose cheque or P.O. for £7.45 per copy.
Orders outside the UK £7.95

COMPUTERS

From as little as £20 per week for your own business system with video screen, keyboard, twin floppy disk unit and printer. Choose any of the software programs available i.e.:

- ★ Word processing
- ★ Payroll
- ★ Invoicing
- ★ Stock control
- ★ Book-keeping
- ★ Incomplete records
- ★ Time recording
- ★ Information retrieval
- ★ Cash flow
- ★ Projection analysis

And when you've finished your easy days work we've got a few games for you to relax to including Space Invaders. We have first hand experience in dealing with businesses and can offer you expert advice in setting up your very first system. We can also offer installation, training and maintenance contracts.

NOW IS THE TIME

EXTRAS & OPTIONS
Floppy disks
Continuous Stationery
Dustcovers
Automatic sheet feeder
Tractor feed
Daisy wheels
Printer ribbons

Special desk work station
Lockable disk boxes
Payslips
Sound boxes
HARDWARE
CBM 3032 Computer
CBM 3040 Floppy
CBM 3022 Printer
Call into the

CBM 8032 Computer (new model)
CBM 8050 Floppy (New model)
Qume Springs Daisy Wheel Printer
SERVICES
Installation
Training
Maintenance
After Sales Service

DA VINCI COMPUTER SHOP
65 High St., Edgware, Middx.

Tel. 952 0526

Open Mon-Fri. 9-5.30. Sat 9.30-5.00
or send for details



PLEASE SEND ME DETAILS:

Name

Company

Address

Tel. No.

I am interested in

OHIO..

..24 hours a day!

Yes that's right, we are at your service 24 hours a day offering a complete OHIO SCIENTIFIC service, giving technical information, advice on hardware expansion and satisfying your requirements in any of the following:

OSI SYSTEMS-including the popular SUPERBOARD II and CHALLENGER 4P as either cassette or disk based systems.


OSI SOFTWARE-cassette and disk based software covering a broad spectrum of uses. Some of the cassette based software can be run on the UK101.

BEAVER SOFTWARE-business, educational and entertainment software -professional programs with full listings and documentation. Also available for other programs especially the UK101.

BEAVER PROGRAMMING AIDS-including video workpads, BASIC workpads, machine code workpads, cassette index cards, labels and blank cassettes, all available for OSI UK101 and TRS-80.

In addition to the above, we also have available cases for the SUPERBOARD II (and others).

Demonstrations of all the systems and software available can be arranged in your own home or business premises (within a 50 mile radius of Oxford).



BEAVER SYSTEMS

Norlett House, Dormer Road, Thame, Oxon OX9 3UC
Telephone Thame (084421) 5020 (24hr)

Greenbank

Greenbank Electronics
92 New Chester Road, New Ferry
Wirral, Merseyside L62 5AG
(Tel: 051-648 2391)




TERMS, VAT, CWO. Cheques etc payable to Greenbank Electronics and crossed.
Add VAT to all prices at 15% except where stated otherwise. Post etc: (UK 35p
+ Sp VAT = 40p) per order. Export: NO VAT but add 35p (Eire), 75p (Europe) and
£2.50 elsewhere. Access, Barclaycard, Visa, telephoned orders accepted.
(Polys, universities, gov't depts, etc can telephone their orders for immediate
despatch on account.)



UV 140, UV ERASER

Two easy to use units designed
for both the professional and
amateur UV-prom user



Features

- Can erase up to 14 proms.
- Special short wave ultraviolet tube
- Erase time variable between 5 and 50 minutes in 5 minute steps (preventing over exposure which may shorten prom life).
- Sliding tray carries proms on conductive foam
- Safety interlock switch prevents the timing circuit from operating and switching on the tube with the tray open.
- "Mains On" and "Tube On" indicators.
- Smart textured case.
- Complete instructions supplied.

Supplied complete with mains plug and flex

Model UV141. Price £77.70

Also available without timer as MODEL UV140: PRICE £61.20

TEX MICROSYSTEMS "EPROMPT" UV ERASER



A low cost alternative to the above erasers (UV 140/141) claimed by the manufacturer to erase up to 32 chips in 15-30 mins. This is the cheapest eraser we have seen. The unit has no timer, power switch or safety interlock switch. The user places up to 32 chips into loose conducting foam in the erasure tray (16 along the base, 8 on each side). The chips are held in place by the UV tube which sits in the tray. (Unlike the UV 140/141, no special precautions have been taken to prevent the seepage of UV light, but the manufacturers state that "Incident light from this device is quite safe at distances above 12 inches".)

(Dimensions — 325 x 64 x 38mm) | EPROMPT ERASER Price £33

EUROCARD COMPUTER BOARDS

"Custom 80" Modular Z80 Based System. Details in preparation, free on request.

"BIGBOARD" Z80 COMPUTER KIT

We hope this item will be in stock by the time this advert reaches you, but please check to see before sending any money! Features 64K Dynamic RAM, Floppy Disk Controller, 80 x 24 Char. Video output, £395, CP/M Disk Operating System to suit £99.

MODULAR COMPUTER SYSTEM CARDS

A range of "International" (114 x 203mm) size cards which may be purchased individually as desired, or to build up a complete system. Further details available on request. All boards are epoxy glass with gold plated edge plug.

VDU A. B. G. (set of 3)	£27.20
SC/MP-P SC/MP CPU	£9.40
MPA-7 Buffered SC/MP CPU	£9.40
MZB-3 Z80-CPU	£9.40
MXA-1 2K of 2102	£9.40
MXA-3 8K of 2114	£9.40
MXD-2 16K of 4116	£9.40
PRM-2 4K of 5204	£9.40
PRM-8 8K of 2708	£9.40
RRM-14 8K of 2516 + 6K of 2114	£9.40
SIO-2 RS-232 (two)	£9.40
TFA-2 Tape Interface	£8.90
IP-2 Input Port	£9.40
DCR-6 Keyboard Input	£9.40
OP-3 Output Port	£9.40
PP-2 PROM Programmer	£9.40
PSU-A4 Power Supply	£8.90
PSU-B 5V Power Supply	£5.50
PSU-C 25V Power Supply	£5.50
13-slot backboard, can be used with most of the above boards, 13" x 4 3/4"	£11.50
ISBUS-1.1	

FLOPPY DISK CONTROLLER BOARD

This is used in conjunction with "Kemtron" Z80 boards to interface to twin single density 5 1/4" floppy disks. It is not available as a bare board, but only built and tested. Regrettably Kemtron do not supply circuit diagram

£165.00

To run CP/M on the system a serial interface (e.g. SIO board) to some sort of VDU or terminal is required and 48K of RAM (e.g. three MXD-2 boards). The MZB-3 board has facilities for power on jump and a "boot" program to load the CP/M operating system from the disk Boot PROM (2708)

CP/M (8" 6 disk) £19.95
80 KEY ASCII KEYBOARD £99.00
High quality, Capacitive switches, Metal mounting frame £48.70

8" FLOPPY DISK DRIVES

DRE model 7100

£350.00

T.V. MONITOR P.C.B. for OEM users

This is an assembled P.C.B. size 130 x 190mm, which you add to your own 12"/14" black and white C.R.T. (90 degree, 20mm dia. neck), to obtain a T.V. monitor at modest cost. (Regrettably we cannot supply the C.R.T. at present.)

Practical controls, contrast, brightness, etc., are included, and the only inputs needed are 15 Volts \pm 10% AC at 1.5 Amps and 1 Volt pk-pk composite video input.

£33.50

KEYBOARD CASES

405 x 210mm. Panel size 380 x 188mm
510 x 340mm. Panel size 430 x 115mm

£9.66

£24.98

CMOS

These cut prices for Amateur Users and Export. Note: industrial users — quantity prices available. Mostly Motorola, RCA

4000 18p	4042 80p	4095 1.97	4410 0.85	4531 1.45
4001 25p	4043 90p	4096 1.97	4411 10.72	4532 1.30
4002 25p	4044 90p	4097 1.97	4412 14.93	4533 1.30
4006 95p	4045 1.10	4098 1.92	4413 15.24	4534 1.30
4007 18p	4046 1.10	4099 2.00	4422 15.66	4537 1.30
4008 80p	4047 1.10	4100 1.92	4433 12.30	4538 1.20
4009 40p	4048 77p	4101 1.69	4434 15.40	4539 97p
4010 50p	4049 45p	4102 1.69	4440 15.40	4541 1.19
4011 25p	4050 49p	4103 1.69	4451 15.40	4543 1.80
4012 25p	4051 80p	4104 1.85	4461 15.40	4549 1.38
4013 50p	4052 80p	4105 1.85	4462 15.40	4552 14.85
4014 84p	4053 80p	4106 92p	4490 15.40	4553 14.85
4015 84p	4054 1.10	4107 1.54	4491 15.40	4554 1.38
4016 45p	4055 1.10	4108 1.54	4500 15.40	4555 78p
4017 80p	4056 1.10	4109 1.54	4501 29p	4556 72p
4018 80p	4057 1.10	4110 1.54	4502 1.20	4557 1.38
4019 45p	4058 1.10	4111 1.54	4503 70p	4558 1.25
4020 99p	4059 1.10	4112 1.54	4505 1.25	4559 1.38
4021 1.10	4060 1.10	4113 1.54	4506 50p	4560 1.38
4022 1.10	4061 1.10	4114 1.54	4507 50p	4561 81p
4023 27p	4062 1.10	4115 1.54	4508 1.38	4562 1.38
4024 78p	4063 1.10	4116 1.54	4509 1.38	4563 1.38
4025 27p	4064 1.10	4117 1.54	4510 1.38	4564 1.38
4026 1.10	4065 1.10	4118 1.54	4511 1.38	4565 1.38
4027 50p	4066 1.10	4119 1.54	4512 80p	4566 1.38
4028 84p	4067 1.10	4120 1.54	4513 1.38	4567 1.38
4029 99p	4068 1.10	4121 1.54	4514 1.38	4568 1.38
4030 74p	4069 1.10	4122 1.54	4515 1.38	4569 1.38
4031 1.10	4070 1.10	4123 1.54	4516 1.38	4570 1.38
4032 1.10	4071 1.10	4124 1.54	4517 1.38	4571 1.38
4033 1.10	4072 1.10	4125 1.54	4518 1.38	4572 1.38
4034 1.10	4073 1.10	4126 1.54	4519 1.38	4573 1.38
4035 1.10	4074 1.10	4127 1.54	4520 1.38	4574 1.38
4036 1.10	4075 1.10	4128 1.54	4521 1.38	4575 1.38
4037 1.10	4076 1.10	4129 1.54	4522 1.38	4576 1.38
4038 1.10	4077 1.10	4130 1.54	4523 1.38	4577 1.38
4039 1.10	4078 1.10	4131 1.54	4524 1.38	4578 1.38
4040 1.10	4079 1.10	4132 1.54	4525 1.38	4579 1.38
4041 1.10	4080 1.10	4133 1.54	4526 1.38	4580 1.38
	4081 1.10	4134 1.54	4527 1.38	4581 1.38
	4082 1.10	4135 1.54	4528 1.38	4582 1.38
	4083 1.10	4136 1.54	4529 1.38	4583 1.38
	4084 1.10	4137 1.54	4530 1.38	4584 1.38
	4085 1.10	4138 1.54	4531 1.38	4585 1.38
	4086 1.10	4139 1.54	4532 1.38	4586 1.38
	4087 1.10	4140 1.54	4533 1.38	4587 1.38
	4088 1.10	4141 1.54	4534 1.38	4588 1.38
	4089 1.10	4142 1.54	4535 1.38	4589 1.38
	4090 1.10	4143 1.54	4536 1.38	4590 1.38
	4091 1.10	4144 1.54	4537 1.38	4591 1.38
	4092 1.10	4145 1.54	4538 1.38	4592 1.38
	4093 1.10	4146 1.54	4539 1.38	4593 1.38
	4094 1.10	4147 1.54	4540 1.38	4594 1.38
	4095 1.10	4148 1.54	4541 1.38	4595 1.38
	4096 1.10	4149 1.54	4542 1.38	4596 1.38
	4097 1.10	4150 1.54	4543 1.38	4597 1.38
	4098 1.10	4151 1.54	4544 1.38	4598 1.38
	4099 1.10	4152 1.54	4545 1.38	4599 1.38
	4100 1.10	4153 1.54	4546 1.38	4600 1.38
	4101 1.10	4154 1.54	4547 1.38	4601 1.38
	4102 1.10	4155 1.54	4548 1.38	4602 1.38
	4103 1.10	4156 1.54	4549 1.38	4603 1.38
	4104 1.10	4157 1.54	4550 1.38	4604 1.38
	4105 1.10	4158 1.54	4551 1.38	4605 1.38
	4106 1.10	4159 1.54	4552 1.38	4606 1.38
	4107 1.10	4160 1.54	4553 1.38	4607 1.38
	4108 1.10	4161 1.54	4554 1.38	4608 1.38
	4109 1.10	4162 1.54	4555 1.38	4609 1.38
	4110 1.10	4163 1.54	4556 1.38	4610 1.38
	4111 1.10	4164 1.54	4557 1.38	4611 1.38
	4112 1.10	4165 1.54	4558 1.38	4612 1.38
	4113 1.10	4166 1.54	4559 1.38	4613 1.38
	4114 1.10	4167 1.54	4560 1.38	4614 1.38
	4115 1.10	4168 1.54	4561 1.38	4615 1.38
	4116 1.10	4169 1.54	4562 1.38	4616 1.38
	4117 1.10	4170 1.54	4563 1.38	4617 1.38
	4118 1.10	4171 1.54	4564 1.38	4618 1.38
	4119 1.10	4172 1.54	4565 1.38	4619 1.38
	4120 1.10	4173 1.54	4566 1.38	4620 1.38
	4121 1.10	4174 1.54	4567 1.38	4621 1.38
	4122 1.10	4175 1.54	4568 1.38	4622 1.38
	4123 1.10	4176 1.54	4569 1.38	4623 1.38
	4124 1.10	4177 1.54	4570 1.38	4624 1.38
	4125 1.10	4178 1.54	4571 1.38	4625 1.38
	4126 1.10	4179 1.54	4572 1.38	4626 1.38
	4127 1.10	4180 1.54	4573 1.38	4627 1.38
	4128 1.10	4181 1.54	4574 1.38	4628 1.38
	4129 1.10	4182 1.54	4575 1.38	4629 1.38
	4130 1.10	4183 1.54	4576 1.38	4630 1.38
	4131 1.10	4184 1.54	4577 1.38	4631 1.38
	4132 1.10	4185 1.54	4578 1.38	4632 1.38
	4133 1.10	4186 1.54	4579 1.38	4633 1.38
	4134 1.10	4187 1.54	4580 1.38	4634 1.38
	4135 1.10	4188 1.54	4581 1.38	4635 1.38
	4136 1.10	4189 1.54	4582 1.38	4636 1.38
	4137 1.10	4190 1.54	4583 1.38	4637 1.38
	4138 1.10	4191 1.54	4584 1.38	4638 1.38
	4139 1.10	4192 1.54	4585 1.38	4639 1.38
	4140 1.10	4193 1.54	4586 1.38	4640 1.38
	4141 1.10	4194 1.54	4587 1.38	4641 1.38
	4142 1.10	4195 1.54	4588 1.38	4642 1.38
	4143 1.10	4196 1.54	4589 1.38	4643 1.38
	4144 1.10	4197 1.54	4590 1.38	4644 1.38
	4145 1.10	4198 1.54	4591 1.38	4645 1.38
	4146 1.10	4199 1.54	4592 1.38	4646 1.38
	4147 1.10	4200 1.54	4593 1.38	4647 1.38
	4148 1.10	4201 1.54	4594 1.38	4648 1.38
	4149 1.10	4202 1.54	4595 1.38	4649 1.38
	4150 1.10	4203 1.54	4596 1.38	4650 1.38
	4151 1.10	4204 1.54	4597 1.38	4651 1.38
	4152 1.10	4205 1.54	4598 1.38	4652 1.38
	4153 1.10	4206 1.54	4599 1.38	4653 1.38
	4154 1.10	4207 1.54	4600 1.38	4654 1.38
	4155 1.10	4208 1.54	4601 1.38	4655 1.38
	4156 1.10	4209 1.54	4602 1.38	4656 1.38
	4157 1.10	4210 1.54	4603 1.38	4657 1.38
	4158 1.10	4211 1.54	4604 1.38	4658 1.38
	4159 1.10	4212 1.54	4605 1.38	4659 1.38
	4160 1.10	4213 1.54	4606 1.38	4660 1.38
	4161 1.10	4214 1.54	4607 1.38	4661 1.38
	4162 1.10	4215 1.54	4608 1.38	4662 1.38
	4163 1.10	4216 1.54	4609 1.38	4663 1.38
	4164 1.10	4217 1.54	4610 1.38	4664 1.38
	4165 1.10	4218 1.54	4611 1.38	4665 1.38
	4166 1.10	4219 1.54	4612 1.38	4666 1.38
	4167 1.10	4220 1.54	4613 1.38	4667 1.38
	4168 1.10	4221 1.54	4614 1.38	4668 1.38
	4169 1.10	4222 1.54	4615 1.38	4669 1.38
	4170 1.10	4223 1.54	4616 1.38	4670 1.38
	4171 1.10	4224 1.54	4617 1.38	4671 1.38
	4172 1.10	4225 1.54	4618 1.38	4672 1.38
	4173 1.10	4226 1.54	4619 1.38	4673 1.38
	4174 1.10	4227 1.54	4620 1.38	4674 1.38
	4175 1.10	4228 1.54	4621 1.38	4675 1.38
	4176 1.10	4229 1.54	4622 1.38	4676 1.38
	4177 1.10	4230 1.54	4623 1.38	4677 1.38
	4178 1.10	4231 1.54	4624 1.38	4678 1.38

Wego Computers Ltd



CBM approved
£75.00 + VAT

Wego Sequential Switching Unit

Allows up to 5 devices to be connected to the mains, and with one switching operation power up and down all the devices, in the correct sequence.



£89.50 + VAT

Numeric Key Pad for the Apple.


A 13 digit Key pad (0-9, -, ., ENTER) to run in parallel with the numeric section of the APPLE Keyboard. Supplied with connecting cable, plugs and sockets.



CBM approved
Prices from £620 + VAT

Mark Sense Card Reader

"A pencil, a card, and this low-cost reader. . . it's the new, fast way to enter data into your microcomputer." Versions available able to communicate with PET, APPLE, TRS-80, or any S100 or RS232 bus. Ideal for business and education applications.



Sole UK Distributors

California Computer Systems Cards for the Apple.

Synch Serial Card	£119.97+VAT
Asynch Serial Card	£106.37+VAT
Parallel Card	£ 79.97+VAT
Arithmetic Proc. Unit	£ 265.97+VAT
Programmable Timer	£106.37+VAT
IEEE GPIB	£199.50+VAT
A/D Converter	£ 99.72+VAT
ROM/PROM Module	£ 70.89+VAT
Clock Card	£ 83.33+VAT
Centronics Card	£ 79.97+VAT

Available from your local dealers, or direct from Wego Computers Ltd., 22A, High Street, Caterham, Surrey CR3 5UA. Tel: (0883) 49235 Telex: 933660

Authorised COMMODORE & APPLE Dealers

VIDEO GENIE PROGRAM

At last, a program for the Video Genie owner, which not only explains the many things not covered by the instruction manuals but also shatters those many 'trade secrets', showing what to do to allow you to use the Genie to its full potential:

Speeding up — which tells you how to speed up your Basic programs and at the same time save space. Machine language — explains what you need to get into machine language and its benefits. Abbreviations — a list of all the 'shorthand' you can use on the Genie which is not shown in the manual. Memory size — obvious to the Tandy user, but not so to the Genie owner, this explains it all. InkeyS — is just not explained in the manual, yet a very useful command as you will find out. Programs — tells you exactly why some TRS-80 programs are just not compatible.

Then comes the information concerning the hardware of the Genie:

Loading problems — the bugbear of all the micros. This will help considerably. Second Cassette — gives details of exactly what you can do with it to your advantage. Getting sound — easily, without the need of a sound box either. Converting television — get rid of the wobbles, use it as a monitor instead. Screen adjustment — no more losing either the top or the bottom line. Gain adjustment — will sort out the loading difficulties for once and for all. Azimuth adjustment — will show you how to check, and even adjust, the azimuth of your tape head. Modifications — explains all the mods which can be undertaken. Peripherals — and what you can hang on to the Genie. Dismantling — diminishes the fear of getting inside, which is very easy indeed. And finally, there's an adjustment program included.

Written by a qualified engineer and authorised Genie dealer, this program really does explain everything. No Genie owner should be without it.

It's from Kansas—and only from Kansas—

which means it's good and at a sensible price £9.50.

Ring for best prices on modified Video Genie and peripheral,

Kansas


Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, Derbys. Tel 0246 850357

All prices VAT paid and post free. First class return post service. Barclay-card, Visa orders dispatched same day if phoned in by 3pm. Answering machine ordering service after 6pm and Sundays to allow use of cheap rate. Catalogue available on request.

NORTH STAR BUSINESS SYSTEM

WORD-PROCESSING
STOCK CONTROL
INVOICING
SALES & PURCHASE LEDGER
ETC. ETC.


FREE
CP/M &
WORDSTAR



C



B



A

EX-STOCK

PROVEN RELIABILITY 1 YEAR GUARANTEE

SAMPLE RECOMMENDED SYSTEM (AS ABOVE):—

A	Horizon Computer (64K Ram 2 D/D Drives)	£2080.00
B	TVI-912C VDU, numerous features	£595.00
C	NEC RO Spinwriter (RS232) + tractors	£1775.00
	COMPLETE SYSTEM PRICE (Includes cables)	£4450.00
	ABOVE SYSTEM WITH DOUBLE-SIDED DRIVES	£4730.00
	FREE !! WORDSTAR plus CP/M with above system.	

INVENTORY Package — With Sales & Purchase Management System	£295.00
KDS Development System for North Star BASIC	£50.00
KDS Disk Despooler — North Star DOS despooler	£50.00
CP/M V2.2 — supports double-sided drives	£95.00
WORDSTAR V2.1 — Superb word processing package	£175.00
MAIL-MERGE — Adds form letter generation to WORDSTAR	£55.00
DATASTAR — CP/M compatible Database Management System	£145.00
North Star UCSD PASCAL-D/Q System	£105.00
Microsoft BASIC interpreter V5.1	£155.00
Microsoft BASIC compiler V5.1	£195.00
Microsoft FORTRAN-80	£205.00
Econoram IIa — 8K Static Memory	£100.00
Econoram XX — 32K Static Memory with bank switching	£355.00
DMB-6400 — 64K Dynamic RAM with bank switching	£495.00
Godbout Interfacer 1 — 2 full RS232 serial I/O card	£135.00
Switchboard — 2 Serial, 4 parallel I/O card	£155.00
OKI Microline-80 Printer — Lightweight, 80 cps, Graphics	£325.00
Paper Tiger Printer — 2K buffer, full graphics, form-feed	£595.00
Anadex DP9500 Printer — Fast, bi-directional, logic-seeking	£895.00
Morrow 26Mb Hard Disk Sys. + Timeshaver CP/M-North Star DOS	£3345.00
Morrow 26Mb Hard Disk — Add on hard disk	£2495.00

PLEASE WRITE OR PHONE FOR LATEST PRODUCT CATALOGUE

PHONE US OR CONTACT
YOUR NEAREST DEALER

CODAS LTD
Pontypridd Wales Tel: 0443-406450
CONQUEST COMPUTER SALES LTD
Benfleet Essex Tel: 03745-59861
DIGITAL DEVICES LTD
Southborough Kent Tel: 0892-37977/9
FYLDE MICROCOMPUTER SERVICES
Blackpool Lancs. Tel: 0253-692954
THE HARDWARE SOFTWARE CO.
London NW3 Tel: 01-722 6436
HOTEL MICROSYSTEMS LTD
Middlesex Tel: 01-890 9696
JAD INTEGRATED SERVICES
Plymouth Devon Tel: 0752-626164
KBS COMPUTER SERVICES
Liverpool Tel: 051-236 8333
KBS COMPUTER SERVICES
Cardiff Wales Tel: 0222-394313
KBS COMPUTER SERVICES
Coventry Warwicks. Tel: 0203-27266
LOVEDEN COMPUTER SERVICES LTD
Grantham Lincs. Tel: 0476-72000
MICRO FACILITIES LTD
Hampton Hill Middx. Tel: 01-979 4546
MICROSYS LTD
Prescot Merseyside Tel: 051-426 7271
MICROTECH COMPUTER SERVICES
Liverpool Tel: 051-236 2208/9
SAPPHIRE SYSTEMS
Billericay Essex Tel: 02774-57743
SPOT COMPUTER SYSTEMS LTD
Doncaster Yorks Tel: 0302 50833
S. SYSTEMS
Crawley Sussex Tel: 0293-515201
STAG TERMINALS LTD
Teddington Middx. Tel: 01-943 0777
SUMLOCK-BONDAIN LTD
London EC1 Tel: 01-250 0505
VIDEO VECTOR DYNAMICS LTD
Glasgow Scotland Tel: 041-226 3481/2

UK Distributor:
INTERAM Computer Systems Ltd.
59 Moreton Street,
Victoria, London SW1V 2NY
Tel: 01-834 0261/2733
Telex: 925859

INTERAM

BITS & P.C.s

COMPUTER PRODUCTS LTD

The North's Leading Nascom Specialist

NEW PRODUCTS FOR NASCOM

PROGRAMMABLE CHARACTER GENERATOR FOR NASCOM 2

Gives 64 Programmable characters 8,192 Programmable dots.
Free demonstration software. Ask for details. £60.00

DISCS:

Single drive £380.00
Double drive with CPM & EBASIC £640.00

Ask for details. Professionally designed for your NASCOM.

KENILWORTH CASE:

A high quality case made from stelvite coated steel and solid mahogany £49.50
Mounting kit for two cards £7.50
Mounting kit for five cards £19.50

SARGON CHESS PACK:

This pack includes the book and a tape with Sargon prepared to run under NAS-SYS. Also included is a special graphics rom and a PCB giving your NASCOM the ability to switch between two graphics ROMs, your original and the chess ROM.
All the above for only £35.00

INTERFACE EPROM BOARD:

Provides sockets for both 2708 and 2716 EPROMs (up to 16 EPROMs) and also provides a fully decoded socket for the NASCOM 8K BASIC ROM. This board is produced to full NASBUS specification and can be used in "page mode" together with the new NASCOM RAM B. Wait states may be generated on board to allow a NASCOM 1 to run at 4MHz in BASIC.
The complete kit at only £55.00

CASTLE INTERFACE:

Gives the following features: Auto tape drive * Auto cassette muting * Auto serial printer muting * 2400/1200/300 BAUD cassette. This interface built and tested complete with documentation at only £17.50

ASTEC 10" B/W MONITOR:

A professional cased 10-inch Monitor giving superb resolution, only £99.50

ANALOGUE TO DIGITAL CONVERTER:

This unit gives 4 channels with an Input Range of 0 to 120mV up to 0 to 24V. Conversion time (average) 0.5 mSec. Supplied built and tested at only £49.50

DUAL MONITOR:

This kit allows switching between two monitors on a NASCOM 1 e.g. T4 and NAS-SYS £6.50

PORT PROBE:

A very useful device for testing and evaluating ports and peripheral software with improved documentation £17.50

HEX AND CONTROL KEY PADS:

Our popular range of add-on keyboards for the NASCOM micros.
HEX for NASCOM 2 £34.00
HEX & CONTROL KEYS for NASCOM 1 £40.50

CASSETTE MACHINE:

Will reliably record data at 2400bd and above, manufactured by SHARP £25.50

PROGRAMMERS' AID:

In 2 2708 EPROM gives the NASCOM rom BASIC many extra commands: AUTO, RENU, DELE, DUMP, FIND, HEX, APND, HELP... etc. £28.00

BITS & P.C.s GAMES TAPE 1:

Good value, ten excellent games £8.00

PRINTERS:

We have a good range of printers, all of which will work on the NASCOM, RICOH, EPSON, IMP, QUME ANADEx.

BOOKS:

Full range including INMC mags.

MEDIA:

Paper, diskettes, ribbons, leaderless cassettes, VDU tables etc.

MEMORIES:

4116, 4027, 2708, 2716.

BUILT SYSTEMS REPAIRS MAIL ORDER and ADVICE are our SPECIALITY.

BITS & P.C.s Computer Products Ltd.
4 Westgate, Wetherby, West Yorkshire.
Tel: 0937 63744.

SAE for details: prices exclude VAT and postage and package.



YOU NEED SOUND EFFECTS

FOR PET, SUPERBOARD, UK101, NASCOM.

- * COMPLEX EFFECTS AND MUSIC
- * USES INCREDIBLE AY-3-8910
- * COMPLETELY BUILT, SIMPLY PLUGS IN
- * BASIC OR MACHINE CODE
- * BUILT IN AMP & SPEAKER + STEREO
- * INCLUDES 28 BIT I/O PORTS
- * COMATIBLE WITH OTHER EXPANSIONS
- * FREE DEMO PROGRAM + INSTRUCTIONS

£43

+ VAT
EX STOCK

Send for free information leaflets.

NB: 8T28 buffers (Superboard/UK101) next 6502 @ £3.00 per pair if required

SOON EPROM Programmer for Superboard/UK101.

AVAILABLE!!

Peripheral board 24 I/O lines for relay driving etc., etc.

PHONE, WRITE FOR DETAILS.

SUPERBOARD II 50Hz → £159 + VAT

610 EXPANSION £159 + VAT
CD3P FLOPPY DISC £285 + VAT
BASE 2 800MST PRINTER £359 + VAT

SOFTWARE EXAMPLES

Nascom — Star Trek Basic 16k @ £6.75
Pet — Cribbage Profesional 24k @ £14.95

List of Pet, Nascom, Superboard + UK101 Software free.

Trade enquiries welcome. Send for extensive software list.

Telephone orders Welcome 0603 416352

Easicomp

57 PARANA COURT SPROWSTON
NORWICH NR7 8BH 0508 46484



Happy Memories

4116	200ns	£2.95	2114	200ns	£3.25
2114	450ns	£2.55	2716	5V	£6.75
2708	450ns	£3.95			

Memorex soft-sectored mini-discs with free plastic library case £19.95 per 10.

Low profile I.C. sockets:

Pins: 8 14 16 18 20 22 24 28 40
Pence: 10 11 12 16 17 19 21 28 37

Memory Upgrade Kits for TRS-80, Apple, 20-20 etc from £23.60

Please phone (054-422) 618



ALL PRICES VAT INCLUSIVE

Please add 30p postage to orders under £10.
Government + Educational orders welcome
£10 minimum

Dept PCW


Happy Memories
Gladestry
Kington
Herefordshire
HR5 3NY

Tel: (054 422) 618



apple®] [PLUS 16K RAM

® Apple is a trade mark of Apple Computer Inc., Cupertino, CA. USA.



£550

Send cheque or money order for

£645 INCLUDING VAT & DELIVERY IN THE U.K.)
TO:-

Trade Enquiries
Welcome

GUESTEL LIMITED

Refuge House, 2-4 Henry Street, Bath, BA1 1JT.
Telephone: 0225-65379

Please allow 28 days for delivery

* New offices opening shortly at 15 Grand Parade, Brighton



CRYSTAL ELECTRONICS CC ELECTRONICS

SHARP MZ80K

**For the latest competitive
PRICE**

Contact us
Before you accept discounts elsewhere.
GIVE US A TRY

**CRYSTAL ELECTRONICS is the home of XTAL BASIC
ACCLAIMED BY MANY**

Bi-directional serial board for your SHARP RS232 compatible <150 Baud to >2400 Baud adjustable. 5,6,7,8 Bit words, plugs into MZ80 I/O £99.50 plus VAT

**MZ80K owners — are you XTAL followers?
NO! Then please read on.**

XTAL BASIC (SHARP)

Takes 5K less memory, has all the features of SHARP BASIC PLUS Multi dim strings, error trapping, logical operators, machine code monitor, more flexible peripheral handling, improved screen control, increased list control, auto run, If.. then.. else — and it doesn't stop there — it grows. You can extend the commands and functions at will — 10K, 12K, 16K, BASIC?

SHARP to XTAL BASIC conversion program is included. £40 plus VAT

Members of Computer Retailers Association & Apple Dealers Association

Shop open 0930-1730 except Saturday & Sunday
40 Magdalene Road, Torquay, Devon, England. Tel: 0803 22699
Telex 42507 XTAL G

Access and Barclaycard welcome.






FERGUSSON

COMPUTER SERVICES

For All Your



apple & ITT 2020

SALES AND SERVICE

Contract Maintenance:-

- * On-site repair contracts
- * Total system or only items required
- * 24hrs response to calls
- * Very competitive rates

Ad-hoc Repair Service:-

- * Ring for repair quotation
- * Same day service
- * Collection from Red Star if required

Hardware and Software Sales:-

- * 32K RAM free with each system purchased with this advertisement
- * Totally Integrated Ledger system complete for £3262.00

**For further information ring
Byfleet (09323) 45330**

Fergusson Computer Services
"Sharberry", Maitland Close, West Byfleet, Surrey



**VIDEO DISPLAY UNIT
TEX VT64 - £299**

★

**UNIVERSAL KEYBOARD
TEX KB62 - £99**

★

VT64 & KB62 - £389

- 16 x 64 FULL SCREEN REWRITE IN 0.5 SECONDS.
- 128 CHARACTER U/L SET + FULL CURSOR/SCREEN CONTROLS.
- FOUR-TONE 'BEL'. V24/20mA. 50-19200 BAUD.
- KEYBOARD INPUT PORT ACCEPTS & POWERS MOST TYPES.
- UPGRADEABLE TO 24 x 80 VT80 DURING 1981.
- KB62 HAS 464 x 8-BIT KEYCODES IN EPROM.
- 62 KEYS WITH DEDICATED CURSOR & USER FUNCTIONS.
- QUALITY 'FEEL'. ALPHA-LOCK. AUTO-REPEAT.
- QUAD-MODE ENCODING. 2/N-KEY ROLLOVER/LOCKOUT.
- LATCHED DATA. ± STROBE. CONTACTS OF USER KEY.
- KB16 SEPARATE ADD-ON NUMERIC PAD DURING 1981.



TEX EPROMPT ERASER - £39 inclusive

- SIMPLE 32-CHIP 1/2 HOUR PROCESS ON 200-250V A.C.
- TUBE RUNS COOL AT EXACT WAVELENGTH FOR EPROMS.
- 16-CHIP INTERLOCKED-DRAWER 'GT' MODEL £45 INCL.
- SOLID-STATE 30-MINUTE TIMER UNIT £15 INCL.

VT64/KB62 prices exclude shipping and value-added tax.
Terms C.W.O./C.O.D. or trade references for credit.
All orders and enquiries post-free to: —

Trade enquiries invited for substantial discounts.
O.E.M. quantities available with custom trim.

TEX MICROSYSTEMS LTD. FREEPOST
ST. ALBANS, HERTS. AL1 1BR HATFIELD 69909/ST. ALBANS 64077 (DAY/NIGHT)

Master Your Micro FAST with...

Little Genius floppy diskette based courses will teach you, how to use your system and how to realise the full potential of the "Mighty Micro". These fully interactive computer lessons will guide you quickly to a high level of understanding and confidence in your ability to make the most of your microcomputer system.

Courses now available:

- | | |
|--------------------|--------------------|
| - Applesoft BASIC | - Palsoft BASIC |
| - Advanced | - Advanced Palsoft |
| - Applesoft BASIC | - BASIC |
| - Using your Apple | - Using your 2020 |
| - PET BASIC | |
| - Advanced PET | |
| - BASIC | |

Little Genius

Each course, comprising a floppy diskette, and starting instructions, costs only £40.00 plus VAT.

SPECIAL "3 in one" OFFER for 3 courses covering the same system only £99.00 plus VAT.

Little Genius courses are available from most computer retail outlets, or direct mail order from:

LITTLE GENIUS
Suite 504, Albany House, 324 Regent Street, London W1R 5AA.
Telephone: 01-580 6361



APPLE® II DISK DRIVES


DUAL DISK UNIT

£519

DISK CONTROLLER CARD

£ 49

- * Two Disks in one Cabinet
- * Has its own Power Supply Unit
- * Connects to standard Apple Disk Controller Card
- * Runs all Apple Software including Pascal
- * Japanese quality and reliability



APPLE DEALERS:- Write or phone direct to Cumana and specifications plus dealer discounts will be mailed to you.

TRS-80® DISK DRIVES

DUAL DISK UNIT

2 x 40 Track Drives
2 x 80 Track Drives

£440
£595

SINGLE DISK UNIT

1 x 40 Track Drive
1 x 80 Track Drive

£236
£315

TRS 80 DISK CABLES

2 Drive Cable
4 Drive Cable

£19
£30



TRS-80 DEALERS:- Write or phone direct to Cumana and specifications plus dealer discounts will be mailed to you.

EDUCATIONAL & QUANTITY DISCOUNTS

VERY GENEROUS EDUCATIONAL AND QUANTITY PURCHASE DISCOUNTS
ARE NOW AVAILABLE ON CUMANA TRS 80 DISK DRIVES. OUR DEALERS WILL BE HAPPY TO
SUPPLY PRICE QUOTATIONS

Call your nearest dealer for a demonstration:

RADIO SHACK LTD.,
188, Broadhurst Gardens,
London NW6
Tel: 01-624-7174

COMPSHOP LTD., 14, Station
Road, New Barnet, Herts.
Tel: 01-441-2922

COMPSHOP LTD.,
311, Edgware Road,
London W2. Tel: 01-262-0387

MICRO-CONTROL LTD.,
224, Edgware Road,
London W2. Tel: 01-402-8842

**LONDON COMPUTER
CENTRE,** 43 Grafton Way,
London W1. Tel: 01-388-5721

**TRANSAM COMPONENTS
LTD.,** 59-61, Theobalds Road,
London WC1.
Tel: 01-405-5240

N.I.C. 61, Broad Lane,
Tottenham, London N15
Tel: 01-808-0377

ZERO ONE ELECTRONICS,
36, Oaklands Avenue,
THORNTON HEATH,
Surrey
Tel: 01-689-7924

P & J EQUIPMENT LTD.,
3 Bridge Street,
GUILDFORD
Tel: 0483-504801

SEVET TRADING, 14, St.
Paul's Street, Bristol 2
Tel: 0272-697757

PARWEST LTD., 58, Market
Place, Chippenham.
Tel: 0249-2131

COMPUTERAMA LTD.,
5, Cleveland Place East,
London Road, Bath.
Tel: 0255-333232

ENSIGN, 13-19, Milford
Street, Swindon, Wilts.
Tel: 0793-42615

**CAMBRIDGE COMPUTER
STORE,** 1, Emmanuel Street,
Cambridge. Tel: 0223-65334

**PORTABLE MICRO-
SYSTEMS,** 18, Market Place,
Brackley, Northants
Tel: 0280-702017

I.C. ELECTRONICS,
Flagstones, Stede Quarter,
Biddenden, Kent.
Tel: 0580-291816

MICRO CHIP SHOP,
190, Lord Street, Fleetwood,
Lancs. Tel: 03917-79511

MICRO CHIP SHOP,
197, Waterloo Road, Blackpool.
Tel: 0253-403122

MICRO CHIP SHOP,
93, Friargate, Preston, Lancs.
Tel: 0772-22669

HARDEN MICROSYSTEMS,
28-30, Back Lord Street,
Blackpool. Tel: 0253-27590

**NORTH WEST COMPUTER
CONSULTANTS LTD.,**
241, Market Street, HYDE,
Cheshire
Tel: 061-366-8624

**HEWART MICRO-
ELECTRONICS,** 95, Blakelow
Road, Macclesfield.
Tel: 0625-22030

KARADAWN LTD.,
2 Forrest Way, Warrington
Tel: 0925-572668

PHOTO ELECTRICS,
459, London Road,
Sheffield
Tel: 0742-63865

GNOMIC LTD.,
46, Middle Street,
Blackhall, Hartlepool
Tel: 0783-863871

EWL COMPUTERS LTD.,
8, Royal Crescent, Glasgow.
Tel: 041-332-7642

CUMANA LTD 35 Walnut Tree Close, Guildford, Surrey, GU1 4UN.
Telephone: (0483) 503121.

*Please add VAT to all prices.
Delivery at cost will be advised
at time of order.*

ELECTRONIC BROKERS LTD

VDU PRICES SHATTERED



Hazeltime 1000


The low, low priced teletypewriter — compatible video display terminal with 12" screen (12 x 80) 64 ASCII alphanumeric and symbols. Full/Half Duplex. RS232.

£199

All equipment reconditioned, unless otherwise stated.



BRAND NEW.



Hazeltime 2000

The world's largest-selling teletypewriter — compatible video display terminal. Features include: 12" screen (74 x 27) 64 alphanumeric and symbols. 32 ASCII control codes. Switch-selectable transmission rates to 9600 baud. Three switch-selectable operating modes full-duplex, half-duplex or batch. Direct cursor addressability. Dual-intensity video. Tabulation. Powerful editing capability. Remote keyboard. Selective or automatic roll-up. RS232.

£299

Low cost matrix printer.

Ideal for Microprocessor users such as Hobbyists & Educationalists or for any low-budget application.

*Full upper/lower case ASCII PLUS GRAPHICS Mode.

*80-column printing with adjustable tractor feed.

*30 cps print-speed with 1-line buffer.



Modular one basic

Now with Upper & Lower Case. 12" screen (24 x 80). XY cursor addressing 64 ASCII alphanumeric & symbols. Dual intensity detachable keyboard. Choice of 8 transmission rates up to 9600 baud. RS232. Range of options including printer port (£70.00).

£399

Modular one edit

All the above plus full edit capability, tabulation, 8 special function keys + many other features. **£695.00** POLLING MODELS also available — P.O.A.

*Standard and Double-width characters (12 cpi and 6 cpi)

*Standard parallel (Centronics-type) interface.

*Optional Interfaces available for RS 232, IEEE 488, Tandy, PET, Apple II

ONLY £199 plus carriage & VAT (mail order total £240.35).

Electronic Brokers Ltd., 61/65 Kings Cross Road, London WC1X 9LN. Tel: 01-278 3461. Telex 298694


Mini-Digital Cassette Recorder

An alternative to disc for program & data storage

FEATURES

- * The Philips MDCR 220 mechanism of proven reliability
- * Holds up to 120k Bytes/Cassette with fast data transfer
- * Extra memory board with RAM and ROM to hold operating software
- * Will read & write (in blocks from 256 bytes to 60k Bytes), backspace & search for end of data on tape
- * Compatible with 6502 based systems ie PET, AIM65, OHIO, KIM, COMPUKIT ETC.

LIMITED OFFER TILL END OF APRIL £195 + VAT



PRICES (INCLUDING MANUAL)

MINI RECORDER MECHANISM	£95.00
INTERFACING BOARD (TYPEA)	£42.50
MEMORY BOARD (WITH ROMS FOR 6502)	£55.00
CASSETTES (BOX OF 6)	£15.90
CARRIAGE	£2.25
PRICES EXCLUSIVE OF VAT @ 15%	

CURRAH

COMPUTER COMPONENTS

Unit 7 Hartlepool Workshops, Sandgate Industrial Est.
Hartlepool, Cleveland

HIRE

Hire from	Bargain Inc VAT	New Ex VAT
£20 .. PET 8K	£320	
£25 .. PET 32K	£500	
£25 .. TRS80	£280	
..... ITT2020 48K	£600	
£18 .. SOCCERER 32K	£400	
£68 .. SUPERBRAIN 64K	£1450	
£60 .. HORIZON 56K	£900	
£28 .. Euro & Apple II 32K	£610	

SALES or LEASE or EXCHANGE

NEC PRINTER

CENTRONICS 779

APPLE II Guaranteed EUROPLUS.

Price 32K £610 + V.A.T. Lots of exciting software, all types of cards: Asteroids in space, Zork Adventure, Rainbow software, hire text graphics space invaders. Z80 Card/CPM/ COBOL, PASCAL, FORTRAL, ALL NEW

SUPERBRAIN 64K

£1450 + VAT

HIGH LEVEL LANGUAGES AVAILABLE

PROMGLOW Ltd

01-368 9002 + EVENING
12 DENE ROAD
LONDON, N.11.

**FREE
BASIC TRAINING COURSE
WITH EVERY**

SHARP MZ-80K



Includes

- * 20K RAM
- * One day BASIC course
- * BASIC Cassette & Manual
- * 12 months guarantee
- * Many options & programmes available

	NETT	VAT	TOTAL
MZ-80 Computer 48K	£478.00	£71.70	£549.70
MZ-80K 28K UPGRADE	£87.00	£13.03	£100.05
MZ-80 I/O Interface Unit	£62.00	£6.30	£48.30
MZ-80 FD Dual Disk Drive	£693.00	£103.95	£796.95
MZ-80 FDK Additional MZ-80FD	£616.00	£92.40	£708.40
MZ-80 RS232 Interface	£110.00	£16.50	£126.50
MZ-80 P3 Matrix Printer	£430.00	£64.50	£494.50
CP/M Operating System	£196.00	£29.40	£225.40
PC-1211 Pocket Computer	£91.00	£13.65	£104.65
CE-121 Cassette Interface	£12.60	£1.89	£14.95
RP1600 Daisywheel Printer	£1450.00	£217.50	£1667.50
Ledger and stock control packages free with computer systems			

Please send me

Name

Address

I enclose cheque/P.O. for £..... (£10 P & P)

Butel-Comco Limited

Garrick Industrial Centre
Garrick Road Hendon
London England NW9 6AQ
Telephone 01-202 0262
Telex 47523

Barclaycard

Access

Signed

Technology for business

INSTANT H.P. CREDIT AVAILABLE

PCW

MICROSYSTEMS'81

EXHIBITION & CONFERENCE

March 11-13, 09.30-18.00 daily

Wembley Conference Centre

Exhibition admission £1.00 A complete study of microprocessors in use.

Microsystems '81 consists of a wide ranging exhibition, together with a three day conference and three one-day microprocessor awareness courses. Together they comprise an invaluable opportunity for those interested in microprocessor applications and the latest developments in microelectronics technology.

Take advantage of this unique event to examine and discuss a comprehensive range of microprocessors, peripherals, memory products and personal computers together with the software which accompanies them.

For Conference details write to:
The Conference Administrator
IPC Conferences Ltd, Surrey House,
1 Throwley Way, Sutton,
Surrey SM1 4QQ

For *advance exhibition tickets at £1 each, write to:
Microsystems Tickets
IPC Exhibitions Ltd, Surrey House,
1 Throwley Way, Sutton,
Surrey SM1 4QQ

*Please note applications for tickets cannot be accepted after February 23, although tickets will be available at the door price £1. Cheques should be made payable in UK sterling to IPC Business Press Limited.

NewBear

Computing Store Ltd



**BETTER PRICES!
BETTER DELIVERY!
WIDEST RANGE OF
SOFTWARE**

For the best deal
from the largest
sharp dealer
phone Newbear
(0635) 30505

SHARP

Many unique products
Zen/Listings/Word Proc.

Apple
II plus



For ex-stock delivery
12 months warranty



MZ-80K

ACORN

PROM PROGRAMMERS

PROM ERASERS


KEYBOARDS

**5 1/4 AND 8"
DISC DRIVES**

**WIDEST RANGE
OF BOOKS IN U.K.**

**and Bear care
Bear Bargains**

**NORTH
STAR**



★ HORIZON

Installed on your site with full field
service anywhere in U.K. fully C.P.M.
compatible. Chosen by Newbear for
its reliability and performance.

64K Dual Drive Quad	£1995.00
North Star Horizon	
Newbury Laboratory 7009 terminal	£795.00
Citoh8300 R.M. Printer	£499.00
CPIM 2.2.	£95.00

Please send urgently:

Sharp ☐

North Star Horizon ☐ Cat. ☐

Booklist ☐ Citoh ☐ N.L. Terminals ☐

Please contact me ☐ Phone No.

Name

Address

B

NEWBEAR COMPUTING STORE LTD. (HEAD OFFICE)

40 BARTHOLOMEW STREET, NEWBURY, BERKS

TEL. (0635) 30505 TELEX 848507 NCS

FIRST FLOOR OFFICES, TIVOLI CENTRE, COVENTRY ROAD,
BIRMINGHAM. TEL. 021 707 7170

220-222 STOCKPORT ROAD, CHEADLE HEATH, STOCKPORT.
TEL. 061-4912290

SOFTY Software Development System AND EPROM PROGRAMMER EX-STOCK

SOFTY is intended for the development of programs which will eventually become software residing in ROM and forming part of a microsystem. During the development stage of a microsystem, SOFTY will be connected in place of the firmware ROM via a ribbon cable, terminated in a 24 pin DIL plug.

Data may be entered into the SOFTY RAM via the **serial port, parallel port, direct memory access, or the keypad**, and manipulated using the **assembler key-functions**. When the program has been entered, and the internal microprocessor can be 'turned off', and the external microsystem and its resident microprocessor allowed to access and run the program in SOFTY's RAM and/or programming socket. In this way, modification can be made until the required program is complete — the **contents of the RAM being clearly visible as a 'page' on TV or monitor**. 4 pages are available, 2 of the Data RAM and 2 of the programming socket.

In the end, when the program is complete and working, the DIL plus is removed and replaced by an EPROM device programmed by SOFTY. **SOFTY is able to program the 2704/2708/2716 family** which have 3 voltage rails —

To help in the process of program development SOFTY has various assembler key-functions, which include — **block shift without overwriting, block store, cursor control, match byte and displacement calculations** (for jumps etc). A **high speed cassette interface** is also provided for storing working programs and useful subroutines.

SOFTY kit of parts: (including zero insertion force socket for EPROM programmer) Price £100 + VAT (postage paid). SOFTY built & tested — £120 + VAT (postage paid). Built SOFTY power supply — £20 + VAT (postage paid). Write or telephone for full details.

NEW

SOFTY CONVERSION CARD — EX-STOCK

Enables SOFTY to program the single rail EPROMs 2508, 2758, 2516, (INTEL 2716), 2532.

Selection of device type and 1K block are by 4 way pcb slide switches.

Programming socket is zero insertion force. Supplied ready built & tested with Dip jumper for connection to SOFTY, £40 + VAT (postage paid).

NEW

SOFTY PRINTER CARD —

EX-STOCK

- 40 column electrosensitive printer • 5 x 7 dot matrix
- software selection of characters per line (1 to 16 bytes)
- push button printing of EPROM/RAM/Intercursor contents
- Connects to SOFTY card edge • Well documented • Supplied ready built & tested, including power supply, edge connector & paper roll for £145 + VAT (post paid), Spare paper rolls (28-30 metres/roll) — £6.96 + VAT

EX-STOCK EPROMS


	1-9	10-24	25-49	50 up
2708 (450ns)	£3.90	£3.50	£3.10	£2.90
2716 (450ns)	£6.00	£5.50	£5.00	£4.50

Single rail

Deduct a further 5% for cash with order on these low EPROM prices.

Add VAT at 15%. Postage paid.

MODEL 14 EPROM ERASERS EX-STOCK



MODEL UV 141 EPROM ERASER

- Fast erase times (typically 20 minutes for 2708 EPROM)
- 14 EPROM capacity
- Built-in 5 to 20 minute timer to cater for all EPROMs
- Safety interlocked to prevent eye and skin damage
- Convenient slide-tray loading of devices
- 'MAINS' and 'ERASE' indicators
- Rugged construction

Priced at only £78 + VAT post paid

MODEL UV 140 EPROM ERASER

Similar to Model UV141 but without timer

Low price at only £61.50 + VAT post paid

WRITE OR TELEPHONE FOR FULL DETAILS OR SEND CHEQUES/OFFICIAL COMPANY ORDERS TO:

GP Industrial Electronics Limited

Unit 6, Burke Road, Totnes Industrial Estate,

Totnes, Devon. Tel. Totnes (0803) 863360 Sales, 863380 Technical.

Telex No. 42596

TRADE & EXPORT ENQUIRIES WELCOME

MICROLINK MICROLINK MICROLINK

The flexible interfacing system for your Commodore PET or HP 85.


The Microlink interface makes it easy to use your micro for tasks such as:

- * Replacing chart recordings by computer analysis
- * Automating experiments * Adding data processing capability to monitoring instruments.



The MICROLINK interface consists of a mainframe incorporating a power supply, an IEEE 488 interface and a cabinet holding up to 10 modules — this construction means that an interface can be configured to your precise requirements. Modules available include: * Analogue to digital converters * Digital to analogue converters * Analogue X-Y plotter driver * Analogue input conditioning modules * Relay outputs * BCD character inputs * Signal conditioning inputs * High speed clock and multiplexer.

Write or telephone with details of your application, and we will quote you for a configuration to meet your needs.



Biodata Ltd., 6 Lower Ormond St., Manchester M1 5QF.

Telephone:
061-236 1283.

MICROLINK MICROLINK MICROLINK



The Midlands Professional Computer Centre

The people with the personal approach

**SPECIALISTS
IN:-**

CROMEMCO

HORIZON

NASCOM

SHARP

PERIPHERALS

(Excluding printers)

Sharp Cassette Decks ASTEC 10"
Cased Monitors.

PRINTERS

Nexos Ricoh RP 1600 Daisy Wheel
Printer. Diablo Daisy Wheel Printer.
Nascom Micro Imp. Dot Matrix Plain
Paper Printer. Centronics Dot
Matrix. Anadex Dot Matrix. Newbury
Laboratories Dot Matrix Impact
Printer.

SOFTWARE

Northstar. CAP-CPP. Cromemco.
Petsoft. Supersoft. Nascom.

BOOKS

Very full range of books on 6502,
Z80, Languages, Interfacing,
Introductory books and games and
General Programs.

MAGAZINES

Personal Computer World.
Computing Today. Practical
Computing. Educational
Computing. Liverpool Software
Gazette. I.N.M.C. Newsletter.

ADD-ONS FOR NASCOM

Input/Output Board. PIO Kit.
Counter Timer Kit. UART Kit.
Nas-Pen Text editor.

ZEAP 2.0 in EPROM or on Tape.
Nas-Sys 3 Enhanced version of
Nas-Sys1.
Nas-Dis - Disassembler.
Debug - Dynamic Debugger.

INTERFACE

Gemini floppy disc system D-DOS or
CP/M single or dual drive.
ROM EPROM board.
EPROM burner 2708 and 2716.

BITS AND PC's

Tool Kit. Port Probe. Hex Key Pad. Sargon
Chess. Programmers Aid. Dual Monitor
Board.

WILLIAM STUART

Colour Graphics for
Nascom 1 & 2.
Speech Recognition Unit.

**WINCHESTER
TECHNOLOGY**

Colour Graphics 1 & 2.

NEW

Olympia Opus daisy
wheel printer breaks
£1000 barrier

THE KENILWORTH CASE
for the Nascom 2 to
complete a truly professional system.
Milham A/D Converter

NEW

Screen plus -
Reverse video and blanking control
unit perhaps the most advanced
video control device for your Nascom.
Castle Interface

Business & Leisure Micro Computers

16 The Square, Kenilworth, Warwickshire CV8 1EB. Tel: (0926) 512127

THE WESTFARTHING SMALL BUSINESS SYSTEM

for Apple/ITT 2020 micros

Designed from first principles for the family business, it will pay for itself by keeping the accounts in good order, saving management time on paperwork, and accountants fees.

FUNCTIONS: (in short, everything you need)

- * Invoicing (+ discounts, quotations, delivery notes)
- * Customer accounts and shop sales
- * Bank and cash balances calculated weekly
- * Sales and overheads (30 categories) totalled weekly
- * VAT return calculated (while you have lunch)

SPECIAL FEATURES FOR OWNER-MANAGERS:

- * VAT-inclusive bills split automatically
- * Messages can be printed on invoices
- * Automatic payment entry when customer pays on the spot
- * Uses plain fan-fold paper, prints your heading
- * S/A customer address labels printed
- * User's Manual (50 pages) in clear, non-technical style
- * Designed to be user-modifiable

Requires 48K RAM, Applesoft in ROM, 1 or 2 disc drives, printer, Program lives in core. Includes pages of program information, hundreds of REMs, disc map, etc.

Cost: £750 + VAT (£750 only to non-regd trader). For information, send £1 for 10 page description or £10 for User's Manual.

Westfarthing Computer Services Ltd., 21 Wendron St., Helston, Cornwall. Phone Helston (03265) 4098.

NEW SERVICE Selling your micro? Looking for a bargain?

Try us at


Westwood Computers

As well as an extensive range of NEW machines we also have an agency department for USED machines. We test and guarantee the performance of the machines we handle!

Visit our showrooms and see our range of microcomputers for business and personal use. We can show you the SHARP MZ80K, the APPLE II PLUS, the CYPHER 2684, and the Z PLUS range which extends to a 20MB hard disk multi-user system.


100 programs free with every SHARP MZ80K

We have an extensive range of COMPUTER BOOKS, APPLE PROGRAMS, and are distributors for SCOTCH DISCS and TAPES.



BROWSERS WELCOME!

**Westwood Computers
Limited**




On street parking always available. 117 TENNANT STREET, FIVE WAYS, BIRMINGHAM 021 632 5824

Have we got a program for you!


EXCELLENT QUALITY PROGRAMS CHOSEN FOR THEIR SUPERB GRAPHICS
AND SMOOTH ACTION

Apple TRS 80 Video Genie ZX80


**ATTACK
FORCE
WITH SOUND!**



NEW
**ASTEROID
NOVA**



**GALAXY
INVASION
WITH SOUND**



Dodge the alien Ramships and fire missiles to destroy them before they get you. The alien Flagship uses his deadly laser bolt to transform a Ramship into another Flagship or into your ship's double. Look out!! Destroy your double and you could destroy yourself.

TRS 80 Level 1 or 11.16K Tape £10
Hours of exciting fun.

For the first time the amazingly popular ASTEROIDS pub game is now available for your microcomputer. Huge asteroids have invaded the galaxy. Your mission is to destroy them and the alien saucers before they destroy you. But beware, big asteroids break up into smaller ones.

TRS80 Levels 1 & 11.16K
Tape
Video Genie 16K Tape
Apple 11 or 11+32K Disk

£10
£10
£15

The newest and most exciting invaders type game yet! Cruel and crafty aliens attack Earth. You are the sole defender. As you fire your laser at the aliens they swoop down and bomb you. Exciting use of graphics! Must be seen.

TRS 80 Level 1 or 11.16K
Tape
Video Genie 16K Tape £10
£10

THE ESSENTIAL SOFTWARE COMPANY
(Viscounti Ltd.)

47 Brunswick Centre, London WC1N 1AF 01-837 3154

I have a microcomputer

☐ Please send me your software catalogue. I enclose a stamped self addressed envelope.

☐ Please send me
I enclose a cheque/postal order for £
(plus 50p post & packing)

Signature

Name


Address

Postcode

Stop press
JUST ARRIVED -
VISICALC for TRS 80
32K DISK ONLY
£75

SEE OUR COMPLETE
RANGE
SEND STAMPED ADDRESSED
ENVELOPE FOR FREE
CATALOGUE

VISIT US AT OUR NEW
ENLARGED PREMISES
MICRO BUSINESS CENTRE



MICRO BUSINESS CENTRE

1ST FLOOR LEWIS HOUSE
LINTHOUSE LANE
WENESFIELD WOLVERHAMPTON
Tel: WOLVERHAMPTON 725 687

FOR BUSINESS, EDUCATIONAL OR
LEISURE USE:
CONSULT THE EXPERTS!

NEW ITEMS IN STOCK

- * 8" DISK DRIVES
- * 3.3 D.O.S. FOR 5" DRIVES
- * QUME SPRINT 5 DAISY WHEEL PRINTER
- * OKI 82+83 PRINTERS

* Send for our comprehensive software booklet*

Lots of new games, business programs listed



Axon

offers its ACCOUNTS' SUITE for 32k/16k new ROM
'PET', CBM disk & tractor printer.

Mutually compatible programs can be used
independently & do not need special stationery

ANALYSED CASHBOOK - the core of the system. Item, Cheque No., VAT Rate, Bank, Cash, Vat, Net & Account. Auto Vat calculation & Totals for each page. Autoselection of nominal & personal items for posting to Ledger. £75+VAT

LEDGER/STATEMENT - Dual purpose program creates Ledger for each Account, balancing when you wish. Also provides a Statement for customers. £25+VAT.

INVOICE - Formatted Invoice with Item, Debit, Vat, Vat Rate, Net and Account columns & Totals. £25+VAT.

CHEQUEWRITE - Writes cheques, records "counter-foil", auto-interface with **ANALYSED CASHBOOK**. (Needs stationery approved by Bank). £25+VAT.

Axon also offers:

DATASTAX - all purpose utility for transferring data: keyboard/tape/disk/video/printer in any logical direction. Disk not needed. On tape or disk. £15+VAT.

CUSTOM CHARACTER - design your own character for printing. Mathematical symbols, Greek &c. On tape or disk £8+VAT.

AXON COMPUTER SERVICES
PO Box 12, Bentham, Lancaster
Phone: Bentham (0468) 61848

ADVANCED COMPUTER EQUIPMENT (LEEDS) LTD

95, MEADOW LANE, LEEDS, 11. Tel. 0532 446960

New microcomputer store NOW OPEN

PRICES SHATTERED

COMMODORE PET

32K Professional keyboard green screen	£575
Dual disk drive 347k	£625
Cassette deck C2N	£ 50
Printer 3022 Matrix Tractor	£375

APPLE II PLUS

48K Auto start	£695
Disk with controller	£345
Disk without controller	£295
Hitachi 9" monitor B/W	£120

SHARP Z80

48K with 34K user RAM	£475
36K with 22K user RAM	£422
20K with 6K user RAM	£380
Disk drives, printers etc.	

SUPERBRAIN

64K with single density 320K disk	£1450
32K with single density 320K disk	£1395
64K with double density 700K disk	£2300
Operating system * MBASIC * COBOL * FORTRAN	

PRINTERS

BD80P — Hi-speed bi-directional with adjustable tractor feed 750 byte buffer. Fantastic offer £395.
IEEE * Parallel or RS232

SUNDRIES

Data tapes super quality (10)	£3.75
5 1/4" certified verbatim (10)	£27.00
Plain listing paper 2000 units	£12.50
Books * Games * Programs * galore	
Visicalc * Desktop planner special offer	

Please add VAT to all goods except books — cash & carry or 24-hour delivery — your choice.

All equipment is factory fresh and fully tested in our own workshops

Standard conditions of sale applies too all products.

OVER 40 PROGRAMS FOR THE SINCLAIR ZX80 IN

THE ZX80 COMPANION



(SECOND EDITION)

LINSAC

NOW ONLY
£7.95

THE ZX80 COMPANION
(Second Edition)

Mauder, Logan and Trotter

ISBN 0 907211 00 3. Price £7.95 incl. UK postage.

This best-selling manual on the Sinclair ZX80 covers ZX80 BASIC, hardware and programs and has a detailed explanation of the ZX80 Monitor, routines and entry points. A routine for generating moving displays is also included.

- Ch.1 — Operating the ZX80.
- Ch.2 — Theory of Computers
- Ch.3 — ZX80 BASIC
- Ch.4 — The ZX80 Monitor
- Ch.5 — Construction and Hardware
- Ch.6 — ZX80 Programs
- App.1 — Comparison of Z-80 Opcodes and ZX80 Characters.
- App.2 — The 8K ROM.

For a cassette of ten programs from the Companion add £4.95.

The ZX80 Monitor A complete assembly language listing of the ZX80's 4K Monitor, with annotations — Price £10.00 incl. UK postage.


Cassette Software

All LINSAC program packs are on single C12 cassettes with printed run instructions. All run on 1K ZX80's unless otherwise stated. Price £10.00 per pack incl. UK postage.

GAMES PACK 1	— Three Towers, Number Guessing, Mastermind, Sketcher, Hurdle, Nim, Symbol Simon.
GAMES PACK 2	— Nine Lives, The Maze Game, Plain Sailing, OXO, Chinese Puzzle, Tower of Hanoi, Battleships.
GAMES PACK 3	— (2K+) — Fruit Machine, Four-in-a-line, Zombies
EDUCATION PACK 1	— Maths Drill, Dot Recognition, Musical Notes, Spelling Quiz, Day Finder.
EDUCATION PACK 2	— Graph Plotter, Prime Factors, Number Bases, Bar Charts, Statistics.
EDUCATION PACK 3	— (2K+) — CAL Quiz Package with three sample data sets.
UTILITY PACK 1	— Memory Display, Hex Code Monitor, Renumber, Memory Search.


LINSAC 68 Barker Road, Linthorpe,
Middlesbrough, Co. Cleveland TS5 5ES

OHIO SCIENTIFIC NEW SUPERBOARD 3



The special offer of the century (only Swanley could do it!) — For just £159 we will supply Superboard 3 with a free power supply and modulator kit and our free guard bank kit (A brilliant break through in itself for this kit extends the display to 32 x 32, allows 1200 as well as 300 Baud tape speeds, increases the computing speed by 50% and converts the display to 50Hz for flicker free viewing). 4K extra ram £16.95. Case £27. Cassette recorder £16. Cegmon improved monitor £29.50. Assembler/Editor £25. Word processor £10. Guard band kit also supplied separately £10. 30 lines x 54 character display expansion kit for Superboard 2 (not 3) £20.

PRINTERS



Buy any of the below and get a free interface kit and word processor program for UK101 or Superboard 2:-
OKI Microline 80 (Illustrated) £349.
Base 2 800 MST £299. Seikosha GP80 £250.

Cheapo memory expansion offer:- Buy a £10 expansion board with 8K ram on board and space for another 16K for £159 and get a free 5V 4A power kit and any extra ram you want for £3K. Buy a minifloppy + case + power supply + 2 copies of DOS for £275 and we will do the extra ram for £2/K (Max 16K).

SHARP COMPUTERS



Sharp MZ80K Computer with Basic tape and a free tape of approx 50 programs:- 20K version £415. 35K £437. 48K £459. MZ80 I/O £83. MZ80P3 £499. MZ80FD £772. PC1211 £83. CE121 £12.

THE NEW OHIO SERIES 2 CHALLENGER C1P



Cheap, beautiful and powerful! Suddenly Ohio sales have gone through the roof and everybody is screaming for the new Challenger. Program selectable 24 x 24 or 12 x 48 displays. Sound, music and voice output. 8K ram expandable to 32K. 8K basic. Cheapo version (Made in Swanleyland) £219. Official version (Illustrated) £259.

MEMORIES YOU CANT FORGET

2114 450ns £2.15. 4116 200ns £2.83. 4027 £1.30. All low current.

SWANLEY ELECTRONICS

Dept. PCW, 32 Goldsel Rd., Swanley, Kent BR8 8EZ.
Telephone Swanley 64851. Please add 40p postage and 15% VAT. Lists 27p post free. Overseas and official credit orders welcome.



the computer people's printers

design ○ documentation
illustration ○ typesetting
software/hardware interfacing

Specialist text preparation and typesetting for system producers and retailers: special characters like μ , Ω , \uparrow and $\#$, and dozens of typefaces in hundreds of sizes, with on-line interfaces to word-processors. *Reduce* your print costs and increase your impact and sales by professional preparation of your material.

Call Tom Graves on Street (0458) 45359
19a West End, Street, Somerset BA16 0LQ

SOFTWARE ITT 2020 HARDWARE
COMPUTHINK APPLICATIONS
APPLE PAYROLL ANADEx
SPINWRITER PET PALSOF
CENTRONICS OLYMPIA
DOLPHIN NETWORKS
WORD PROCESSING LEDGERS

KING OF THE JUNGLE

Lion has tamed the microcomputer market by amassing a wealth of experience in micro-based small business systems, and by selecting the best systems available to market and support.

Lion's Business Systems Division is ready to demonstrate the power and flexibility of the micro in commercial applications, and is backed by Lion's established reputation for professionalism and support.

Phone now, at either location, to arrange a demonstration to show how micro's can help you, and why Lion is King of the Jungle.

Credit cards welcome and lease facilities available.

LION MICRO-COMPUTER SHOPS LTD.



At Lion House
227 Tottenham Court Road London W1P 0HX Tel: 01-580 7383
21 Bond Street Brighton Tel: (0273) 601838



AFTER THE BEST SELLING

'PET REVEALED' AND 'LIBRARY OF PET SUBROUTINES'
COMES ANOTHER BOOK FROM NICK HAMPSHIRE.

PET GRAPHICS

The way information is displayed on the screen can make or ruin any program whatever the application. This book shows how you can fully exploit the graphics possibilities of the PET, essential reading for anyone wishing to write good useful programs. The book contains dozens of example programs including a comprehensive graphics package written in machine code (resides in the top 2K of memory). The contents of 'PET Graphics' include: How the PET display works — designing a display format — cursor control in PRINT — using POKE — an introduction to the machine code graphics package (you don't need a knowledge of machine code to use this package, but the full source code listings are given for those interested), among the packages over 30 routines are those to draw — bars, borders, character blocks, reverse field blocks, double density point and line plot, fine density bar plot, block scrolling, scrolled multiple page screen, repeat key and protected screen areas, multiple page displays, macro character generator, etc. — Other sections of the book cover — interactive graphics, with full circuit designs and comprehensive support software for adding a light pen to the PET — simple switch and joystick input devices — a review of add on hardware to give the PET high resolution graphics capability.

Price £10.00

All the programs in 'PET Graphics' are available on CBM format disk price £10.00



Cheques payable to Computabits Ltd

COMPUTABITS LTD,

P.O. BOX 13, YEOVIL, SOMERSET. Tel Yeovil 26522

**The Sinclair ZX80 is innovative and powerful.
Now there's a magazine to help you get
the most out of it.**

Get in sync



SYNC magazine is different from other personal computing magazines. Not just different because it is about a unique computer, the Sinclair ZX80 (and kit version, the MicroAce). But different because of the creative and innovative philosophy of the editors.

A Fascinating Computer

The ZX80 doesn't have memory mapped video. Thus the screen goes blank when a key is pressed. To some reviewers this is a disadvantage. To our editors this is a challenge. One suggested that games could be written to take advantage of the screen blanking. For example, how about a game where characters and graphic symbols move around the screen while it is blanked? The object would be to crack the secret code governing the movements. Voila! A new game like Mastermind or Black Box uniquely for the ZX80.

We made some interesting discoveries soon after setting up the machine. For instance, the CHR\$ function is not limited to a value between 0 and 255, but cycles repeatedly through the code. CHR\$(9) and CHR\$(265) will produce identical values. In other words, CHR\$ operates in a MOD 256 fashion. We found that the "=" sign can be used several times on a single line, allowing the logical evaluation of variables. In the Sinclair, LET X=Y=Z=W is a valid expression.

Or consider the TL\$ function which strips a string of its initial character. At first, we wondered what practical value it had. Then someone suggested it would be perfect for removing the dollar sign from numerical inputs.

Breakthroughs? Hardly. But indicative of the hints and kinds you'll find in every issue of SYNC. We intend to take the Sinclair to its limits and then push beyond, finding new tricks and tips, new applications, new ways to do what couldn't be done before. SYNC functions

on many levels, with tutorials for the beginner and concepts that will keep the pros coming back for more. We'll show you how to duplicate commands available in other Basics. And, perhaps, how to do things that can't be done on other machines.

Many computer applications require that data be sorted. But did you realize there are over ten fundamentally different sorting algorithms? Many people settle for a simple bubble sort perhaps because it's described in so many programming manuals or because they've seen it in another program. However, sort routines such as heapsort or Shell-Metzner are over 100 times as fast as a bubble sort and may actually use less memory. Sure, 1K of memory isn't a lot to work with, but it can be stretched much further by using innovative, clever coding. You'll find this type of help in SYNC.

Lots of Games and Applications

Applications and software are the meat of SYNC. We recognize that along with useful, pragmatic applications, like financial analysis and graphing, you'll want games that are fun and challenging. In the charter issue of SYNC you'll find several games. Acey Ducey is a card game in which the dealer (the computer) deals two cards face up. You then have an option to bet depending upon whether you feel the next card dealt will have a value between the first two.

In Hurkle, another game in the charter issue, you have to find a happy little Hurkle who is hiding on a 10 X 10 grid. In response to your guesses, the Hurkle sends out a clue telling you in which direction to look next.

One of the most ancient forms of arithmetical puzzle is called a "boomerang." The oldest recorded example is that set down by Nicomachus in his *Arithmetica* around 100 A.D. You'll find a computer version of this puzzle in SYNC.

Hard-Hitting, Objective Evaluations

By selecting the ZX80 or MicroAce as your personal computer you've shown that you are an astute buyer looking for good performance, an innovative design and economical price. However, selecting software will not be easy. That's where SYNC comes in. SYNC evaluates software packages and other peripherals and doesn't just publish manufacturer descriptions. We put each package through its paces and give you an in-depth, objective report of its strengths and weaknesses.

SYNC is a Creative Computing publication. Creative Computing is the number 1 magazine of software and applications with nearly 100,000 circulation. The two most popular computer games books in the world, *Basic Computer Games* and *More Basic Computer Games* (combined sales over 500,000) are published by Creative Computing. Creative Computing Software manufactures over 150 software packages for six different personal computers.

Creative Computing, founded in 1974 by David Ahl, is a well-established firm committed to the future of personal computing. We expect the Sinclair ZX80 to be a highly successful computer and correspondingly, SYNC to be a respected and successful magazine.

Order SYNC Today

Right now we need all the help we can get. First of all, we'd like you to subscribe to SYNC. Subscriptions are posted by air directly from America and cost just £10 for one year (6 issues), £18 for two years (12 issues) or, if you really want to beat inflation, £25 for three years (18 issues). SYNC is available only by subscription; it is not on newstands. We guarantee your satisfaction or we will refund the unfulfilled portion of your subscription.

Needless to say, we can't fill up all the pages without your help. So send in your programs, articles, hints and tips. Remember, illustrations and screen photos make a piece much more interesting. Send in your reviews of peripherals and software too—but be warned: reviews must be in-depth and objective. We want you to respect what you read on the pages of SYNC so be honest and forthright in the material you send us. Of course we pay for contributions—just don't expect to retire on it.

The exploration has begun. Join us.

The magazine for Sinclair ZX80 users

SYNC

27 Andrew Close
Stoke Golding

Nuneaton CV13 6EL, England

INDEPENDENT COMPUTER ENGINEERING LTD

CROMEMCO Systems & Software

SYSTEM ZERO — the latest low cost computer from Cromemco

CP/M 2.2 for Cromemco systems **£95**

64K S100 Memory Boards **£350**

California computer systems S100 boards and complete systems available

10 Megabyte Cartridge Disk
(5 Megabyte fixed 5 removable)
and controller for the S100 Bus
£3,950 including installation
(London area)

We supply computer solutions to business problems

- * Software packages
- * Hardware maintenance
- * Hardware configuration and design


We also have an "Aladdin's Cave" of computer spares, power supplies, boards, chips, etc, etc.

For further details and information, please contact:

Independent Computer Engineering Limited,
16/18 Littleton Road, Ashford, Middlesex.

Tel: 07842 47171/2

Telex: 8952042 (DPCUST G)



EPSON — MX80 DOT MATRIX PRINTER

The printer you have been waiting for

- * 9x9 matrix (true descenders in lower case)
- * 80cps bidirectional printing with logical seeking print head (maximises throughput)
- * 96 ASCII character set, plus 64 graphics incorporating 4 switch selectable European language options.
- * Programmable forms handling
- * 12 different print modes, up to 132 characters per line
- * Operator controls and indicators, including self test feature.
- * — options — high resolution graphics, dual friction/tractor feed unit
- * **£395** — with standard parallel interface (interface options — RS232, Pet, TRS80, MZ80, Apple).

ALL PRICES EXCLUDE VAT

MILNE SOFTWARE

MICRO-WORD

Is a low cost letterwriter/word processor for the 16K PET & PET printer — ideal for the hobbyist, small business, school club etc. Just look at the features...

- * Doesn't need a second cassette unit!
- * Lower case, enlarged & reversed print!
- * Save pages of text on tape, recall & edit on screen before printing!
- * Prints letterheadings & details — circular letters can be printed easily & quickly!

AND THE PRICE? INCLUDING POSTAGE, PACKING & INSTRUCTION BOOKLET... JUST £9.95!!

CAR-PIC

Let "CAR-PIC" guide you through the problem of buying your next car. Just feed in all of the requirements such as top speed, fuel consumption, etc, and "CAR-PIC" will display from its files of old & new cars the details of those that fit your specification. INCLUDING POST & PACKING... JUST £7.95!! (8K new ROM PETS)

MILNE SOFTWARE

153 WAKEFIELD STREET, EAST HAM, LONDON E6 1LG.

The Best CHESS COMPUTERS



From COMPETENCE

THE CHESS COMPUTER SPECIALISTS

FREE leaflet by International Grandmaster Raymond Keene on "How to Get the Most Benefit from a Chess Computer".

Simply send off the form below (or phone) for full details of our range of new and second-hand chess computers (all fully guaranteed) — including the fastest and strongest, the BORIS/SARGON — and a free copy of Raymond Keene's leaflet.


COMPETENCE, 30 Baker Street, London W1
Telephone: 01-229 8275 Mon-Fri 10 am — 5 pm

Name
Address
..... tel. date
Details and leaflet please!

PCW 3.81

The 4th Personal Computer World Show

Cunard Hotel Hammersmith 10-12 September 1981



The Show which brings your market direct to you . . .

The Personal Computer World Show is the only exhibition exclusively for the small computer industry. It is your opportunity to meet, face-to-face, potential buyers who visit the Show specifically to see demonstrations and discuss the application of your products.

This is the Show where buyers come to buy ... not just look.

To discuss how the 4th Personal Computer World Show could form the focus of your 1981 promotional calendar contact Timothy Collins on 01-486 1951 or write to him at Montbuild Ltd, 11 Manchester Square, London W1.

ADVERTISERS INDEX

Abacus	24	Currah	172	Leicester Comp Centre	156	Personal Computers	OBC
Acorn Computers	74	Data Bank	31	Linsac	178	Pete & Pam	
Aculab	161	Data Plus	150	Lion House	179	Computers	6
Advanced Computer		Davinci Comp	164	Little Genius	170	Petsoft	98
Equipment	178	Digital Design &		Liveport Data		Phipps	62
Algray	33	Development	34	Products	112	Portatel	157
Almarc Data Systems	19	Display Electronics	163	Logic Box	155	Prentice Hall Int.	78
Anglia Comp Centre	161	Easi Comp	168	Lombardy Scientific	148	Printout	88
Beaver Systems	164	Electronics Brokers	172	London Computer		Program Power	62
Biodata	175	Essential Software	177	Centre	30,150	Pramglow	173
Bits & PCs	168	EuroCalc	157	Lowe Electronics	21	Purley Comps	149
Bug Byte	150	Equinox	82	Macklin-Zand	147	Rohan Computing	3
Business & Leisure		Ferguson Computers	170	Magronics	162	Science of	
Microcomputers	176	Freshfield Computers	156	Map	21,159	Cambridge	110,111
Butel	173, 78	GP Industrial	175	Melbourne House		Sharp	50,51
CCS Microhire	32	Gate Microsystems	8	Publishers	164	Silica Shop	43
Calco	34	Graham Dorian	73	Micro	80,160	Simon Computers	151
Calona	148	Gramma Winter	4,5	Microbusiness Centre	177	Sirton	28
Cambridge Comp		Greenbank Electronics	165	Microbyte	126	Stack	26
Store	102	Graffcom	78	Microcentre	1FC	St Commercial	
Cambridge Learning	8	Guestol	169	Microdigital	100	Systems	154
Camden Electronics	35	Hal	41	Microfacilities	14	Strumech	11
Chromasonic	20,21	Happy Memories	168	Microputer Applications	152	Strutt	151
Commodore	39	A J Harding	22,23	Micro Sense	114	Sumlock Boundain	13
Comart	75	Heath	31,33,35	Microsystems	174	Sun Computing	
Competence	181	Henry's	160	Microtek	24	Services	109
Comp Shot	184, IBC	Hitech Electronics	12	Microtrend	7	Supersoft	58
Computech	2	ISG Data Sales	64	Micro Type	158	Systems Plus	10
Computerbits	179	Independent Computer		Mighty Micro	120	Swanley Electronics	178
Computer Bookshop	92,155	Engineering	181	Mike Rose Micros	161	TVJ Micro Computers	25
Computer Interfacing		Intelligent Artefacts	158	Milne Software	181	Technomatic	148
Equipment	58	Interam Computer		Mine of		Tex Microsystems	170
Computermarket	84	Systems	167	Information	159	This could be fun	149
Computopia	19	Interactive Data		NCS Computer Shops	94	Tim Orr	156
Conserve	16	Systems	76	NIC	157	Transam	118
Cream Microcomputer		Interface	17	Newbear Computing	174	Tri-Data	152
Shop	27	Intex Datalog	162	Newbury	15	Watford Electronics	18,19
Creative Computing	180	Intracopt Electronics	158	Noetics	177	WEGO	166
Crystal	170	Kansas City	166	Northamber	34,179	West Farthing Comps	176
Cumana	171	Keytronics	24	Online Conferences	9	Western Computers	155
		Kram Electronics	151	PHL	100	Westwood Comps	176
		L & J Computers	102	P&R Computer Shop	149	Xitan Systems	153



The Job is a police magazine and guess who appeared in it recently? — Rupert Allason, brother of 'Squire' Julian, no less. It seems that while on holiday in the Bahamas, he hired a glass-bottomed boat and hurtled off to 400-yard long Stocking Island for a sunbathe. Imagine his amazement then when an aeroplane decided to crash there. The two very dazed occupants run for the ferry which was just leaving, shouting to Rupert, 'The plane's yours, you can keep it.' Rupert, suspecting a crime, went to investigate what appeared to be hay bales but which turned out to be bales of marijuana. Rupert whizzed off in the glass-bottomed boat, managing to head off the ferry, and on arrival back to Stocking Island he whipped out his police warrant and arrested the criminals for illegal entry to the Bahamas. Back on patrol as a 'special' he was looking forward to a return visit as a witness in the

court case when he heard a rumour that the evidence had disappeared, 'just as if it had gone up in smoke,' one Bahamian is rumoured to have said. . . Latest gleeful discovery of software vendors is that their business is akin to running a bordello — you sell it and you've still got it. Nigel Coster of London Computer Centre asked us not to mention his name as the source of this epigram, by the way. . . Rumour has it that PET buyers are in the very best of company (kneel, kneel, curtesy, curtesy) — Buckingham Palace bought one from Ron and Derek Bailey of Birmingham's Camden Electronics. . . Remember our January cover? — it was the one with the salesman and the customer on it. A lot of people rang to ask which article it referred to — and we thought the word 'Secrets' was a dead give-away. . . Another person who rang to complain was the artist, Colin Hadley. You may

have noticed that the 'bar code' on the cover actually gave Colin's name and, even worse, his phone number. Imagine how he felt early on Boxing day morning when some nerd rang to say, 'I've cracked the code — do I win a prize?!!' . . . Computer Genius Leads Britain's Brains.' So ran a press release from British Mensa, announcing the appointment of its new chairman — none other than Clive Sinclair. . . While on the subject, 'Uncle' Clive was seen recently at the Consumer Electronics Show in Las Vegas. Well seen at the show isn't quite true, he was more often lying on the grass outside the Hilton Rotunda. Since Las Vegas is in the desert, the grass has to be kept permanently watered so we presume that at the end of each day's sunbathing there was a Clive-shaped patch of desert in the middle of the lawn. . . We must have had printer surveys on the brain last month — we even announced winners for one!! It should have read *Reader Survey*. Our apologies to the 26 readers who thought they'd turned into printers. . . We suspect

(but can't prove it) that Malcolm Peltu is really Milton Friedman in disguise. See the cover of the new *Free to Choose* paperback and then look at Malcolm. . . A certain magazine which we lovingly call *Toady* is about to launch a low-'Budgett' version of *Chip Chat*. Or so we hear. . . If you've got a PET and you've POKED 59458, then turn immediately to Bludners. . . Finally, this is your *last chance* to take advantage of our West Coast Faire offer on page 46. Whether you're a dealer or just plain interested, this is the only exclusively micro show in the USA. Covering two floors it's got everything on display, from stands you couldn't swing a cat in, displaying new products which may one day become big, to enormous stands put up by the microcomputing 'establishment'. Being in San Francisco, it's well placed at the top end of 'Silicon Valley' for visits to manufacturers and software houses. If you don't fancy that, San Francisco ain't too bad, either.

NEW REDUCED PRICES

8K £399
16K £499
32K £599
RRP £795 for 32K



The PEDIGREE PETS

Very popular for home & business use. 8K Microsoft Basic in ROM. 8K Pet 32K & 16K with new improved keyboard. All with green screen.

Cassette Deck £55 extra. Full range of software available.

Interface PET IEEE - Centronics Parallel

Decoded £77.00 + VAT

EXTENDED WARRANTY BY COMPUTARE


We give a full one year's warranty on all our products.

SPECIAL SCOOP GET YOURSELF A PRINTER FOR YOUR PET AND SAVE A FORTUNE

only £299 + VAT

Interface Cards for Apple, Pet, TRS80, Nascom and CompuKit - £49 + VAT

Full Pet Graphics including cables. Ready to go. **EX-STOCK.**




NASCOM 2 DISC DRIVES

Add a powerful, double density, mini floppy disc to your Nascom system.

- Disc Controller Card (includes Nasbus 6 S100 interface)
- Will control 4 Drives.
- CPM operating system.
- Extended Disc Basic Compiler.
- Power supply included

One Disc System - £499 + VAT
Additional Disc Unit - £299 + VAT



NASCOM 2 GAMES TAPE

featuring Space Invaders and Android Nim, Re-numbering program and other goodies!

£7.50 + VAT

NEC SPINWRITER

only £1490 + VAT



NEC's high quality printer uses a print "thimble" that has less diameter and inertia than a daisy wheel, giving a quieter, faster, more reliable printer that can cope with plotting and printing (128 ASCII characters) with up to five copies, friction or tractor fed. The ribbon and thimble can be changed in seconds. 55 characters per second bidirectional printing - with red/black, bold, subscript, superscript, proportional spacing, tabbing, and much, much more.

COMP POCKET COMPUTER GREATEST BREAKTHROUGH YET

£99.90 + VAT



COMPUTER POWER THAT ONCE FILLED A ROOM CAN NOW BE CARRIED IN YOUR POCKET!

- Programs in BASIC • "QWERTY" Alphabetic Keyboard • 1.9K Random Access Memory • Long Battery Life.


Computer power that once filled a room can now be carried in your pocket! It's easy to load with ready-to-run software from cassette tape (interface and recorder optional) or program it yourself in easy-to-learn BASIC. 24-character liquid crystal readout displays one line at a time. Special feature is advanced non-volatile memory allows you to power on and off without losing the contents of memory. Note: Memory must be transferred to tape before changing batteries. Automatic statement compaction squeezes every ounce of memory space. Features power-off retention of programs and data. Powerful resident BASIC language includes multiple statements, math functions, editing, strings, arrays and much more. Multiple program loading capability subject to RAM availability. Carrying case and batteries included.

EXTENDED WARRANTY BY COMPUTARE

THE ALCOM

only £147 + VAT

Base station connects to your telephone line. Remote handset clips to your belt and gives you push-button dialling - Bleeps when call arriving - Nicad rechargeable batteries. Charger in base unit.



LOW COST TELEPHONE ANSWERING MACHINE

only £99.95 + VAT

Microprocessor controlled answering machine. Plug into your phone line. Records any phone call messages. Remote bleeper enables you to listen to your messages from anywhere in the world. Uses standard cassettes. Comes complete with mains adaptor, microphone, remote bleeper, base unit, cassette with 30 sample pre-recorded messages.

FANTASTIC FOR FILE HANDLING ACULAB FLOPPY TAPE

The tape that behaves like a disc, for TRS-80 LEVEL 2.

only £169 + VAT

EXTENDED WARRANTY BY COMPUTARE



The Aculab Floppy Tape for the TRS-80 and Video Genie is a highly reliable digital storage system that provides many of the advantages of floppy disks at less cost. Automatic debounce routine for the Level 2 keyboard.

Connects directly to TRS-80 Level 2 Keyboard. Operating and file handling software in ROM. 8 commands add 12 powerful functions to Level 2 BASIC.

THE VIDEO GENIE SYSTEM

Ideal for small businesses, schools, colleges, homes, etc. Suitable for the experienced, inexperienced, hobbyist, teacher, etc.

EG3000 Series

EXTENDED WARRANTY BY COMPUTARE



16K £299 + VAT

WITH 16K user RAM plus extended 12K Microsoft BASIC in ROM • Fully TRS-80 Level II software compatible • Huge

range of software already available • Self contained, PSU, UHF modulator, and cassette • Simply plugs into video monitor or UHF TV • Full expansion to disks and printer • Absolutely complete - just fit into mains plug. The Video Genie is a complete computer system, requiring only connection to a domestic 625 line TV set to be fully operational; or if required a video monitor can be connected to provide the best quality display. 51 key typewriter style keyboard, which features a 10 key rollover. Supplied with the following accessories:- • BASIC demonstration tape; • Video lead; • Second cassette lead; • Users manual; • BASIC manual; • Beginners programming manual. Write useful programs in the BASIC computer language yourself.

EPROM 2716 £12.50 + VAT

only £325 + VAT



TRS80 LEVEL 2 16K

Fully converted to UK T.V. Standard. Comes complete with easy to follow manuals. UK Power Supply - Cassette Leads - Sample tapes. Special box to enable you to plug into your own TV. Recommended for first time buyers. Just plug in and go. Full Range of Software Available

Interface to Centronics Parallel for TRS80 £75.00 + VAT

only £295 + VAT

TRS80 EXPANSION INTERFACE

Expand your TRS80 by 32K. 32K Memory on board. Centronics parallel port. Disk controller card. Real time clock. Requires Level II Basic. Interface for 2 cassette decks. Complete with power supply.



YOU NEED NEVER MISS AN IMPORTANT CALL AGAIN TWO CORDLESS TELEPHONE SYSTEMS - DIRECT FROM USA



THE ALCOM

only £147 + VAT

Base station connects to your telephone line. Remote handset clips to your belt and gives you push-button dialling - Bleeps when call arriving - Nicad rechargeable batteries. Charger in base unit.

COMMERCIAL EXPANDABLE • COMPLETE TRS 80 • MODEL II

64K 1-Disk Model II £1995.00 + VAT

RRP £2250.00



This new unit from the world's most successful micro company is now available immediately with software. The basic unit comes complete with 64 thousand characters (bytes) of Memory. The built in 8" Floppy disc adds another 1/2 million extra characters including the disc operating system. More disc expansion is now available.

The Model II is a complete unit with a full keyboard including a numeric pad and 12" screen which gives 24 lines of 80 characters. The computer is supplied with both the disc operating system and the Level III Basic.

A full self test routine is written into the power up procedure to eliminate incorrect operation. Both serial and parallel expansion sockets are standard. A printer is a plug-in operation.


Both hardware and software necessary to talk to a mainframe are included. Terminal usage is very possible. With the addition of CPM2 you can operate with COBOL, FORTRAN, MBASIC, CBASIC in which languages are many other applications packages i.e. accounting, payroll stock etc.

CP/M2	£95.00	M BASIC	£155.00
CIS COBOL	£400.00	FORTRAN	£220.00
C BASIC	£75.00	WORDSTAR	£255.00


COMP PRO MIXER

Professional audio mixer that you can build yourself and save over £100.

Only £99.90 plus VAT for complete kit. Plus FREE power supply valued at £25.00



FULL RANGE OF ACCESSIT AUDIO ADD-ONS



TEAC DISK DRIVES

- TEAC FD-50A has 40 tracks giving 125K Bytes unformatted single density capacity.
- The FD-50A can be used in double density recording mode.
- The FD-50A is Shugart SA400 interface compatible.
- Directly compatible with Tandy TRS80 expansion interface.
- Also interfaces with Video Genie, SWTP, Heathkit, North Star Horizon, Superbrain, Nascom, etc.
- Address selection for Daisy chaining up to 4 Disks.
- Disks plus power supply housed in an attractive grey case.

Single Disk Drive £225 + VAT

Double Disk Drive £389 + VAT

RRP £540

only £399

+ VAT

ANADEx DP8000

Super Quality — Low cost printer. Tractor Feed with full 96 ASCII character set. Accepts RS232C at baud rates between 100 and 9600 and Parallel Bit data. Attaches either directly or through interfaces to Pet, Apple, TRS80, Sorcerer, Nascom, CompuKit etc.

THE NEW ANADEx DP9500 and DP9501

A PROFESSIONAL PRINTER

- Bi-directional printing
- Up to 220 chars/line with 4 print densities
- 500 char buffer
- RS232C and Centronics Parallel interface built in
- Full software control of matrix needles allowing graphics capability
- 200 chars/sec • Adjustable width tractor feed.


DP9500 — ONLY £795 + VAT
DP9501 — ONLY £845 + VAT

THE ATARI VIDEO COMPUTER GAMES SYSTEM

Atari's Video Computer System now offers more than 1300 different game variations and options in twenty Game Program™ cartridges! Most Cartridges only £13.90 + VAT. Prices may vary with special editions. Basic Maths, Airsea Battle, Black Jack, Breakout, Surround, Spacewar, Video Olympics, Outlaw, Basketball, Hunt & Score*, Space War, Sky Diver, Air Sea Battle, Codebreaker*, Miniature Golf.

Extra Paddle Controllers — £14.90 + VAT
*Keyboard Controllers — £16.90 + VAT

SPACE INVADERS NOW IN STOCK £25



EUROPE'S FASTEST SELLING ONE BOARD COMPUTER

COMPUKIT UK101

★ 6502 based system — best value for money on the market. ★ Powerful 8K Basic — Fastest around ★ Full Qwerty Keyboard ★ 4K RAM Expandable to 8K on board. ★ Power supply and RF Modulator on board. ★ No Extras needed — Plug-in and go. ★ Kansas City Tape Interface on board. ★ Free Sampler Tape including powerful Disassembler and Monitor with each Kit. ★ If you want to learn about Micros, but didn't know which machine to buy then **this is the machine for you.**

40 pin Expansion Jumper Cable for CompuKit expansion £8.50 + VAT

Build, Understand and Program your own Computer for only a small outlay.

KIT ONLY £179 + VAT
NO EXTRAS NEEDED

Available ready assembled, tested & ready to go £229 + VAT

NEW MONITOR FOR COMPUKIT UK101

- In 2K Eprom 2716 • Allows screen editing • Saves data on tape • Flashing cursor • Text scrolls down £22.00 + VAT
- Special Bonus SAVE £22. New Super Monitor inc. in each kit or sold separately for £22 + VAT.

FOR THE COMPUKIT

Assembler/Editor	£14.90
Screen Editor Tape	£5.90

All Prices exclusive VAT

Game Packs

1. Four Games	£5.00
2. Four Games	£5.00
3. Three Games 8K only	£5.00

Super Space Invaders (8K)	£6.50
Space Invaders	£5.00
Chequers	£3.00
Real Time Clock	£3.00
Case for CompuKit	£29.50



HITACHI PROFESSIONAL MONITORS

9" — £129 £99.95
12" — £199 £149

- Reliability Solid state circuitry using an IC and silicon transistors ensures high reliability. • 500 lines horizontal resolution Horizontal resolution in excess of 500 lines is achieved in picture center. • Stable picture Even played back pictures of VTR can be displayed without jittering. • Looping video input Video input can be looped through with built-in termination switch. • External sync operation (available as option for U and C types) • Compact construction Two monitors are mountable side by side in a standard 19-inch rack.



ENGLISH COLOUR TV/ AMERICAN NTSC COLOUR MONITOR

Suitable for Apple, Atari and Texas 99/4 £295 + VAT

8MHz Super Quality Modulators	£4.90
6MHz Standard Modulators	£2.90
C12 Computer Grade Cassettes	10 for £4.00
Anadex Printer Paper — 2000 sheets	£25.00
Floppy Discs 5 1/4" Hard and Soft Sectorred	£3.50
Floppy Disc Library Case 5 1/4"	£3.50
Verocases for Nascom 1 & 2 etc.	£24.90
Keyboard Cases	£9.90

MEMORY UPGRADES

16K (8 x 4116) £29.90 + VAT
4K CompuKit (8 x 2114) £29.90 + VAT

SPECIAL OFFER

We will part exchange your Sinclair ZX80 for any of our products.



Refurbished ZX80's—fully guaranteed £69.90 + VAT
(Supply dependant upon stocks).

We have one of the largest collections of Computer Books under one roof, along with racks of software for the PET and TRS80. Come and see for yourself.

WE ARE NOW STOCKING THE APPLE II AT REDUCED PRICES

16K	£599
32K	£649
48K	£659

Getting Started APPLE II is faster, smaller, and more powerful than its predecessors. And it's more fun to use too because of built-in features like:

- BASIC — The Language that Makes Programming Fun.
- High-Resolution Graphics (in a 54,000-Point Array) for Finely-Detailed Displays. • Sound Capability that Brings Programs to Life. • Hand Controls for Games and Other Human-Input Applications. • Internal Memory Capacity of 48K Bytes of RAM, 12K Bytes of ROM; for Big-System Performance in a Small Package. • Eight Accessory Expansion Slots to let the System Grow With Your Needs.

You don't need to be an expert to enjoy APPLE II. It is a complete, ready-to-run computer. Just connect it to a video display and start using programs (or writing your own) the first day. You'll find that its tutorial manuals help you make it your own personal problem solver.

NOW OPEN

OUR NEW SHOWROOM & SALES CENTRE AT

311 Edgware Road,
London W2.

Telephone: 01-441 2922

APPLE DISC II

Disc with Controller £349 + VAT

Additional Drives £299 + VAT



- Powerful Disk Operating Software Supports up to 6 drives • Name Access to Files for Ease of Use • BASIC Program Chaining to Link Software Together • Random or Sequential File Access to Simplify Programming • Dynamic Disk Space Allocation for Efficient Storage • Individual File Write-Protection Eliminates Accidental File Alterations • Loads an 8K Byte Binary Image in 6.5 sec. (1.2 sec. in Pascal) • Storage Capacity of 116 Kilobytes (143K Bytes with Pascal) on Standard 5 1/4" Diskettes • Powered Directly From the APPLE (Up to 6 Drives) for Convenience and High Reliability • Packaged in Heavy-Duty, Colour-Coordinated Steel Cabinet

A SELECTION OF APPLE INTERFACES
ARE NOW AVAILABLE AT OUR NEW
SHOWROOM.



"Europe's Largest Discount
Personal Computer Stores"

Delivery is added at cost..Please make cheques and postal orders payable to **COMP SHOP LTD.**, or phone your order quoting **BARCLAYCARD, ACCESS, DINERS CLUB** or **AMERICAN EXPRESS** number.

CREDIT FACILITIES ARRANGED — send S.A.E. for application form.

MAIL ORDER AND SHOP:

14 Station Road, New Barnet, Hertfordshire, EN5 1QW (Close to New Barnet BR Station — Moorgate Line).
Telephone: 01-441 2922 (Sales) 01-449 6596 Telex: 298755 TELCOM G

OPEN (BARNET) — 10am - 7pm — Monday to Saturday

NEW WEST END SHOWROOM:

311 Edgware Road, London W2.

OPEN (LONDON) — 10am - 6pm — Monday to Saturday

★ IRELAND: 80 Marlborough Street, Dublin 1. Telephone: Dublin 749933

★ COMP SHOP USA, 1348 East Edinger, Santa Ana, California, Zip Code 92705.
Telephone: 0101 714 5472526



COMP COMPUTER
COMPONENTS

(Part of the Compshop Ltd. Group)



We are now entering our fourth financial year of dealing solely in the personal computer market — in fact, we started it! Over this period, Personal Computers Limited have formed a group of graduate specialists who will help you in the fields of word processing, financial planning, statistics, economic modelling, forecasting, accounting systems, foreign exchange, banking and oil exploration. We also do rather well with computer graphics and highly recommend the graphics tablets and our plotter for Apple.

We can also offer two excellent items of software — Format 40 and Visicalc — at a combined price of **ONLY £189**, and the Super Sound Generator for only **£90!** (excl. V.A.T.)



8" Disk Drive (above left)

Our 8" disks are still as popular as ever — 2 drives give you 1.2MB with all the reliable security of Shugart Technology. Easily interfaced to Apple, uses the same D.O.S.

A.I.O. Serial and Parallel Card (above centre)

Three hand-shake lines (R.T.S., C.T.S. and D.C.D.). Firmware for serial interfaces on-board, software for parallel printer available, 2 bi-directional 8 bit parallel ports, plus 4 additional interrupt and hand-shaking lines.

Light Pen (above right)

A much sought after product which we introduced to the U.K.

80 Character Card (below left)



... opens up the real commercial world for all Apple owners.

Paper Tiger (Below centre)

132 character line, plus graphics, 8 character sizes, ordinary paper, multiple copy, upper and lower case 96 character, parallel/serial, form control.

Centronics 730 (Below right)

A substantial, robust printer from a major manufacturer. 3 way paper handling system, 100 character per second. Special low-cost including interface. 96 characters.



Items pictured

Sharp MZ — 80K

A new generation of personal computer, self contained, versatile and starting at only **£570** (excl. VAT). Explore the Zilog Z80 now the easy way. Disks and printer available shortly.

Numeric Keypad

... with 8 function keys is a must in all financial applications.

TCM 100 & TCM 200

... both now have graphics as well as their own power supply, essential with this type of printer.

Qume Sprint 5

The quality word processing printer. Clean, clear executive reports the way you want them. Can print up to 5760 points per square inch — or even print in 2 colours.

This is what we do..

and we do it rather well!



Personal Computers Limited
194-200 Bishopsgate, London EC2M 4NR. Tel. 01 626 8121

For further information, please complete this coupon and post to:
Personal Computers Limited, 194-200 Bishopsgate, London EC2M 4NR.

NAME _____

ADDRESS _____

PCW 3.81

* Now here details for **APPLE III**